

YUVENTIS LIFESCIENCES

Ensuring Quality, Limitless Capability

MANUFACTURING PLANT

Plot No.7-8, Extension, Phase III, HPSIDC, Industrial Estate, Baddi, Solan (H.P)
 Website: www.yuventis.in
 Email: yuventispharma@gmail.com

MARKETING OFFICE

Plot No 81, Industrial Area Phase 1, Panchkula, Haryana, Pincode: 134113
 Contact No : 7206238212

S. No	Generic Name	Composition	PH. REF.	Strength
TABLETS				
1	Terbinafine Tablets IP 250 mg	Each un coated tablet contains:	IP	250 mg q.s
		Terbinafine Hydrochloride		
		Eq. to Terbinafine		
		Excipients		
2	Paracetamol Tablets IP 500 mg	Each un Coated tablet contains:	IP	500 mg q.s.
		Paracetamol		
		Excipients		
		Approved colour used		
3	Paracetamol Tablets IP 650 mg	Each un Coated tablet contains:	IP	650 mg q.s.
		Paracetamol		
		Excipients		
		Approved colour used		
4	Telmisartan and Amlodipine Tablets IP	Each film Coated tablet contain:	IP	40 mg
		Telmisartan		
		Amlodipine Besylate	IP	5 mg q.s.
		Eq to Amlodipine		
		Excipients		
Approved colour used				
5	Methyleprednisolone Tablets I.P.	Each uncoated tablet contains:	IP	4 mg q.s.
		Methyleprednisolone		
		Excipients		
		Approved colour used		
6	Ursodeoxycholic Acid Tablets IP 300mg	Each film Coated tablet contains:	IP	300 mg q.s.
		Ursodeoxycholic Acid		
		Excipients		
		Approved colour used		
7	Etoricoxib Tablets IP 90mg	Each film Coated tablet contains:	IP	90 mg q.s.
		Etoricoxib		
		Excipients		
		Approved colour used		
8	Linezolid Tablets IP 600 mg	Each film Coated tablet contains:	IP	600 mg q.s.
		Linezolid		
		Excipients		
		Approved colour used		
9	Atorvastatin Tablets IP 20 mg	Each film Coated tablet contains:	IP	20 mg q.s.
		Atorvastatin Calcium		
		Eq to Atorvastatin		
		Excipients		
10	Levofloxacin Tablets IP 500 mg	Each film Coated tablet contains:	IP	500 mg q.s.
		Levofloxacin Hemihydrate		
		Eq to Levofloxacin		
		Excipients		
		Approved colour used		

11	Ofloxacin & Ornidazole Tablets IP.	Each film coated tablet contains:		
		Ofloxacin	IP	200 mg
		Ornidazole	IP	500 mg
		Excipients		q.s.
		Approved colour used		
12	Rosuvastatin Tablets IP 10mg	Each film coated tablet contains:		
		Rosuvastatin Calcium	IP	10 mg
		Eq. to Rosuvastatin		
		Excipients		q.s.
		Approved colour used		
13	Metformin Hydrochloride SR Tablets IP 500mg	Each uncoated sustained release tablet contains		
		Metformin Hydrochloride	IP	500 mg
		(As sustained release form)		
		Excipients		q.s.
		Approved colour used		
14	Metformin Hydrochloride Prolonged Release Tablets IP 1000 mg	Each uncoated prolonged release tablets contains:		
		Metformin Hydrochloride	IP	1000 mg
		Excipients		q.s.
		Approved colour used		
15	Ondansetron Orally Disintegrating Tablets I.P.	Each Orally Disintegrating tablet contains:		
		Ondansetron Hydrochloride	IP	4 mg
		Eq. to Ondansetron		
		Excipients		q.s.
		Approved colour used		
16	Betahistine HCl Tablets IP 16 mg	Each film Coated tablet contains:		
		Betahistine Hydrochloride	IP	16 mg
		Excipients		q.s.
		Approved colour used		
17	Calcium Carbonate & Vitamin D3 Tablets IP	Each film coated tablet contains:		
		Calcium Carbonate	IP	1250 mg
		(Derived from an organic	IP	500 mg
		Source oyster shells)		
		Eq. to elemental calcium		
		Vitamin D3	IP	250 IU
Excipients		q.s.		
		Approved colour used		
18	Rabeprazole Gastro-resistant Tablets IP 20mg	Each enteric coated tablet contains:		
		Rabeprazole Sodium	IP	20 mg
		Excipients		q.s.
		Approved colour used		
19	Glimepride & Metformin HCl Prolonged Release Tablets IP	Each uncoated bilayered tablet contains:		
		Glimepride	IP	2 mg
		Metformin Hydrochloride	IP	500 mg
		(As Prolonged Release form)		
Excipients		q.s.		
		Approved colour used		
20	Glimepride & Metformin HCl Prolonged Release Tablets IP	Each uncoated bilayered tablet contains:		
		Glimepride	IP	1mg
		Metformin Hydrochloride	IP	500 mg
		(As pronloged release form)		
		Excipients		q.s.
		Approved colour used		
21	Telmisartan Tablets IP 40mg	Each uncoated tablet contains:		
		Telmisartan	IP	40 mg
		Excipients		q.s.
		Approved colour used		
22	Azithromycin Tablets IP 250 mg	Each film coated tablet contains:		
		Azithromycin	IP	250 mg
		(as Dihydrate)		
		Eq to anhydrous Azithromycin		
Excipients		q.s.		
		Approved colour used		
23	Methylprednisolone Tablets IP 8 mg	Each uncoated tablet contains:		
		Methylprednisolone	IP	8 mg
		Excipients		q.s.
		Approved colour used		
24	Ofloxacin Tablets IP 400 mg	Each film coated tablet contains:		
		Ofloxacin	IP	400 mg
		Excipients		q.s.

25	Sildenafil Citrate Tablets IP 100 mg	Each film coated tablet contain:		
		Sildenafil Citrate	IP	
		Eq. to Sildenafil		100 mg
		Excipients		q.s.
		Approved colour used		
26	Fluconazole Tablets IP 200 mg	Each uncoated tablet contains:		
		Fluconazole	IP	200 mg
		Excipients		q.s.
		Approved colour used		
27	Amlodipine Tablets IP 5mg	Each film coated tablet contains:		
		Amlodipine Besilate	IP	5mg
		Eq to Amlodipine		
		Excipients		q.s.
		Approved colour used		
		Approved colour used		
28	Ofloxacin Tablets IP 200 mg	Each film coated tablet contains:		
		Ofloxacin	IP	200 mg
		Excipients		q.s.
		Approved colour used		
29	Azithromycin Tablets IP 500 mg	Each film coated tablet contains:		
		Azithromycin	IP	500 mg
		(as Dihydrate)		
		Eq to anhydrous Azithromycin		
		Excipients		q.s.
Approved colour used				
30	Pantoprazole Gastro-resistant Tablets IP 40mg	Each Enteric coated tablets contains:		
		Pantoprazole Sodium	IP	
		Eq. to Pantoprazole		40 mg
		Excipients		q.s.
		Approved colour used		
31	Methlepridnisolone Tablets IP 8 mg	Each uncoated tablet contains:		
		Methlepridnisolone	IP	8 mg
		Excipients		q.s.
		Approved colour used		
32	Levocetizine HCl &Montelukast Sodium Tablet IP	Each film coated tablet contains:		
		Levocetizine Hydrochloride	IP	5 mg
		Montelukast Sodium	IP	10 mg
		Eq. to Montelukast		
		Excipients		q.s.
Approved colour used				
33	Levocetizine Dihydrochloride Tablets IP	Each film coated tablet contains:		
		Levocetizine dihydrochloride	IP	5mg
		Excipients		q.s.
		Approved colour used		
34	Levofloxacin Tablets IP 250 mg	Each film coated tablet contains		
		Levofloxacin Hemihydrate Eq to Levofloxacin	IP	250 mg
		Excipients		q.s.
		Approved colour used		
35	Aceclofenac & Drotaverine HCl Tablets	Each film coated tablet contains		
		Aceclofenac	IP	100 mg
		Drotaverine Hydrochloride	IP	80 mg
		Eq. to Drotaverine		
		Excipients		q.s.
Approved colour used				
36	Pregabalin and Nortriptyline Tablets	Each film coated tablet contains		
		Pregabalin	IP	
		Nortriptyline Hydrochloride	IP	10 mg
		Eq. to Nortriptyline		
Excipients		q.s.		
37	Fexofenadine & Montelukast Chewable Tablets	Each uncoated chewable tablet contains		
		Fexofenadine Hydrochloride	IP	120 mg
		Montelukast Sodium	IP	10 mg
		Eq. to Montelukast		
		Excipients		q.s.
Approved colour used				
38	Tranexamic Acid and Mefenamic Acid Tablets	Each film Coated tablet contains:		
		Tranexamic Acid	IP	500 mg
		Mefenamic Acid	IP	250 mg
		Excipients		q.s.
		Approved colour used		
		Each film Coated tablet contains:		
		Diclofenac Potassium	BP	50 mg

39	Diclofenac Potassium,Paracetamol & Serratiopeptidase Tablets	Paracetamol	IP	325 mg
		Serratiopeptidase	IP	10 mg
		Excipients		q.s.
		Approved colour used		
40	Acebrophylline (SR)Fexofenadine HCl & Monelkast Sodium Tablets	Each film Coated tablet contains:		
		Acebrophylline (As sustained release form)		200 mg
		Fexofenadine Hydrochloride	IP	120 mg
		Monelkast Sodium		
		Eq to Monelkast	IP	10 mg
		Excipients		q.s.
41	Paracetamol,Phenylephrine HCl,Caffeine & Diphenhydramine HCl Tablets	Each uncoated tablet contains:		
		Paracetamol	I.P.	500 mg
		Phenylephrine Hydrochloride	I.P.	5 mg
		Caffeine (anhydrous)	I.P.	30 mg
		Diphenhydramine Hydrochloride	I.P.	25 mg
		Excipients		q.s.
42	Piroxicam Dispersible Tablet	Each uncoated dispersible tablet contains		
		Piroxicam	IP	20 mg
		Excipients		q.s.
		Approved colour used		
43	Riflaximin Tablets 400 mg	Each film Coated tablet contains:		
		Riflaximin Ph. Eur		400 mg
		Excipients		q.s.
		Approved colour used		
44	Montelukast Sodium and Levocetirizine Dispersible Tablets	Each uncoated dispersible tablet contains :		
		Montelukast Sodium		
		Eq to Montelukast	IP	5 mg
		Levocetirizine Dihydrochloride	IP	2.5 mg
		Excipients		q.s.
45	Diacerein, Glucosamine Sulphate Sodium Chloride & MSM Tablets	Each film Coated tablet contains:		
		Diacerein	IP	50 mg
		Glucosamine Sulphate Sodium Chloride		750 mg
		Eq to Glucosamine	IP	
		Methyl Sulphonyl Methane	USP	471 mg
		Excipients		250 mg
46	Drotaverine HCl & Mefenamic Acid Tablets	Each film coated tablet contains:		
		Drotaverine Hydrochloride	IP	80 mg
		Mefenamic Acid	IP	250 mg
		Excipients		q.s.
47	Deflazacort Tablets	Each uncoated tablets contains :		
		Deflazacort		6 mg
		Excipients		q.s.
48	Doxylamine Succinate,Pyridoxine HCl & Folic Acid Tablets	Each enteric coated tablet contains:		
		Doxylamine Succinate	USP	20 mg
		Pyridoxine Hydrochloride	IP	20 mg
		Folic Acid	IP	5mg
		Excipients		q.s.
49	Doxylamine Succinate,Pyridoxine HCl & Folic Acid Tablets	Each enteric coated tablet Contains:		
		Doxylamine Succinate	USP	10 mg
		Pyridoxine Hydrochloride	IP	10 mg
		Folic Acid	IP	2.5mg
		Excipients		q.s.
50	Diclofenac Potassium & Paracetamol Tablets	Each uncoated tablet contains		
		Diclofenac Potassium	BP	50 mg
		Paracetamol	IP	325 mg
		Excipients		q.s.
		Approved colour used		

51	Trypsin,Bromelain, Rutoside Trihydrate & Diclofenac Sodium Tablets	Each Enteric coated tablet contains:		
		Trypsin	BP	48 mg
		Bromelain		90 mg
		Rutoside Trihydrate	BP	100 mg
		Diclofenac Sodium	IP	50 mg
		Excipients		q.s.
		Approved colour used		
52	Albendazole & Ivermectin Tablets	Each uncoated chewable tablet contains :		
		Albendazole	IP	400 mg
		Ivermectin	IP	6 mg
		Excipients		q.s.
		Approved colour used		
53	Pregabalin , Nortriptyline & Methylcobalamin Tablets	Each film coated tablet contains:		
		Pregabalin	IP	75mg
		Nortriptyline HCl		
		Eq. to Nortriptyline		10 mg
		Methylcobalamin	IP	1500 mcg
		Excipients		q.s.
		Approved colour used		
54	Etoricoxib & Thiocolchicoside Tablet	Each film coated tablet contains:		
		Etoricoxib	IP	60 mg.
		Thiocolchicoside	IP	4 mg.
		Excipients		q.s.
		Approved colour used		
55	Aceclofenac, Paracetamol & Serratiopeptidase Tablets	Each film coated tablet contains:		
		Aceclofenac	IP	100 mg
		Paracetamol	IP	325 mg
		Serratiopeptidase (As enteric coated granules) (30,000 Serratiopeptidase	IP	15 mg
		Excipients		q.s.
		Approved colour used		
56	Diclofenac Potassium,Paracetamol & Chlorzoxazone Tablets	Each film coated tablet contains:		
		Diclofenac Potassium	BP	50 mg
		Paracetamol	IP	325 mg
		Chlorzoxazone	USP	250 mg
		Excipients`		q.s.
		Approved colour used		
57	Aceclofenac,Paracetamol & Chlorzoxazone Tablets	Each film coated tablet contains :		
		Aceclofenac	IP	100 mg
		Paracetamol	IP	325 mg
		Chlorzoxazone	USP	250 mg
		Excipients		q.s.
		Approved colour used		
58	Febuxostat Tablets 40mg	Each film coated tablet contains :		
		Febuxostat		40 mg
		Excipients		q.s.
		Approved colour used		
59	Diclofenac Potassium & Serratiopeptidase Tablets	Each enteric coated tablet contains:		
		Diclofenac Potassium	BP	50 mg
		Serratiopeptidase (EC) (As 20,000 units of Serratiopeptidase)	IP	10 mg
		Excipients		q.s.
		Approved colour used		
60	Aceclofenac &Paracetamol Tablets	Each film coated tablet contains:		
		Aceclofenac	IP	100 mg
		Paracetamol	IP	325 mg
		Excipients		q.s.
		Approved colour used		
61	Dicyclomine HCl &Paracetamol Tablets	Each uncoated tablet contains:		
		Dicyclomine Hydrochloride	IP	20 mg
		Paracetamol	IP	325 mg
		Excipients		q.s.
		Approved colour used		
62	Aceclofenac & Thiocolchicoside Tablets	Each film coated tablet contains:		
		Aceclofenac	IP	100 mg
		Thiocolchicoside	IP	4 mg

		Excipients		q.s
		Approved colour used		
63	Azithromycin & Lactic Acid Bacillus Tablets	Each film coated tablet contains:		
		Azithromycin Dihydrate	IP	
		Eq to Azithromycin (Anhydrous)		500 mg
		Lactic Acid Bacillus		60 million Spores
		Excipients		q.s.
		Approved colour used		
64	Amlodipine & Atenolol Tablets	Each uncoated tablet contains:		
		F Besylate	IP	
		Eq to Amlodipine		5 mg
		Atenolol	IP	50 mg
		Excipients		q.s.
		Approved colour used		
65	Betahistine Tablets IP 8mg	Each film-coated tablet contains		
		Betahistine Hydrochloride	IP	8 mg
		Excipients		q.s.
		Approved colour used		
66	Folic Acid Tablets IP 5mg	Each uncoated tablet contains		
		Folic Acid	IP	5 mg.
		Excipients		q.s.
		Approved colour used		
67	Aceclofenac Tablets IP 100mg	Each film coated tablet contains:		
		Aceclofenac	IP	100mg
		Excipients		q.s.
		Approved colour used		
68	Olanzapine Tablets IP 5mg	Each film coated tablet Contains		
		Olanzapine	IP	5 mg
		Excipients		q.s.
		Approved colour used		
69	Olanzapine Tablets IP 10mg	Each film coated tablet contains		
		Olanzapine	IP	10 mg
		Excipients		q.s.
		Approved colour used		
70	Cetirizine Tablets IP 10mg	Each film coated tablet contains		
		Cetirizine Hydrochloride	IP	10 mg
		Excipients		q.s.
		Approved colour used		
71	Escitalopram Tablets IP 10mg	Each film coated tablet contains		
		Escitalopram Oxalate	IP	
		Eq. to Escitalopram		10mg
		Excipients		q.s.
		Approved colour used		
72	Citicoline Tablets IP 500mg	Each film coated tablet contains:		
		Citicoline Sodium	IP	
		Eq. to Citicoline		500 mg
		Excipients		q.s.
		Approved colour used		
73	Losartan Potassium Tablets IP 50mg	Each film coated tablet contains:		
		Losartan Potassium	IP	50 mg
		Excipients		q.s.
		Approved colour used		
74	Losartan Potassium 50mg & Hydrochlorothiazide Tablets IP 12.5mg	Each film coated tablet contains:		
		Losartan Potassium	IP	50 mg
		Hydrochlorothiazide	IP	12.5 mg
		Excipients		q.s.
		Approved colour used		

75	Levetiracetam Tablets IP 250 mg	Each film coated tablet contains :	IP	250 mg
		Levetiracetam		
		Excipients		
		Approved colour used		
76	Levetiracetam Tablets IP 750 mg	Each film coated tablet contains :	IP	750 mg
		Levetiracetam		
		Excipients		
		Approved colour used		
77	Levetiracetam Tablets IP 1000 mg	Each film coated tablet contains :	IP	1000 mg
		Levetiracetam		
		Excipients		
		Approved colour used		
78	Levetiracetam Tablets IP 500 mg	Each film coated tablet contains :	IP	500 mg
		Levetiracetam		
		Excipients		
		Approved colour used		
79	Ciprofloxacin Tablets IP 500 mg	Each film coated tablet contains :	IP	500 mg
		Ciprofloxacin Hydrochloride		
		Eq. to Ciprofloxacin		
		Excipients		
80	Ciprofloxacin Tablets IP 250 mg	Each film coated tablet contains :	IP	250 mg
		Ciprofloxacin Hydrochloride		
		Eq. to Ciprofloxacin		
		Excipients		
81	Voglibose Dispersible Tablets IP 0.2mg	Each uncoated Dispersible tablet contains	IP	0.2 mg
		Voglibose		
		Excipients		
		Approved colour used		
82	Esomeprazole Gastro – resistant Tablets IP 20mg	Each enteric coated tablet contains:	IP	20 mg
		Esomeprazole Magnesium		
		Trihydrate		
		Eq. to Esomeprazole		
83	Esomeprazole Gastro – resistant Tablets IP 30mg	Each enteric coated tablet contains:	IP	30 mg
		Esomeprazole Magnesium		
		Trihydrate		
		Eq. to Esomeprazole		
84	Esomeprazole Gastro – resistant Tablets IP 40mg	Each enteric coated tablet contains:	IP	40 mg
		Esomeprazole Magnesium		
		Trihydrate		
		Eq. to Esomeprazole		
85	Voglibose Dispersible Tablets IP 0.3mg	Each uncoated Dispersible tablet contains	IP	0.3 mg
		Voglibose		
		Excipients		
		Approved colour used		
86	Ramipril Tablets IP 1.25mg	Each uncoated tablet contains:	IP	1.25 mg
		Ramipril		
		Excipients		
		Approved colour used		

87	Ramipril Tablets IP 2.5mg	Each uncoated tablet contains:	IP	2.5mg
		Ramipril		
		Excipients		
		Approved colour used		
88	Ramipril Tablets IP 5mg	Each uncoated tablet contains:	IP	5mg
		Ramipril		
		Excipients		
		Approved colour used		
89	Ramipril Tablets IP 10mg	Each uncoated tablet contains:	IP	10mg
		Ramipril		
		Excipients		
		Approved colour used		
90	Sertraline Tablets IP 25mg	Each film coated tablet contains:	IP	25 mg
		Sertraline Hydrochloride		
		Eq. to Sertraline		
		Excipients		
91	Sertraline Tablets IP 50mg	Each film coated tablet contains:	IP	50 mg
		Sertraline Hydrochloride		
		Eq. to Sertraline		
		Excipients		
92	Sertraline Tablets IP 100mg	Each film coated tablet contains:	IP	100 mg
		Sertraline Hydrochloride		
		Eq. to Sertraline		
		Excipients		
93	Etoricoxib Tablets IP 60mg	Each film coated tablet contains:	IP	60 mg
		Etoricoxib		
		Excipients		
		Approved colour used		
94	Etoricoxib Tablets IP 120mg	Each film coated tablet contains:	IP	120 mg
		Etoricoxib		
		Excipients		
		Approved colour used		
95	Losartan Potassium & Amlodipine Besylate Tablets IP	Each film coated tablet contains:	IP	50 mg
		Losartan Potassium		
		Amlodipine Besylate Eq. to Amlodipine	IP	5mg
		Excipients		
96	Escitalopram Tablets IP 20mg	Each film coated tablet contains:	IP	20 mg
		Escitalopram Oxalate		
		Eq. to Escitalopram		
		Excipients		
97	Secnidazole Tablets IP 1gm	Each film coated tablet contains :	IP	1 gm
		Secnidazole		
		Excipients		
		Approved colour used		
98	Clarithromycin Tablets IP 250mg	Each uncoated tablet contains:	IP	250 mg
		Clarithromycin		
		Excipients		
		Approved colour used		
99	Clarithromycin Tablets IP 500mg	Each uncoated tablet contains:	IP	500 mg
		Clarithromycin		
		Excipients		
		Approved colour used		

100	Levofloxacin Tablets IP 750mg	Each film coated tablet contains	IP	750 mg
		Levofloxacin Hemihydrate		
		Eq. to Levofloxacin		
		Excipients		
		Approved colour used		
101	Rosuvastatin Tablets IP 5mg	Each film coated tablet contains:	IP	5 mg
		Rosuvastatin Calcium		
		Eq. to Rosuvastatin		
		Excipients		
		Approved colour used		
102	Ebastine Tablets IP 5mg	Each film coated tablet contains:	IP	5 mg
		Ebastine		
		Excipients		
		Approved colour used		
103	Ebastine Tablets IP 10mg	Each film coated tablet contains:	IP	10 mg
		Ebastine		
		Excipients		
		Approved colour used		
104	Ebastine Tablets IP 20mg	Each film coated tablet contains:	IP	20 mg
		Ebastine		
		Excipients		
		Approved colour used		
105	Drotaverine Hydrochloride Tablet IP 40 mg	Each film coated tablet contains:	IP	40 mg
		Drotaverine Hydrochloride		
		Excipients		
		Approved colour used		
106	Drotaverine Hydrochloride Tablet IP 80 mg	Each film coated tablet contains:	IP	80 mg
		Drotaverine Hydrochloride		
		Excipients		
		Approved colour used		
107	Roxithromycin Tablets IP 150mg	Each film coated tablet contains:	IP	150 mg
		Roxithromycin		
		Excipients		
		Approved colour used		
108	Albendazole Tablets IP 400mg	Each chewable tablet contains	IP	400 mg
		Albendazole		
		Excipients		
		Approved colour used		
109	Cinnarizine Tablets IP 25mg	Each uncoated tablet contains:	IP	25 mg
		Cinnarizine		
		Excipients		
		Approved colour used		
110	Dicyclomine HCl And Mefenamic Acid Tablets IP	Each uncoated tablet contains	IP	20 mg
		Dicyclomine Hydrochloride		
		Mefenamic Acid	IP	250 mg
		Excipients		q.s.
		Approved colour used		
111	Dicyclomine HCl And Mefenamic Acid Tablets IP	Each uncoated tablet contains	IP	10 mg
		Dicyclomine Hydrochloride		
		Mefenamic Acid	IP	250 mg
		Excipients		q.s.
		Approved colour used		
112	Dicyclomine HCl And Mefenamic Acid Tablets IP	Each uncoated tablet contains	IP	20 mg
		Dicyclomine Hydrochloride		
		Mefenamic Acid	IP	500 mg
		Excipients		q.s.
		Approved colour used		
		Each uncoated sustained release tablet contains		

113	Metformin Hydrochloride SR Tablets IP 850 mg	Metformin Hydrochloride	IP	850 mg
		Excipients		q.s.
		Approved colour used		
114	Flavoxate Tablets IP 200 mg	Each film coated tablet contains:		
		Flavoxate Hydrochloride	IP	200 mg
		Excipients		q.s.
		Approved colour used		
115	Nimesulide and Paracetamol Tablets	Each uncoated tablet contains:		
		Nimesulide	BP	100 mg
		Paracetamol	IP	325 mg
		Excipients		q.s.
		Approved colour used		
116	Diclofenac Potassium, Paracetamol & Serratiopeptidase Tablets	Each film Coated tablet contains:		
		Diclofenac Potassium	BP	50 mg
		Paracetamol	IP	325 mg
		Serratiopeptidase (As enteric coated granules) (30000 Serratiopeptidase units)	IP	15 mg
		Excipients		q.s.
		Approved colour used		
117	Trypsin - Chymotrypsin Tablets	Each enteric coated tablet contains		
		100000 Armour units of enzymatic activity*		
		*supplied by a purified concentrate		
		Which has specific Trypsin and Chymotrypsin activity in a ratio Of approximately six to one		
		Excipients		q.s.
118	Trypsin-Chymotrypsin, Aceclofenac & Paracetamol Tablets	Each film coated tablet contains:		
		50000 Armour units of enzymatic activity*		
		*supplied by a purified concentrate		
		Which has specific Trypsin and Chymotrypsin activity in a ratio Of approximately six to one		
		Aceclofenac	IP	100mg
		Paracetamol	IP	325mg
119	Dapagliflozin Tablets 5 mg	Each film coated tablet contains:		
		Dapagliflozin Propanediol Monohydrate		5 mg
		Eq. to Dapagliflozin		
		Excipients		q.s.
		Approved colour used		
120	Rosuvastatin Tablets IP 20mg	Each film coated tablet contains:		
		Rosuvastatin Calcium Eq. to Rosuvastatin	IP	20 mg
		Excipients		q.s.
		Approved colour used		
121	Loratadine Tablets USP	Each film coated tablet contains:		
		Loratadine	USP	10 mg
		Excipients		q.s.
		Approved colour used		
122	Ondansetron Tablets IP 4mg	Each uncoated tablet contains		
		Ondansetron HCl Eq. to Ondansetron	IP	4 mg
		Excipients		q.s.
		Approved colour used		

123	Glimepiride Tablets IP 1mg	Each uncoated tablet contains	IP	1 mg	
		Glimepiride			
		Excipients			
		Approved colour used			
124	Glimepiride Tablets IP 2mg	Each uncoated tablet contains	IP	2 mg	
		Glimepiride			
		Excipients			
		Approved colour used			
125	Metoprolol Succinate (ER) & Telmisartan Tablets	Each film coated tablet contains :	IP	50 mg	
		Metoprolol Succinate			
		Eq. to Metoprolol Tartrate (As Extended Release)			
		Telmisartan	IP	40 mg	
		Excipients		q.s.	
Approved colour used					
126	Pregabalin SR & Methylcobalamin Tablets	Each film coated tablet contains:	IP	75mg	
		Pregabalin			
		(In sustained release form)	IP	1500 mcg	
		Methylcobalamin			
		Excipients			
Approved colour used					
127	Etoricoxib & Paracetamol Tablets	Each film coated tablet contains:	IP	60 mg	
		Etoricoxib			
		Paracetamol	IP	325 mg	
		Excipients		q.s.	
Approved colour used					
128	Artemether & Lumefantrine Tablets	Each uncoated tablet contains:	IP	80 mg	
		Artemether			
		Lumefantrine		480 mg	
		Excipients		q.s	
Approved colour used					
129	Fexofenadine Hydrochloride & Montelukast Sodium	Each film coated tablet contains:	IP	120 mg	
		Fexofenadine Hydrochloride			
		Montelukast Sodium	IP	10 mg	
		Eq. to Montelukast			
		Excipients			
Approved colour used					
130	Voglibose Mouth Dissolving Tablets	Each uncoated mouth dissolving tablet contains:	IP	0.2 mg	
		Voglibose			
		Excipients		q.s	
		Approved colour used		q.s	
131	Voglibose Mouth Dissolving Tablets	Each uncoated mouth dissolving tablet contains :	IP	0.3 mg	
		Voglibose			
		Excipients		q.s	
		Approved colour used		q.s	
132	Calcium Citrate Maleate & Vitamin D3 Tablets	Each uncoated tablet contains:	IP	250 mg	
		Calcium Citrate Malate			
		Eq. to Elemental Calcium			200 IU
		Vitamin D3			q.s.
		Excipients			
Approved colour used					
133	Amitriptyline Tablets IP 10mg	Each film coated tablet contains:	IP	10 mg	
		Amitriptyline Hydrochloride			
		Excipients		q.s.	
		Approved colour used			
134	Amitriptyline Tablets IP 25mg	Each film coated tablet contains:	IP	25 mg	
		Amitriptyline Hydrochloride			
		Excipients		q.s.	
		Approved colour used			

135	Amitriptyline Tablets IP 50mg	Each film coated tablet contains:		
		Amitriptyline Hydrochloride	IP	50 mg
		Excipients		q.s.
		Approved colour used		
136	Duloxetine Gastro-resistant Tablets IP 20mg	Each enteric coated tablet contains:		
		Duloxetine Hydrochloride	IP	20mg
		Eq. to Duloxetine		
		Excipients		q.s.
Approved colour used				
137	Duloxetine Gastro-resistant Tablets IP 30mg	Each enteric coated tablet contains:		
		Duloxetine Hydrochloride	IP	30mg
		Eq. to Duloxetine		
		Excipients		q.s.
Approved colour used				
138	Duloxetine Gastro-resistant Tablets IP 40mg	Each enteric coated tablet contains:		
		Duloxetine Hydrochloride	IP	40mg
		Eq. to Duloxetine		
		Excipients		q.s.
Approved colour used				
139	Duloxetine Gastro-resistant Tablets IP 60mg	Each Gastro-resistant tablet contains:		
		Duloxetine Hydrochloride	IP	60mg
		Eq. to Duloxetine		
		Excipients		q.s.
Approved colour used				
140	Methylcobalamin, Alpha Lipoic Acid, Vitamin D3, Pyridoxine Hydrochloride & Folic Acid Tablets	Each film coated tablet contains:		
		Methylcobalamin	IP	1500 mcg
		Alpha Lipoic Acid	USP	100 mg
		Vitamin D3	IP	1000 I U
		Pyridoxine Hydrochloride	IP	3 mg
		Folic Acid	IP	1.5 mg
		Excipients		q.s.
Approved colour used				
141	Telmisartan & Amlodipine Tablets IP	Each film coated tablet contains:		
		Telmisartan	IP	40 mg
		Amlodipine Besylate	IP	5 mg
		Eq. to Amlodipine		
		Excipients		q.s.
Approved colour used				
142	Gabapentin & Methylcobalamin Tablets	Each film coated tablet contains :		
		Gabapentin	IP	300 mg
		Methylcobalamin	IP	500 mcg
		Excipients		q.s.
Approved colour used				
143	Metaxalone & Diclofenac Potassium Tablets	Each uncoated tablet contains :		
		Metaxalone		400 mg
		Diclofenac Potassium	BP	50 mg
		Excipients		q.s.
Approved colour used				
144	Telmisartan & Hydrochlorothiazide Tablets IP	Each uncoated tablet contains:		
		Telmisartan	IP	40 mg
		Hydrochlorothiazide	IP	12.5 mg
		Excipients		q.s.
Approved colour used				
145	Voglibose & Metformin HCl Tablets	Each uncoated tablet contains:		
		Voglibose	IP	0.2 mg
		Metformin Hydrochloride	IP	500 mg
		Excipients		q.s.
Approved colour used				

146	Ferrous Ascorbate & Folic Acid Tablets	Each film coated tablet contains:	IP	
		Ferrous Ascorbate		
		Eq. to Elemental Iron		100 mg
		Folic Acid		1.5 mg
		Excipients		q.s.
Approved colour used				
147	Torsemide Tablets IP	Each uncoated tablet contains	USP	
		Torsemide		20 mg
		Excipients		q.s.
		Approved colour used		
148	Gliclazide & Metformin HCl Tablets	Each uncoated tablet contains:	IP	
		Gliclazide		80 mg
		Metformin HCl		500 mg
		Excipients		q.s.
Approved colour used				
149	Lornoxicam & Paracetamol Tablets	Each film coated tablet contains:	IP	
		Lornoxicam		4 mg
		Paracetamol		325 mg
		Excipients		q.s.
Approved colour used				
150	Lornoxicam & Paracetamol Tablets	Each film coated tablet contains	IP	
		Lornoxicam		8 mg
		Paracetamol		325 mg
		Excipients		q.s.
Approved colour used				
151	Serratiopeptidase Tablets IP 5mg	Each enteric film coated tablet contains:	IP	
		Serratiopeptidase		5 mg
		(10,000 Serratiopeptidase units)		
		Excipients		q.s.
Approved colour used				
152	Serratiopeptidase Tablets IP 10mg	Each enteric film coated tablet contains:	IP	
		Serratiopeptidase		10 mg
		(20,000 Serratiopeptidase units)		
		Excipients		q.s.
Approved colour used				
153	Atorvastatin Calcium & Fenofibrate Tablets	Each film coated tablet contains:	IP	
		Atorvastatin Calcium		10 mg
		Eq. to Atorvastatin	IP	
		Fenofibrate		
		Excipients		q.s.
Approved colour used				
154	Gliclazide Tablets IP 80 mg	Each uncoated tablet contains:	IP	
		Gliclazide		80 mg
		Excipients		q.s.
		Approved colour used		
155	Artemether & Lumefantrine Tablet	Each uncoated tablet contains:	IP	
		Artemether		40 mg
		Lumefantrine		240 mg
		Excipients		q.s.
Approved colour used				
156	Doxofylline Tablets IP 400 mg	Each uncoated tablet contains:	IP	
		Doxofylline		400 mg
		Excipients		q.s.
		Approved colour used		
157	Olmesartan Medoxomil Tablet IP 20 mg	Each film coated tablet contains:	IP	
		Olmesartan Medoxomil		20 mg
		Excipients		q.s.
		Approved colour used		

158	Olmesartan Medoxomil Tablet IP 40 mg	Each film coated tablet contains:	IP	40 mg
		Olmesartan Medoxomil		
		Excipients		
		Approved colour used		
159	Diacerein & Aceclofenac Tablet	Each film coated tablet contains:	IP	100 mg
		Aceclofenac		
		Diacerein		
		Excipients		
		Approved colour used		
160	Sitagliptin Phosphate & Metformin Hydrochloride Tablets	Each film coated tablet contains:	IP	50 mg
		Sitagliptin Phosphate Monohydrate		
		Eq. to Sitagliptin		
		Metformin Hydrochloride		
		Excipients		
		Approved colour used		
161	Paroxetine Sustained Release Tablets IP 25 mg	Each film coated sustained release tablet contains:	IP	25 mg
		Paroxetine Hydrochloride Hemihydrate		
		Eq. to Paroxetine		
		Excipients		
		Approved colour used		
162	Paroxetine Sustained Release Tablets IP 12.5 mg	Each film coated sustained release tablet contains:	IP	12.5 mg
		Paroxetine Hydrochloride Hemihydrate		
		Eq. to Paroxetine		
		Excipients		
		Approved colour used		
163	Paroxetine Sustained Release Tablets IP 37.5 mg	Each film coated sustained release tablet contains:	IP	37.5 mg
		Paroxetine Hydrochloride Hemihydrate Eq. to Paroxetine		
		Excipients		
		Approved colour used		
164	Tranexamic Acid Tablet IP 250 mg	Each film coated tablet contains:	IP	250 mg
		Tranexamic Acid		
		Excipients		
		Approved colour used		
165	Tranexamic Acid Tablet IP 500 mg	Each film coated tablet contains:	IP	500 mg
		Tranexamic Acid		
		Excipients		
		Approved colour used		
166	Voriconazole Tablet IP 200 mg	Each film coated tablet contains:	IP	200 mg
		Voriconazole		
		Excipients		
		Approved colour used		
167	Sildenafil Citrate Tablets IP 50 mg	Each film coated tablet contains:	IP	50 mg
		Sildenafil Citrate		
		Eq. to Sildenafil		
		Excipients		
		Approved colour used		
168	Acarbose Tablet IP 50 mg	Each uncoated tablet contains:	IP	50 mg
		Acarbose		
		Excipients		
		Approved colour used		
169	Aciclovir Tablet IP 200 mg	Each uncoated tablet contains:	IP	200 mg
		Aciclovir		
		Excipients		
		Approved colour used		

170	Aciclovir Tablet IP 400 mg	Each uncoated tablet contains:			
		Aciclovir	IP	400 mg	
		Excipients		q.s	
		Approved colour used			
171	Aciclovir Tablet IP 800 mg	Each uncoated tablet contains:			
		Aciclovir	IP	800 mg	
		Excipients		q.s	
		Approved colour used			
172	Allopurinol Tablet IP 100 mg	Each uncoated tablet contains:			
		Allopurinol	IP	100 mg	
		Excipients		q.s	
		Approved colour used			
173	Olanzapine Tablets IP 2.5 mg	Each film coated tablet contains:			
		Olanzapine	IP	2.5 mg	
		Excipients		q.s	
		Approved colour used			
174	Oxcarbazepine Tablets IP 450 mg	Each film coated tablet contains:			
		Oxcarbazepine	IP	450 mg	
		Excipients		q.s	
		Approved colour used			
175	Propranolol Hydrochloride Tablets IP 40 mg	Each uncoated tablet contains:			
		Propranolol Hydrochloride	IP	40 mg	
		Excipients		q.s	
		Approved colour used			
176	Clopidogrel Tablet IP 75 mg	Each film coated tablet contains:			
		Clopidogrel bisulphate	IP	75 mg	
		Eq. to Clopidogrel			
		Excipients		q.s	
Approved colour used					
177	Losartan Potassium Tablets IP 25mg	Each film coated tablet contains:			
		Losartan Potassium	IP	25 mg	
		Excipients		q.s.	
		Approved colour used			
178	Fluconazole Tablets IP 150mg	Each uncoated tablet contains:			
		Fluconazole	IP	150 mg	
		Excipients		q.s.	
		Approved colour used			
179	Artemether & Lumefantrine Tablets	Each uncoated tablet contains:			
		Artemether	IP	60 mg	
		Lumefantrine		360 mg	
		Excipients		q.s.	
Approved colour used					
180	Olmesartan Medoxomil & Hydrochlorothiazide Tablets	Each uncoated tablet contains:			
		Olmesartan Medoxomil	IP	20 mg	
		Hydrochlorothiazide	IP	12.5 mg	
		Excipients		q.s.	
		Approved colour used			
		Cinnarizine			
Excipients					
Approved colour used					
		COMPOSITION	PH.	REF	STRENGTH
181	Sodium Feredetate ,Folic Acid & Cyanocobalamin Tablets	Each film coated tablets contains:			
		Sodium Feredetate	BP		231 mg
		Folic Acid	IP		1.5 mg
		Cyanocobalamin	IP		5 mcg
		Excipients			q.s
Approved colour used					
182	Telmisartan ,Amlodipine Besylate & Hydrochlorothiazide	Each film coated tablets contains:			
		Telmisartan	IP		40 mg
		Amlodipine Besylate			
		Eq. to Amlodipine	IP		5 mg
		Hydrochlorothiazide			12.5 mg
Excipients			q.s		
Approved colour used					

		Each film coated tablets contains:		
183	Losartan potassium &	Losartan potassium	IP	50 mg
	Hydrochlorothiazide Tablets	Hydrochlorothiazide	IP	12.5 mg
		Excipients		q.s
		Approved colour used		
		Each film coated tablets contains:		
184	Ciprofloxacin HCL &	Ciprofloxacin Hydrochloride	IP	
	Tinidazole tablets	Eq.to ciprofloxacin		500 mg
		Tinidazole	IP	600 mg
		Excipients		q.s
		Approved colour used		
		Each film coated tablets contains:		
185	Calcium Citrate Malate &	Calcium citrate malate		
	Vitamin D3 tablets	Eq. to elemental calcium		250 mg
		Vitamin D3	IP	100 IU
		Excipients		q.s
		Approved colour used		
		Each film coated tablets contains:		
186	Cholecalciferol ,	Cholecalciferol (vitamin D3)	IP	1000 IU
	Coral Calcium &	Coral calcium		
	Vitamin K2-7 Tablets	Eq. to elemental calcium		500 mg
		Vitamin K2-7		50 mcg
		Excipients		q.s
		Approved colour used		
		Eah uncoated tablets contains:		
187	Nebivolol HCL &	Nebivolol Hydrochloride	IP	
	Telmisartan tablets	Eq. to nebivolol		5.0 mg
		Telmisartan	IP	40 mg
		Excipients		q.s
		Approved colour used		
		Each film coated bilayered tablets contains:		
188	Olmesartan Medoxomil &	Olmesartan Medoxomil	IP	20 mg
	Chlorthalidone tablets	Chlorthalidone	IP	6.25 mg
		Excipients		q.s
		Approved colour used		
		Each enteric coated tablets contains:		
189	Esomeprazole Magnesium &	Esomeprazole Magnesium	IP	
	Domperidone tablets	Eq. to esomeprazole		20 mg
		Domperidone	IP	15 mg
		Excipients		q.s
		Approved colour used		
		Each film coated tablets contains:		
190	Telmisartan &	Telmisartan	IP	40 mg
	Rosuvastatin tablets	Rosuvastatin Calcium	IP	
		Eq. to Rosuvastatin		10g
		Excipients		q.s
		Approved colour used		
		Each film coated tablets contains:		
191	Myo-Inositol ,	Myo-Inositol		1 gm
	Cholecalciferol &	Cholecalciferol	IP	2000 IU
	Chromium Picolinate tablets	Chromium Picolinate		100 mcg
		Excipients		q.s
		Approved colour used		
		Each film coated tablets contains:		
192	L-Carnitine L-tartrate ,	L-Carnitine L-tartrate		
	Methylcobalamin &	eq. to L-Carnitine		500 mg
	Folic Acid tablets	Methylcobalamin	IP	500 mcg
		Folic Acid	IP	1.5 mg
		Excipients		q.s
		Approved colour used		
		Each film coated bilayered tablets contains:		
193	Olmesartan Medoxomil	Olmesartan Medoxomil	IP	20 mg
	Chlorthalidone	Chlorthalidone	IP	12.5 mg
		Excipients		q.s
		Approved colour used		
		Each uncoated tablets contains:		

194	Nebivolol HCL & Chlorthalidone tablets	Nebivolol Hydrochloride eq. to Nebivolol	IP	5.0 mg
		Chlorthalidone	IP	12.5 mg
		Excipients		q.s
		Approved colour used		
		Each uncoated bilayered tablets contains:		
195	Telmisartan & Chlorthalidone tablets	Telmisartan	IP	40 mg
		Chlorthalidone	IP	6.25 mg
		Excipients		q.s
		Approved colour used		
		Each uncoated bilayered tablets contains:		
196	Telmisartan & Chlorthalidone tablets	Telmisartan	IP	80 mg
		Chlorthalidone	IP	12.5 mg
		Excipients		q.s
		Approved colour used		
		Each uncoated bilayered tablets contains:		
197	Telmisartan & Chlorthalidone tablets	Telmisartan	IP	40 mg
		Chlorthalidone	IP	12.5 mg
		Excipients		q.s
		Approved colour used		
		Each film coated tablets contains:		
198	L-Carnitine L-tartrate & Ubidecarenone tablets	L-Carnitine L-tartrate eq. to L-Carnitine		500 mg
		Ubidecarenone	BP	30 mg
		Excipients		q.s
		Approved colour used		
		Each film coated tablets contains:		
199	Gabepentin & Methylcobalamin tablets	Gabepentin	IP	300 mg
		Methylcobalamin	IP	500 mcg
		Excipients		q.s
		Approved colour used		
		Each film coated tablets contains:		
200	Ferrous Bis-glycinate , Zinc bis-glycinate, Folic acid & Vitamin B12 tablets	Ferrous Bis-glycinate eq.to elemental iron		60 mg
		Zinc bis-glycinate eq. to elemental zinc		15 mg
		Folic acid	IP	1 mg
		Vitamin B12	IP	15 mcg
		Excipients		q.s
		Approved colour used		
		Each film coated tablets contains:		
201	Ferrous Bis-glycinate , Zinc bis-glycinate , Folic acid & Methylcobalamin tablets	Ferrous Bis-glycinate eq.to elemental iron		60 mg
		Zinc bis-glycinate eq. to elemental zinc		15 mg
		Folic acid	IP	5 mg
		Methylcobalamin	IP	1500 mcg
		Excipients		q.s
		Approved colour used		
		Each film coaed tablets contains:		
202	Calcium Oroate & Vitamin D3 tablets	Calcium Oroate		740 mg
		Vitamin D3	IP	400 IU
		Excipients		q.s
		Approved colour used		
		Each film coated tablets contains:		
203	Calcium Citrate, Calcitriol, Folic acid , Zinc,Methylcobalamin & Vitamin K27 tablets	Calcium Citrate	USP	1000 mg
		Calcitriol	IP	0.25 mcg
		Folic acid	IP	1.5 mg
		Zinc Sulphate monohydrate eq.to elemental zinc	IP	7.5 mg
		Methylcobalamin	IP	1500 mcg
		Vitamin K27		50 mcg
		Excipients		q.s
		Approved colour used		
		Each film coated tablets contains:		
204	Gabepentin, Mecobalamin & Alpha lipoic Acid Tablets	Gabepentin	IP	100 mg
		Mecobalamin	IP	500mcg
		Alpha lipoic Acid	USP	100 mg
		Excipients		q.s
		Approved colour used		
		Each film coated tablets contains:		

205	Gabepentin ,	Gabepentin	IP	300 mg
	Mecobalamin &	Mecobalamin	IP	500mcg
	Alpha lipoic Acid tablets	Alpha lipoic Acid	USP	100 mg
		Excipients		q.s
		Approved colour used		
		Each sachet contains:		
206	L-Agrinine &	L-agrinine	IP	3 gm
	Proanthocyanidine Sachets	Proanthocyanidine		75 mg
		Excipients		q.s
		Approved colour used		
		Each film coated tablets contains:		
207	Atorvastatin &	Atorvastatin Calcium	IP	
	Fenofibrate tablets	Eq. to Atorvastatin		10 mg
		Fenofibrate	IP	72.5 mg
		Excipients		q.s
		Approved colour used		
		Each film coated tablets contains:		
208	Atorvastatin &	Atorvastatin Calcium	IP	
	Fenofibrate tablets	Eq. to Atorvastatin		20 mg
		Fenofibrate	IP	145 mg
		Excipients		q.s
		Approved colour used		
		Each film coated tablets contains:		
209	Pregabalin ,	Pregabalin	IP	150 mg
	Methylcobalamin ,	Methylcobalamin	IP	1500mcg
	Alpha Lipoic Acid ,	Alpha Lipoic Acid	USP	100 mg
	L-methyl folate &	L-Methyl folate		1 mg
	Pyridoxal-5-Phosphate tablets	Pyridoxal-5-Phosphate		1.5 mg
		Excipients		q.s
		Approved colour used		
		Each film coated tablets contains:		
210	Rosuvastatin &	Rosuvastatin Calcium	IP	5 mg
	Aspirin Tablets	Eq. to Rosuvastatin		
		Aspirin	IP	75 mg
		Excipients		q.s
		Approved colour used		
		Each film coated tablets contains:		
211	Rosuvastatin &	Rosuvastatin Calcium	IP	10g
	Aspirin Tablets	Eq. to Rosuvastatin		
		Aspirin	IP	75 mg
		Excipients		q.s
		Approved colour used		
		Each film coated tablets contains:		
212	Rosuvastatin &	Rosuvastatin Calcium	IP	10g
	Aspirin Tablets	Eq. to Rosuvastatin		
		Aspirin	IP	150 mg
		Excipients		q.s
		Approved colour used		
		Each controlled release tablets contains:		
213	Sodium Valproate &	Sodium Valproate	IP	133 mg
	Valproic acid tablets	Valproic acid	IP	58mg
		Excipients		q.s
		Approved colour used		
		Each controlled release tablets contains:		
214	Sodium Valproate &	Sodium Valproate	IP	200 mg
	Valproic acid tablets	Valproic acid	IP	87 mg
		Excipients		q.s
		Approved colour used		
		Each controlled release tablets contains:		
215	Sodium Valproate &	Sodium Valproate	IP	333mg
	Valproic acid tablets	Valproic acid	IP	145 mg
		Excipients		q.s
		Approved colour used		
		Each film coated tablets contains:		
216	Etodolac &	Etodolac	IP	300 mg
	Thiocolchicoside tablets	Thiocolchicoside	IP	8 mg
		Excipients		q.s
		Approved colour used		
		Each film coated tablets contains:		
217	Tamsulosin HCL &	Tamsulosin Hydrochloride	IP	0.4 mg
	Dutasteride tablets	Dutasteride	IP	0.5 mg

		Excipients		q.s
		Approved colour used		
		Each film coated tablets contains:		
218	Myinositol	Myinositol	BP	1 gm
	L-Methyl folate Calcium &	L-methyl folate Calcium		100 mcg
	Vitamin D3	Vitamin D3	IP	1000 IU
		Excipients		q.s
		Approved colour used		
		Each film coated tablets contains:		
219	Calcium carbonate &	Calcium carbonate	IP	
	Vitamin D3 tablets	eq. to elemental calcium		250 mg
		Vitamin D3	IP	1251 IU
		Excipients		q.s
		Approved colour used		
		Each film coated tablets contains:		
220	Calcium carbonate &	Calcium carbonate	IP	
	Vitamin D3 tablets	eq. to elemental calcium		500 mg
		Vitamin D3	IP	500 IU
		Excipients		q.s
		Approved colour used		
		Each film coated tablets contains:		
221	Calcium carbonate &	Calcium carbonate	IP	
	Vitamin D3 tablets	eq. to elemental calcium		500 mg
		Vitamin D3	IP	1000 IU
		Excipients		q.s
		Approved colour used		
		Each film coated tablets contains:		
222	Calcium carbonate &	Calcium carbonate	IP	
	Vitamin D3 tablets	eq. to elemental calcium		500 mg
		Vitamin D3	IP	200 IU
		Excipients		q.s
		Approved colour used		
		Each film coated tablets contains:		
223	Calcium carbonate &	Calcium carbonate	IP	
	Vitamin D3 tablets	eq. to elemental calcium		500 mg
		Vitamin D3	IP	800 IU
		Excipients		q.s
		Approved colour used		
		Each film coated tablets contains:		
224	Calcium carbonate &	Calcium carbonate	IP	
	Vitamin D3 tablets	eq. to elemental calcium		250 mg
		Vitamin D3	IP	400 IU
		Excipients		q.s
		Approved colour used		
		Each film coated tablets contains:		
225	Calcium citrate ,	Calcium citrate	USP	750 mg
	calcium aspartate ,	calcium aspartate		500 mg
	calcium orotate &	calcium orotate		100 mg
	Vitamin D3 tablets	Vitamin D3	IP	500 IU
		Excipients		q.s
		Approved colour used		
		Each film coated tablets contains:		
226	Clidinium bromide,	Clidinium bromide		2.5 mg
	Chlordiazepoxide &	Chlordiazepoxide	IP	5 mg
	Dicyclomine tablets	Dicyclomine Hydrochloride	IP	10 mg
		Excipients		q.s
		Approved colour used		
		Each film coated tablets contains:		
227	Piracetam &	Piracetam	IP	400 mg
	Citicoline tablets	Citicoline sodium	IP	
		eq. to citicoline		500 mg
		Excipients		q.s
		Approved colour used		
		Each film coated tablets contains:		
228	Piracetam &	Piracetam	IP	800mg
	Citicoline tablets	Citicoline sodium	IP	
		eq. to citicoline		500 mg
		Excipients		q.s
		Approved colour used		
		Each uncoated tablets contains:		

229	Gliclazide & Metformin HCL tablets	Gliclazide Metformin Hydrochloride Excipients Approved colour used Each film coated tablets contains:	IP IP	40 mg 500 mg q.s
230	Amlodipine, Olmesartan medoxomil & Hydrochlorothiazide Tablets	Amlodipine Besylate eq. to Amlodipine Olmesartan medoxomil Hydrochlorothiazide Excipients Approved colour used Each film coated tablets contains:	IP IP IP	5 mg 40 mg 12.5 mg q.s
231	Calcium carbonate , Vitamin D3 , Methylcobalamin , L-methyl folate Calcium & Pyridoxal-5-Phosphate tablets	Calcium carbonate eq. to elemental calcium Vitamin D3 Methylcobalamin L-methyl folate Calcium Pyridoxal-5-Phosphate Excipients Approved colour used Each uncoated bilayered tablets contains:	IP IP IP	500 mg 2000 IU 1500 mcg 1 mg 20 mg q.s
232	S(-)Amlodipine besilate & Metoprolol succinate tablets	S(-)Amlodipine besilate eq. to Amlodipine metoprolol succinate eq. to metoprolol tartrate Excipients Approved colour used Each film coated tablet contains:	IP IP	5 mg 50 mg q.s
233	Prucalopride Succinate Tablets 2 mg	Prucalopride Succinate Eq. to Prucalopride Excipients Approved colour used Each uncoated tablet contains:		2 mg q.s.
234	Levosulpiride Tablets 50 mg	Levosulpiride Excipients Approved colour used Each uncoated tablet contains		50 mg q.s.
235	Baclofen Tablets IP 10 mg	Baclofen Excipients Approved colour used Each uncoated mouth dissolving tablet contains	IP	10 mg q.s.
236	Prochlorperazine Maleate Tablets IP 5 mg	Prochlorperazine Maleate Excipients Approved colour used Each uncoated tablet contains	IP	5 mg q.s.
237	Methoxsalen USP Tablets 10 mg	Methoxsalen Excipients Approved colour used Each film coated tablet contains :	USP	10 mg q.s.
238	Calcium Citrate, Calcitriol, Magnesium Oxide	Calcium Citrate Calcitriol Magnesium Oxide eq. to Elemental Magnesium Zinc Sulphate Monohydrate eq. to elemental zinc Excipients Approved colour used	USP IP IP IP	1000 mg 0.25 mcg 100 mg 4 mg q.s.

		Each uncoated tablet contains:		
239	Levosulpride Tablets 25 mg	Levosulpride		25 mg
		Excipients		q.s.
		Approved colour used		
		Each uncoated mouth dissolving tablet contains:		
240	Celecoxib Mouth dissolving Tablets IP 200 mg			
		Celecoxib	IP	200 mg
		Excipients		q.s.
		Approved colour used		
		Each uncoated tablet contains:		
241	Lansoprazole Orally Disintegrating Tablets IP 30 mg			
		Lansoprazole (as Enteric Coated Pellets)	IP	30 mg
		Excipients		q.s
		Approved colour used		
		Each film coated tablet contains:		
242	Amitriptyline Hydrochloride Tablets IP 25 mg			
		Amitriptyline Hydrochloride	IP	25 mg
		Excipients		q.s
		Approved colour used		
				q.s
		Each uncoated mouth dissolving tablet contains :		
243	Alfuzosin Hydrochloride Tablets IP 10 mg			
		Alfuzosin Hydrochloride	IP	10 mg
		Excipients		q.s
		Approved colour used		q.s
		Each film coated tablet contains:		
244	Acotiamide Hydrochloride Tablets 100 mg			
		Acotiamide Hydrochloride Hydrate		100 mg
		Excipients		q.s.
		Approved colour used		
		Each uncoated tablet contains:		
245	Levosulpiride Tablets 75 mg			
		Levosulpiride		75 mg
		Excipients		q.s.
		Approved colour used		
		Each uncoated dispersible tablet contains:		
246	Lansoprazole Orally Disintegrating Tablets IP 15 mg			
		Lansoprazole	IP	15 mg
		Excipients		q.s
		Approved colour used		
		Each film coated tablet contains:		
247	Montelukast Sodium Tablets IP 10 mg			
		Montelukast Sodium eq. to Montelukast	IP	10 mg
		Excipients		q.s.
		Approved colour used		
		Each film coated tablet contains:		

248	Amitriptyline Hydrochloride Tablets IP 10 mg			
		Amitriptyline Hydrochloride	IP	10 mg
		Excipients		q.s
		Approved colour used		q.s
		Each uncoated tablet contains:		
249	Clomiphene Citrate Tablets IP 50mg			
		Clomiphene Citrate	IP	50 mg
		Excipients		q.s.
		Approved colour used		
		Each uncoated tablet contains:		
250	Loperamide Tablets IP 2 mg			
		Loperamide Hydrochloride	IP	2 mg
		Excipients		q.s.
		Approved colour used		
		Each uncoated tablet contains:		
251	Nimesulide, Phenylephrine Hcl & Levocetirizine Hcl Tablets			
		Nimesulide	BP	100 mg
		Phenylephrine Hcl	IP	5 mg
		Levocetirizine Hcl	IP	5 mg
		Excipients		
		Approved colour used		q.s
		Each enteric coated tablet contains :		
252	Pantoprazole & Domperidone Tablets			
		Pantoprazole Sodium eq. to Pantoprazole	IP	20 mg
		Domperidone	IP	10 mg
		Excipients		q.s.
		Approved colour used		
		Each uncoated tablet contains:		
253	Dicyclomine Hcl, Paracetamol & Diclofenac Sodium Tablets			
		Dicyclomine Hcl	IP	20 mg
		Paracetamol	IP	325 mg
		Diclofenac Sodium	IP	50 mg
		Excipients		q.s.
		Approved colour used		
		Each film coated tablet contains		
254	Disulfiram Tablets IP 500 mg			
		Disulfiram	IP	500 mg
		Excipients		q.s.
		Approved colour used		
		Each uncoated tablet contains:		
255	Azathioprine Tablets IP 50 mg			
		Azathioprine	IP	50 mg
		Excipients		q.s.
		Approved colour used		
		Each uncoated mouth dissolving tablet contains:		
256	Nimesulide Mouth Dissolving Tablets BP 100 mg			
		Nimesulide	BP	100 mg
		Excipients		q.s.
		Approved colour used		
257	Gabapentin Tablets IP 100 mg			
		Each uncoated tablet contains:		
		Gabapentin	IP	100 mg
		Excipients		q.s.
		Approved colour used		
		Each film coated tablet contains:		
258	Prucalopride Tablets 1 mg	Prucalopride Succinate eq. to Prucalopride		1 mg
		Each uncoated tablet contains:		

259	Fluconazole & Ivermectin Tablets	Fluconazole	IP	150 mg
		Ivermectin	IP	6 mg
		Excipients		q.s.
		Approved colour used		
		Each uncoated tablet contains:		
260	Deflazacort Tablets 12 mg	Deflazacort		12 mg
		Excipients		q.s.
		Approved colour used		
		Each film coated tablet contains:		
261	Tolperisone Hydrochloride & Diclofenac Sodium Tablets	Tolperisone HCL	IP	150 mg
		Diclofenac Sodium	IP	50 mcg
		Excipients		q.s.
		Approved colour used		
		Each uncoated bilayered tablet contains:		
262	Doxofylline (SR) & Montelukast Tablets	Doxofylline	IP	400 mg
		(as sustained release form)		
		Montelukast Sodium	IP	10 mg
		Eq.to Montelukast		q.s.
		Excipients		
		Approved colour used		
		Each enteric coated tablet contains:		
263	Rabeprazole Sodium Gastro-reisistant Tablet IP 40 mg	Rabeprazole Sodium	IP	40 mg
		Excipients		q.s.
		Approved colour used		
264	Cabergoline Tablets IP 0.5mg	Each uncoated tablet contains:		
		Cabergoline	IP	0.5 mg
		Excipients		q.s.
		Approved colour used		
265	Carbamazepine Tablets IP 200 mg	Each uncoated tablet contains:		
		Carbamazepine	IP	200 mg
		Excipients		q.s.
		Approved colour used		
266	Cinnarizine & Domperidone Tablets	Each uncoated tablet contains		
		Cinnarizine	IP	20mg
		Domperidone	IP	15 mg
		Excipients		q.s.
		Approved colour used		
267	Clopidogrel & Aspirin Tablets	Each uncoated bilayered tablet contains:		
		Clopidogrel Bisulphate	IP	75 mg
		Eq. To Clopidogrel	IP	150 mg
		Aspirin		q.s.
		Excipients		
		Approved colour used		
268	Dosulepine HCl & Methylcobalamin Tablets	Each film coated tablet contains:		
		Dosulepine HCl		75 mg
		Methylcobalamin	IP	1500 mcg
		Excipients		q.s.
		Approved colour used		
269	Dosulepine HCl & Methylcobalamin Tablets	Each film coated tablet contains:		
		Dosulepine HCl		50 mg
		Methylcobalamin	IP	1500 mcg
		Excipients		q.s.
		Approved colour used		

270	Doxofylline (SR) & Montelukast Tablets	Each uncoated bilayered tablet contains:		
		Doxofylline		400 mg
		(as sustained release from)		
		Montelukast Sodium	IP	10 mg
		Excipients		q.s.
271	Doxofylline & Ambroxol Hydrochloride Tablets	Each film coated tablet contains:		
		Doxofylline		400 mg
		Ambroxol HCl	IP	30 mg
		Excipients		q.s.
		Approved colour used		
272	Duloxetine Gastro-Resistant Tablets IP 20 mg	Each Enteric coated gastro-resistant tablet contains:		
		Duloxetine HCl	IP	20 mg
		Eq to Duloxetine		q.s.
		Excipients		
		Approved colour used		
273	Duloxetine Gastro-Resistant Tablets IP 40 mg	Each Enteric coated gastro-resistant tablet contains:		
		Duloxetine HCl	IP	40 mg
		Eq to Duloxetine		q.s.
		Excipients		
		Approved colour used		
274	Epalrestat & Methylcobalamin Tablets	Each film coated tablet contains:		
		Epalrestat		50 mg
		Methylcobalamin		500 mcg
		Excipients		q.s.
		Approved colour used		
275	Ethamsylate & Tranexamic Acid Tablets	Each film coated tablet contains:		
		Ethamsylate	BP	250 mg
		Tranexamic Acid	IP	250 mg
		Excipients		q.s.
		Approved colour used		
276	Quetiapine Fumarate Tablets IP 50 mg	Each film coated tablet contains:		
		Quetiapine Fumarate	IP	50 mg
		Eq. to Quetiapine		q.s.
		Excipients		
		Approved colour used		
277	Ferrous Ascorbate, Folic Acid & zinc Tablet	Each film coated tablet contains:		
		Ferrous Ascorbate		100 mg
		Eq. to Elemental Iron		1.5 mg
		Folic Acid	IP	
		Zinc Sulphate	IP	22.5 mg
		Eq. to Elemental Zinc		q.s.
		Excipients		
Approved colour used				
278	Ferrous Ascorbate, folic Acid, Zinc & Cyanocobalamin Tablet	Each film coated tablet contains:		
		Ferrous Ascorbate		100 mg
		Eq. to Elemental Iron		1.5 mg
		Folic Acid	IP	
		Zinc Sulphate Monohydrate	USP	22.5 mg
		Eq. to Elemental Zinc		15 mcg
		Cyanocobalamin	IP	q.s.
Excipients				
Approved colour used				
279	Ferrous Ascorbate, folic Acid, Zinc & Methycobalamin Tablet	Each film coated tablet contains:		
		Ferrous Ascorbate		100 mg
		Eq. to Elemental Iron		1.5 mg
		Folic Acid	IP	
		Methycobalamin	IP	1.5 mg
		Zinc Sulphate Monohydrate	USP	22.5 mg
		Eq. to Elemental Iron		q.s.
Excipients				
Approved colour used				
280	Gabapentin Tablets IP 300 mg	Each film coated tablet contains:		
		Gabapentin	IP	300 mg
		Excipients		q.s.
		Approved colour used		
281	Gliclazide Tablets IP 80 mg	Each film coated tablet contains:		
		Gliclazide	IP	80 mg
		Excipients		q.s.
		Approved colour used		

282	Hydroxyzine Hydrochloride Tablets IP 10 mg	Each film coated tablet contains:		
		Hydroxyzine Hydrochloride	IP	10 mg
		Excipients		q.s.
		Approved colour used		
283	Hydroxyzine Hydrochloride Tablets IP 25 mg	Each film coated tablet contains:		
		Hydroxyzine Hydrochloride	IP	25 mg
		Excipients		q.s.
		Approved colour used		
284	Ketorolac Tromethamine Tablets 10 mg	Each film coated tablet contains:		
		Ketorolac Tromethamine	IP	10 mg
		Excipients		q.s.
		Approved colour used		
285	Labetalol Tablet IP 100 mg	Each uncoated tablet contains:		
		Labetalol Hydrochloride	IP	100 mg
		Excipients		
		Approved colour used		q.s.
286	Levitraacetram Prolonge Release Tablets IP 500 mg	Each prolonge release film coated bilayer tablet contain:		
		Levitraacetram	IP	500 mg
		Excipients		q.s.
		Approved colour used		
287	Levitraacetram Prolonge Release Tablets IP 750 mg	Each prolonge release film coated bilayer tablet contain:		
		Levitraacetram	IP	750 mg
		Excipients		q.s.
		Approved colour used		
288	Levofloxacin & Ambroxol HCl (SR) Tablets	Each film-coated bilyared tablet contains:		
		Levofloxacin Hemihydrate	IP	500 mg
		Eq. to Levofloxacin		
		Ambroxol Hydrochloride (As Sustained Release form)	IP	75 mg
		Excipients		q.s.
Approved colour used				
289	Levofloxacin & Ambroxol HCl (SR) Tablets	Each film-coated bilyared tablet contains:		
		Levofloxacin Hemihydrate	IP	250 mg
		Eq. to Levofloxacin		
		Ambroxol Hydrochloride (As Sustained Release form)	IP	75 mg
		Excipients		q.s.
Approved colour used				
290	Lornoxicam & Thicolchicoside Tablets	Each film coated tablet contains:		
		Lornoxicam		8 mg
		Thicolchicoside	I.P.	4 mg
		Excipients		q.s.
Approved colour used				
291	Losartan Potassium & Chlorthalidone Tablets	Each film coated tablet contains:		
		Losartan Potassium	IP	25 mg
		Chlorthalidone	IP	6.25 mg
		Excipients		q.s.
Approved colour used				
292	Methylergometrine Tablet IP 125 mg	Each film coated tablet contains:		
		Methylergometrine Maleate	IP	125 mg
		Excipients		q.s.
		Approved colour used		
293	Metoprolol Succinate ER Tablets IP 25 mg	Each film coated tablet contains:		
		Metoprolol Succinate	IP	25 mg
		Eq to Metoprolol		
		Excipients		q.s.
Approved colour used				
294	Metoprolol Succinate ER Tablets IP 50 mg	Each film coated tablet contains:		
		Metoprolol Succinate	IP	50 mg
		Eq to Metoprolol		
		Excipients		q.s.
Approved colour used				
295	Mirtazapine Tablets I.P. 15 mg	Each film coated tablet contains:		
		Mirtazapine	IP	15 mg
		Excipients		q.s.
		Approved colour used		

296	Mirtazapine Tablets I.P. 30 mg	Each uncoated tablet contains:		
		Mirtazapine	IP	30 mg
		Excipients		q.s.
		Approved colour used		
297	Montelukast Sodium & Olopatadine HCl	Each film coated tablet contains:		
		Montelukast Sodium	IP	10 mg
		Olopatadine HCl	IP	5 mg
		Excipients		q.s.
		Approved colour used		
298	Naproxen Tablets IP 250 mg	Each film coated tablet contains:		
		Naproxen	IP	250 mg
		Excipients		q.s.
		Approved colour used		
299	Nicorandil Tablets IP 20 mg	Each uncoated tablet contains:		
		Nicorandil	IP	20 mg
		Excipients		q.s.
		Approved colour used		
300	Nicorandil Tablets IP 10 mg	Each uncoated tablet contains:		
		Nicorandil	IP	10 mg
		Excipients		q.s.
		Approved colour used		
301	Atorvastatin tablet I.P. 10 mg	Each film coated tablet contain:		
		Atorvastatin Calcium	IP	10 mg
		Eq. to Atorvastatin		
		Excipients		q.s.
		Approved colour used		
302	Sitagliptin Tablets IP 50 mg	Each film coated tablet contain:		
		Sitagliptin Phosphate	IP	
		Eq to Sitagliptin		50 mg
		Excipients		q.s.
		Approved colour used		
303	Sitagliptin Tablets IP 100 mg	Each film coated tablet contain:		
		Sitagliptin Phosphate	IP	
		Eq to Sitagliptin		100 mg
		Excipients		q.s.
		Approved colour used		
304	Tamsulosin HCl Modified Release & Dutasteride	Each film coated tablet contain:		
		Tamsulosin Hydrochloride (as modified release)	IP	0.4 mg
		Dutasteride		0.5 mg
		Excipients		q.s.
		Approved colour used		
305	Telmisartan, Amlidipine & Hydrochlorothiazide Tablets	Each film coated tablet contains:		
		Telmisartan	IP	40 mg
		Amlidipine Beslyate	IP	5 mg
		Eq. to Amlidipine		
		Hydrochlorothiazide		12.5 mg
		Excipients		q.s.
Approved colour used				
306	Thiocolchicoside & Ketoprofen Tablets	Each film coated tablet contains		
		Thiocolchicoside	I.P.	4 mg
		Ketoprofen	I.P.	50 mg
		Excipients		q.s.
		Approved colour used		
307	Voglibose & Metformin Hydrochloride (SR) Tablets	Each uncoated Bilayered tablet contains		
		Voglibose	IP	0.2 mg
		Metformin Hydrochloride (as sustained release) Tablets	IP	500 mg
		Excipients		q.s.
		Approved colour used		
308	Voglibose & Metformin Hydrochloride (SR) Tablets	Each uncoated Bilayered tablet contains		
		Voglibose	IP	0.3 mg
		Metformin Hydrochloride (as sustained release) Tablets	IP	500 mg
		Excipients		q.s.
		Approved colour used		

309	Fexofenadine Hydrochloride tablets	Each film coated tablet contains		
		Fexofenadine Hydrochloride	IP	180 mg
		Excipients	q.s.	
		Approved colour used		
310	Etoricoxib & Paracetamol tablets	Each film coated tablet contains		
		Etoricoxib	IP	60 mg
		Paracetamol	IP	325 mg
		Excipients		q.s.
		Approved colour used		
311	Fexofenadine Hydrochloride tablets	Each film coated tablet contains		
		Fexofenadine Hydrochloride	IP	120 mg
		Excipients	q.s.	
312	Metoprolol Succinate Extended-Release Tablets	Approved colour used		
		Each film coated extended-release tablet contains:		
		Metoprolol Succinate	IP	11.875 mg
313	Acebrophylline Sustained Release Tablets	Eq To Metoprolol Tartrate	IP	12.5 m
		Approved colour used		
		Each uncoated sustained release tablets contains:		
		Acebrophylline		200 mg
314	Vildagliptin Tablets 50 mg	Excipients		q.s
		Approved colour used		
		Each uncoated Bilayered tablet contains		
		Vildagliptin		50 mg
315	Voglibose, Glimepiride & Metformin HCL (ER) Tablets	Excipients		q.s
		Approved colour used		
		Each uncoated Bilayered tablet contains:		
		Voglibose	IP	0.3 mg
		Glimepiride	IP	2 mg
316	Cholecalciferol Chewable Tablets	Metformin Hydrochloride (In extended release form)	IP	500 mg
		Excipients		
		Approved colour used		
		Each uncoated chewable tablet contains:		
317	Levocetirizine Dihydrochloride, Montelukast & Ambroxol (SR) Tablets	Cholecalciferol	IP	60,000 I.U.
		Approved colour used		
		Each uncoated Bilayered tablet contains:		
		Levocetirizine Dihydrochloride	IP	5 mg
318	Losartan Potassium Tablets	Montelukast Sodium eq. to Montelukast	IP	10 mg
		Ambroxol Hydrochloride (Sustained Release)	IP	75 mg
		Excipients		q.s.
		Approved colour used		
		Each film coated tablet contains		
319	L-Ornithine-L-Aspartate & Pancreatin Tablets	Losartan Potassium	IP	25 mg
		Approved colour used		
		Each entric coated tablet contains:		
		L-Ornithine-L-Aspartate		150 mg
320	Ticagrelor Tablets	Pancreatin	IP	100 mg
		Excipients		q.s
		Approved colour used		
		Each film coated tablet contains :		
321	Metformin Hydrochloride Prolonged Release & Glimepiride Tablets	Ticagrelor	IP	90 mg
		Approved colour used		
		Each uncoated Bilayered tablet contains:		
		Glimepiride	IP	4 mg
322	Quetiapine Fumarate Tablets IP 100 mg	Metformin Hydrochloride (As prolonged release)	IP	1000 mg
		Approved colour used		
		Each film coated tablet contains:		
		Quetiapine Fumarate	IP	100 mg
322	Quetiapine Fumarate Tablets IP 100 mg	Eq. to Quetiapine		100 mg
		Excipients		q.s
		Approved colour used		

323	Desloratadine & Montelukast Sodium Tablets	Each film coated tablet contains:		
		Desloratadine		5 mg
		Montelukast Sodium eq. to montelukast	IP	10 mg
		Excipients		q.s.
		Approved colour used		
324	Paracetamol Sustained Release Tablets	Each uncoated bilayered tablet contains:		
		Paracetamol (As Immediate Release)	IP	300 mg
		Paracetamol (As Sustained Release)	IP	700 mg
		Excipients		q.s.
		Approved colour used		
325	L-Ornithine- L-Aspartate & Pancreatin Tablets	Each film coated tablet contains :		
		L-Ornithine-L-Aspartate		150 mg
		Pancreatin	IP	100 mg
		Excipients		q.s.
		Approved colour used		
326	Flupirtine Maleate & Paracetamol tablets	Each uncoated bilayer tablet contains:		
		Flupirtine maleate		100g
		Paracetamol	IP	325 mg
		Excipients		q.s.
		Approved colour used		
327	Diclofenac Potassium & Metaxalone Tablets	Each uncoated tablet contains:		
		Diclofenac Potassium	BP	50 mg
		Metaxalone	USP	400 mg
		Excipients		q.s.
		Approved colour used		
328	L-Ornithine L-Aspartate & Silymarine Tablets	Each enteric coated tablet contains:		
		L-Ornithine L-Aspartate		250 mg
		Silymarine (80%)		70 mg
		Excipients		q.s.
		Approved colour used		
329	Paracetamol, Phenylephrine Hcl & Cetirizine Hcl Tablets	Each uncoated tablet contains:		
		Paracetamol	IP	325 mg
		Phenylephrine Hydrochloride	IP	5 mg
		Cetirizine Hydrochloride	IP	5 mg
		Excipients		q.s.
330	Aceclofenac, Paracetamol & Thiocolchicoside Tablets	Approved colour used		
		Each film coated tablet contains:		
		Aceclofenac	IP	100 mg
		Paracetamol	IP	325 mg
		Thiocolchicoside	IP	8 mg
331	Dextromethorphan Hbr, Phenylephrine Hcl & Chlorpheniramine Maleate Tablets	Excipients		q.s.
		Approved colour used		
		Each uncoated tablet contains:		
		Dextromethorphan Hbr	IP	10 mg
		Phenylephrine Hydrochloride	IP	5 mg
332	Methylcobalamin , L-Methyl Folate & Pyridoxal-5 Phosphate Tablets	Chlorpheniramine Maleate	IP	2 mg
		Excipients		q.s.
		Approved colour used		
		Each film coated tablet contains :		
		Methylcobalamin	IP	1500 mcg
332	Methylcobalamin , L-Methyl Folate & Pyridoxal-5 Phosphate Tablets	L-5 Methyltetrahydrofolate Calcium eq. to L-Methyl Folate		1 mg
		Pyridoxal-5 Phosphate		0.5 mg
		Excipients		q.s.
		Approved colour used		
		Each uncoated tablet contains :		

333	Phenylephrine Hcl, Dextromethorphan Hbr, Cetirizine Hcl, Ambroxol Hcl & Guaiphenesin Tablets	Phenylephrine Hydrochloride	IP	15 mg
		Dextromethorphan Hydrobromide	IP	10 mg
		Cetirizine Hydrochloride	IP	5 mg
		Ambroxol Hydrochloride	IP	30 mg
		Guaiphenesin	IP	100 mg
		Excipients		q.s.
		Approved colour used		
334	Paracetamol, Phenylephrine Hcl, Chlorpheniramine Maleate Tablets	Paracetamol	IP	500 mg
		Phenylephrine Hydrochloride	IP	10 mg
		Chlorpheniramine Maleate	IP	2 mg
		Excipients		q.s.
		Approved colour used		
335	Ofloxacin & Lactobacillus Tablets	Each film coated tablet contains:		
		Ofloxacin	IP	200 mg
		Lactobacillus		60 million Spores
		Excipients		q.s.
336	Ferrous Bisglycinate, Zinc Bisglycinate, Folic Acid & Methylcobalamin Tablets	Each film coated tablet contains:		
		Ferrous Bisglycinate		
		eq. to elemental Iron		60 mg
		Zinc Bisglycinate		
		Eq.to elemental Zinc		15 mg
		Folic Acid	IP	1 mg
		Methylcobalamin	IP	500 mcg
		Excipients		q.s.
337	Aceclofenac, Paracetamol, Cetirizine Dihydrochloride, Phenylephrine Hcl & Caffeine Tablets	Approved colour used		
		Each uncoated tablet contains:		
		Aceclofenac	IP	100 mg
		Paracetamol	IP	325 mg
		Cetirizine Dihydrochloride	IP	10 mg
		Phenylephrine Hydrochloride	IP	5 mg
		Caffeine (Anhydrous)	IP	25 mg
Excipients		q.s.		
338	Teneligliptin & Metformin Hcl Tablets	Approved colour used		
		Each uncoated bilayered tablet contains:		
		Teneligliptin Hydrobromide Hydrate Eq. to Teneligliptin	IP	20 mg
		Metformin Hydrochloride (As Sustained release)	IP	500 mg
		Excipients		q.s.
339	Levofloxacin & Ornidazole Tablets	Approved colour used		
		Each film coated tablet contains:		
		Levofloxacin Hemihydrate	IP	250 mg
		eq. to Levofloxacin (anhydrous)		
		Ornidazole	IP	500 mg
340	Taurine & Acetylcysteine Tablets	Excipients		q.s.
		Approved colour used		
		Each film coated tablet contains:		
		Taurine	USP	500 mg
		N-Acetylcysteine	USP	150 mg
341	Etodolac & Thiocolchicoside Tablets	Excipients		q.s.
		Approved colour used		
		Each film coated tablet contains:		
		Etodolac	IP	400 mg
342	Tranexamic & Ethamsylate Tablets	Thiocolchicoside	IP	4 mg
		Approved colour used		
		Each film coated tablet contains:		
		Tranexamic Acid	IP	250 mg
		Ethamsylate	BP	250mg
Excipients		q.s.		
Approved colour used				
Each film coated tablet contains:				

343	Aceclofenac, Paracetamol & Thiocolchicoside Tablets	Aceclofenac	IP	100 mg
		Paracetamol	IP	325 mg
		Thiocolchicoside	IP	4 mg
		Excipients		q.s.
		Approved colour used		
344	Esomeprazole Magnesium Trihydrate & Domperidone Maleate tablets	Each enteric coated tablets contains:		
		Esomeprazole Magnesium Trihydrate	IP	40 mg
		eq. to Esomeprazole		
		Domperidone Maleate	IP	10 mg
		Excipients		q.s.
345	Chlopheniramine maleate & Phenylephrine Hydrochloride tablets	Each uncoated tablets contains:		
		Chlopheniramine maleate	IP	4 mg
		Phenylephrine Hydrochloride	IP	2.5 mg
		Excipients		q.s.
		Approved colour used		
346	Olmesartan medoxomil & Chlorthalidone tablets	Each film coated tablets contains:		
		Olmesartan medoxomil	IP	20 mg
		Chlorthalidone	IP	12.5 mg
		Excipients		q.s.
		Approved colour used		
347	Olmesartan medoxomil & Chlorthalidone tablets	Each film coated tablets contains:		
		Olmesartan medoxomil	IP	40 mg
		Chlorthalidone	IP	12.5 mg
		Excipients		q.s.
		Approved colour used		
348	Pantoprazole sodium & Domperidone tablets	Each enteric coated tablets contains:		
		Pantoprazole sodium	IP	40 mg
		eq.to pantoprazole		
		Domperidone	IP	10 mg
		Excipients		q.s.
349	Telmisartan & Chlorthalidone tablets	Each uncoated bilayered tablets contains:		
		Telmisartan	IP	40 mg
		Chlorthalidone	IP	12.5 mg
		Excipients		q.s.
		Approved colour used		
350	Olmesartan Medoxomil & Chlorthalidone tablets	Each film coated bilayered tablets contains:		
		Olmesartan Medoxomil	IP	40 mg
		Chlorthalidone	IP	6.25 mg
		Excipients		q.s.
		Approved colour used		
351	L-Carnitine L-tartrate, Methylcobalamin & Folic Acid tabets	Each film coated tablets contains:		
		L-Carnitine L-tartrate		500 mg
		eq. to L-Carnitine		
		Methylcobalamin	IP	500 mcg
		Folic Acid	IP	1.5 mg
352	Chlorthalidone & Olmesartan medoxomil tablets	Each film coated bilayered tablets contains:		
		Chlorthalidone	IP	6.25 mg
		Olmesartan medoxomil	IP	20 mg
		Excipients		q.s.
		Approved colour used		
353	Chlorthalidone & Olmesartan medoxomil tablets	Each film coated bilayered tablets contains:		
		Chlorthalidone	IP	12.5 mg
		Olmesartan medoxomil	IP	20 mg
		Excipients		q.s.
		Approved colour used		
354	Chlorthalidone & Olmesartan medoxomil tablets	Each film coated bilayered tablets contains:		
		Chlorthalidone	IP	12.5 mg
		Olmesartan medoxomil	IP	40 mg
		Excipients		q.s.
		Approved colour used		

355	Citicoline sodium & Piracetam tablets	Each film coated tablets contains: Citicoline sodium eq. to Citicoline Piracetam Excipients	IP	500 mg 800 mg q.s
		Approved colour used		
356	Losartan Potassium & Hydrochlorothiazide Tablets	Each uncoated tablets contains: Losartan Potassium Hydrochlorothiazide Excipients	IP IP	25 mg 12.5 mg q.s
		Approved colour used		
357	Telmisartan, Amlodipine Besylate & Hydrochlorothiazide Tablets	Each uncoated bilayered tablets contains: Telmisartan Amlodipine Besylate eq. to Amlodipine Hydrochlorothiazide Excipients	IP IP	80 mg 5 mg 12.5 mg q.s
		Approved colour used		
358	S(-)Amlodipine & Metoprolol Succinate ER tablets	Each uncoated tablets contains: S(-)Amlodipine Metoprolol Succinate eq. to Metoprolo (as extened release form) Excipients	IP IP	2.5 mg 50 mg q.s
		Approved colour used		
359	Ferrous bisglycinate Chelate , Zinc bis glycinate chelate , Folic acid & Methylcobalamin tablets	Each film coated tablets contains: Ferrous bisglycinate Chelate eq. to elemental iron Zinc bis glycinate chelate eq. to elemental zinc Folic acid Methylcobalamin Excipients	IP IP	60 mg 15 mg 1500 mcg 500 mcg q.s
		Approved colour used		
360	Myo-inositol , L-methylfolate & Vitamin D3 tablets	Each film coated tablets contains: Myo-inositol L-methylfolate Calcium Vitamin D3 Excipients	USP IP	1 gm 100 mcg 1000 IU q.s
		Approved colour used		
361	Montelukast Sodium & Levocetirizine Dihydrochloride Dispersible Tablets	Each orally disintegrating tablets contains: Montelukast Sodium eq. to montelukast Levocetirizine Dihydrochloride Excipients	IP	4 mg 2.5 mg q.s
		Approved colour used		
362	Montelukast Sodium & Levocetirizine Dihydrochloride Dispersible Tablets	Each orally disintegrating tablets contains: Montelukast Sodium eq. to montelukast Levocetirizine Dihydrochloride Excipients	IP	10 mg 5 mg q.s
		Approved colour used		
363	Ivermectin & Albendazole tablets	Each uncoated chewable tablets contains: Ivermectin Albendazole Excipients	BP IP	12 mg 400 mg q.s
		Approved colour used		
364	Diclofenac Sodium & Paracetamol Tablets	Each uncoated tablets contains: Diclofenac Sodium (as enteric coated) Paracetamol Excipients	IP IP	50 mg 325 mg q.s
		Approved colour used		
365	Ciprofloxacin HCL & Tinidazole tablets	Each film coated tablets contains: Ciprofloxacin Hydrochloride eq.to Ciprofloxacin Tinidazole Excipients	IP IP	500 mg 600 mg q.s
		Approved colour used		

366	Pirfenidone Tablets IP 200 mg	Each film coated tablet contains		
		Pirfenidone	IP	200 mg
		Excipients		q.s.
		Approved colour used		
367	Letrozole Tablets IP 2.5 mg	Each film coated tablet contains:		
		Letrozole	IP	2.5 mg
		Excipients		q.s.
		Approved colour used		
368	Clomifene Tablets IP 25 mg	Each uncoated tablet contains:		
		Clomifene Citrate	IP	25 mg
		Excipients		q.s.
		Approved colour used		
369	Clomifene Tablets IP 50 mg	Each uncoated tablet contains:		
		Clomifene Citrate	IP	50 mg
		Excipients		q.s.
		Approved colour used		
370	Ketoconazole Tablets IP 200 mg	Each film coated tablet contains:		
		Ketoconazole	IP	200 mg
		Excipients		q.s.
		Approved colour used		
371	Cilnidipine Tablets IP 10 mg	Each film coated tablet contains:		
		Cilnidipine	IP	10 mg
		Excipients		q.s.
		Approved colour used		
372	Cilnidipine Tablets IP 20 mg	Each film coated tablet contains:		
		Cilnidipine	IP	20 mg
		Excipients		q.s.
		Approved colour used		
373	Etodolac Prolonged Release Tablets IP 600 mg	Each film coated Prolonged release:		
		Etodolac	IP	600 mg
		Excipients		q.s.
		Approved colour used		
374	Etodolac Tablets IP 400 mg	Each film coated tablet contains:		
		Etodolac	IP	400 mg
		Excipients		q.s.
		Approved colour used		
375	Etodolac Tablets IP 200 mg	Each film coated tablet contains:		
		Etodolac	IP	200 mg
		Excipients		q.s.
		Approved colour used		
376	Etodolac Tablets IP 300 mg	Each film coated tablet contains:		
		Etodolac	IP	300 mg
		Excipients		q.s.
		Approved colour used		
377	Allopurinol Tablets IP 300 mg	Each uncoated tablet contains:		
		Allopurinol	IP	300 mg
		Excipients		q.s.
		Approved colour used		
378	Atenolol Tablets IP 50 mg	Each uncoated tablet contains:		
		Atenolol	IP	50 mg
		Excipients		q.s.
		Approved colour used		
379	Atorvastatin Tablets IP 40 mg	Each film coated tablet contains:		
		Atorvastatin	IP	40 mg
		Excipients		q.s.
		Approved colour used		
380	Divalproex Prolonged Release Tablets IP 500 mg	Each Prolonged Release film coated tablet contains:		
		Divalproex Sodium	IP	
		eq. to valproic Acid		500 mg
		Excipients		q.s.
		Approved colour used		
381	Divalproex Prolonged Release Tablets IP 750 mg	Each Prolonged Release film coated tablet contains:		
		Divalproex Sodium	IP	
		eq. to valproic Acid		750 mg
		Excipients		q.s.
		Approved colour used		

382	Divalproex Prolonged Release Tablets IP 1000 mg	Each Prolonged Release film coated tablet contains:		
		Divalproex Sodium	IP	
		eq. to valproic Acid		1000 mg
		Excipients		q.s.
		Approved colour used		
383	Divalproex Gastro-resistant tablets IP 250 mg	Each enteric coated tablets contains:		
		Divalproex Sodium	IP	
		eq. to valproic Acid		250 mg
		Excipients		q.s.
		Approved colour used		
384	Divalproex Gastro-resistant tablets IP 500 mg	Each enteric coated tablets contains:		
		Divalproex Sodium	IP	
		eq. to valproic Acid		500 mg
		Excipients		q.s.
		Approved colour used		
385	Domperidone tablets IP 10 mg	Each uncoated tablet contains:		
		Domperidone	IP	10 mg
		Excipients		q.s.
		Approved colour used		
386	Methylprednisolone Tablets IP 16 mg	Each uncoated tablet contains:		
		Methylprednisolone	IP	16 mg
		Excipients		q.s.
		Approved colour used		
387	Mirtazapine Tablets IP 30 mg	Each film coated tablet contains:		
		Mirtazapine	IP	30 mg
		Excipients		q.s.
		Approved colour used		
388	Mirtazapine Tablets IP 45 mg	Each film coated tablet contains:		
		Mirtazapine	IP	45 mg
		Excipients		q.s.
		Approved colour used		
389	Naproxen Tablets IP 250 mg	Each uncoated tablet contains:		
		Naproxen	IP	250 mg
		Excipients		q.s.
		Approved colour used		
390	Naproxen Tablets IP 250 mg	Each uncoated tablet contains:		
		Naproxen	IP	250 mg
		Excipients		q.s.
		Approved colour used		
391	Naproxen Prolonged release Tablets IP 375 mg	Each uncoated tablet contains:		
		Naproxen	IP	375 mg
		(as prolonged release form)		
		Excipients		q.s.
		Approved colour used		
392	Pioglitazone Tablets IP 15 mg	Each uncoated tablet contains:		
		Pioglitazone	IP	15 mg
		Excipients		q.s.
		Approved colour used		
393	Pioglitazone Tablets IP 30 mg	Each uncoated tablet contains:		
		Pioglitazone	IP	30 mg
		Excipients		q.s.
		Approved colour used		
394	Prochlorperazine Maleates Tablets IP 5 mg	Each uncoated mouth dissolving tablet contains:		
		Prochlorperazine Maleates	IP	5 mg
		Excipients		q.s.
		Approved colour used		
395	Propranolol HCL Tablets IP 10 mg	Each uncoated tablet contains:		
		Propranolol Hydrochloride	IP	10 mg
		Excipients		q.s.
		Approved colour used		
396	Propranolol HCL Tablets IP 40 mg	Each uncoated tablet contains:		
		Propranolol Hydrochloride	IP	40 mg
		Excipients		q.s.
		Approved colour used		

397	Nitrofurantoin Tablets IP 100 mg	Each film coated Sustained Release tablet contains:		
		Nitrofurantoin	IP	100 mg
		Excipients		q.s.
		Approved colour used		
398	Dothiepin Tablets IP 25 mg	Each film coated tablet contains:		
		Dothiepin	IP	25 mg
		Excipients		q.s.
		Approved colour used		
399	Dothiepin Tablets IP 50 mg	Each film coated tablet contains:		
		Dothiepin	IP	50 mg
		Excipients		q.s.
		Approved colour used		
400	Dothiepin Tablets IP 75 mg	Each film coated tablet contains:		
		Dothiepin	IP	75 mg
		Excipients		q.s.
		Approved colour used		
401	Hydroxychloroquine Tablets IP 200 mg	Each film coated tablet contains:		
		Hydroxychloroquine	IP	200 mg
		Excipients		q.s.
		Approved colour used		
402	Torseamide Tablets IP 10 mg	Each uncoated tablet contains:		
		Torseamide	IP	10 mg
		Excipients		q.s.
403	Azithromycin & Lactic Acid Bacillus Tablets	Each film coated tablet contains:		
		Azithromycin Dihydrate	IP	
		Eq to Azithromycin		250 mg
		Lactic Acid Bacillus		60 million Spores
		Excipients		q.s.
		Approved colour used		
404	Paracetamol,Phenylephrine HCL, Caffine& Diphenhydramine HCL Tablets	Each Uncoated tablet contains:		
		Paracetamol	IP	325 mg
		Phenylephrine Hydrochloride	IP	5 mg
		Caffine	IP	30 mg
		Diphenhydramine Hydrochloride	IP	25 mg
		Excipients		q.s.
		Approved colour used		
405	Aceclofenac Sustained Release Tablets	Each Uncoated Sustained Release tablet contains:		
		Aceclofenac	IP	200 mg
		Excipients		q.s.
		Approved colour used		
406	Domperidone & Paracetamol Tablets	Each film coated tablet contains:		
		Domperidone	IP	20 mg
		Paracetamol	IP	325 mg
		Excipients		q.s.
		Approved colour used		
407	Telmisartan & Hydrochlorothiazide Tablets	Each film coated tablet contains:		
		Telmisartan	IP	80 mg
		Hydrochlorothiazide	IP	12.5 mg
		Excipients		q.s.
		Approved colour used		
408	Glimepiride, Metformin HCL (SR) & Pioglitazone Tablets	Each Uncoated bilayered tablet contains:		
		Glimepiride	IP	1 mg
		Pioglitazone Hydrochloride eq.to Pioglitazone	IP	15 mg
		Metformin Hydrochloride	IP	500 mg
		Excipients		q.s.
		Approved colour used		
409	Gabapentin & Nortriptyline Tablets	Each film coated tablet contains:		
		Gabapentin	IP	400 mg
		Nortriptyline Hydrochloride eq.to Nortriptyline	IP	10 mg
		Excipients		q.s.
		Approved colour used		

410	Calcium Citrate, Magnesium,Zinc & Vitamin D3 Tablets	Each film coated tablet contains:		
		Calcium Citrate	USP	1000 mg
		Magnesium Hydroxide	IP	100 mg
		Zinc Sulphate Monohydrate	IP	
		eq.to Elemental Zinc		4 mg
		Vitamin D3	IP	250 IU
		Excipients		q.s.
		Approved colour used		
411	Levocetirizine HCL & Ambroxol HCL Tablets	Each film coated tablet contains:		
		Levocetirizine Hydrochloride	IP	5 mg
		Ambroxol Hydrochloride	IP	60 mg
		Excipients		q.s.
		Approved colour used		
412	Diclofenac Potassium & Serratiopeptidase Tablets	Each film coated tablet contains:		
		Diclofenac Potassium	BP	50 mg
		Serratiopeptidase	IP	10 mg
		(As enteric coated granules)		
		(Enzyme Activity 20000 units)		
		Excipients		q.s.
		Approved colour used		
413	Rifaximin Tablets 200 mg	Each film coated tablet contains:		
		Rifaximin Ph. Eur		200 mg
		Excipients		q.s.
		Approved colour used		
414	Olmesartan,Amlodipine and Hydrochlorothiazide Tablets	Each film coated tablet contains:		
		Olmesartan Medoxomil	IP	
		eq. to Olmesartan		40 mg
		Amlodipine Besylate	IP	
		eq. to Amlodipine		5 mg
		Hydrochlorothiazide	IP	12.5 mg
		Excipients		q.s.
		Approved colour used		
415	Deflazacort Tablets 30 mg	Each uncoated tablets contains:		
		Deflazacort		30 mg
		Excipients		q.s.
		Approved colour used		
416	Metformin Hydrochloride Prolonged-release & Glimepiride tablets IP	Each uncoted bilayered tablets contains:		
		Metformin Hydrochloride	IP	1000 mg
		(As Prolonged release form)		
		Glimepiride	IP	1 mg
		Excipients		q.s.
		Approved colour used		
417	Rifaximin Tablets 550 mg	Each film coated tablet contains:		
		Rifaximin Ph. Eur		550 mg
		Excipients		q.s.
		Approved colour used		
418	Pregabalin Sustained Release Tablets	Each Uncoated Sustained Release tablet contains:		
		Pregabalin	IP	75 mg
		Excipients		q.s.
		Approved colour used		
419	Ursodeoxycholic Acid Tablets	Each film coated tablet contains:		
		Ursodeoxycholic Acid	IP	150 mg
		Excipients		q.s.
		Approved colour used		
420	Isoxsuprine HCL (SR) Tablets	Each Uncoated Sustained Release tablet contains:		
		Isoxsuprine Hydrochloride	IP	40
		Excipients		q.s.
		Approved colour used		
421	Eplerenone Tablets IP 25 mg	Each film coated tablet contains:		
		Eplerenone	IP	25 mg
		Excipients		q.s.
		Approved colour used		

422	Gliclazide Modified Release Tablets IP 30 mg	Each uncoated MR tablet contains		
		Gliclazide	IP	30 mg
		Excipients		q.s.
		Approved colour used		
423	Risperidone Tablets IP 3 mg	Each uncoated tablet contains:		
		Risperidone	IP	3 mg
		Excipients		q.s.
		Approved colour used		
424	Risperidone Tablets IP 4 mg	Each uncoated tablet contains:		
		Risperidone	IP	4 mg
		Excipients		q.s.
		Approved colour used		
425	Vildagliptin and Metformin HCL Tablets	Each film coated tablet contains:		
		Vildagliptin		50 mg
		Metformin Hydrochloride	IP	1000 mg
		Excipients		q.s.
		Approved colour used		
426	Telmisartan, Cilnidipine & Chlorthalidone Tablets	Each film coated tablet contains:		
		Telmisartan	IP	40 mg
		Cilnidipine	IP	10 mg
		Chlorthalidone	IP	12.5 mg
		Excipients		q.s.
427	Clopidogrel & Aspirin Tablets	Each film coated tablet contains:		
		Clopidogrel Bisulphate	IP	75 mg
		Eq. to Clopidogrel		
		Aspirin		75 mg
		Excipients		q.s.
Approved colour used				
428	Metformin Hydrochloride E.R. & Gliclazide M.R. Tablets	Each uncoated tablet contains:		
		Metformin Hydrochloride (As Extended-release)	IP	500 mg
		Gliclazide (As Modified-release)	IP	60 mg
		Excipients		q.s.
		Approved colour used		
429	Teneligliptin 20 mg & Metformin Hydrochloride (ER) 1000 mg Tablets	Each uncoated bilayered tablet contains:		
		Teneligliptin Hydrobromide Hydrate	IP	20 mg
		Eq. to Teneligliptin		
		Metformin Hydrochloride (In extended release form)	IP	1000 mg
		Excipients		q.s.
Approved colour used				
430	Teneligliptin 20 mg & Metformin Hydrochloride (ER) 500 mg Tablets	Each uncoated bilayered tablet contains:		
		Teneligliptin Hydrobromide Hydrate	IP	20 mg
		Eq. to Teneligliptin		
		Metformin Hydrochloride (In extended release form)	IP	500 mg
		Excipients		q.s.
Approved colour used				
431	Acebrophylline Capsules 100 mg	Each hard gelatin capsule contains:		
		Acebrophylline		100 mg
		Excipients		q.s.
		Approved colour used		
432	Prasugrel Tablets 10 mg	Each film coated tablet contains:		
		Prasugrel Hydrochloride		10 mg
		Eq. to Prasugrel		
		Excipients		q.s.
		Approved colour used		
433	Benidipine Hydrochloride Tablets 4 mg	Each uncoated tablet contains:		
		Benidipine Hydrochloride		4 mg
		Excipients		q.s.
		Approved colour used		

434	Mirtazapine Tablets IP 7.5 mg	Each uncoated tablet contains:		
		Mirtazapine	IP	7.5 mg
		Excipients		q.s.
		Approved colour used		
435	Cinnarizine Sustained Release Tablets IP 75 mg	Each uncoated sustained release		
		Tablets contains:		
		Cinnarizine	IP	75 mg
		Excipients		q.s.
		Approved colour used		
436	Piracetam Tablets IP 800 mg	Each film coated tablet contains:		
		Piracetam	IP	800 mg
		Excipients		q.s.
		Approved colour used		
437	Domperidone & Naproxen Sodium Tablets	Each film coated tablet contains :		
		Domperidone Maleate	IP	10 mg
		eq. to Domperidone		
		Naproxen Sodium	USP	500 mg
		Excipients		q.s.
Approved colour used				
438	Domperidone & Naproxen Sodium Tablets	Each film coated tablet contains :		
		Domperidone Maleate	IP	10 mg
		eq. to Domperidone		
		Naproxen Sodium	USP	250 mg
		Excipients		q.s.
Approved colour used				
439	Acebrophylline & N-Acetylcysteine Tablets	Each film coated tablet contains:		
		Acebrophylline		100 mg
		N-Acetylcysteine	BP	600 mg
		Excipients		q.s.
		Approved colour used		
440	Haloperidol Dispersible Tablets 5 mg	Each Uncoated dispersible contains:		
		Haloperidol	IP	5 mg
		Excipients		q.s.
		Approved colour used		
441	Calcium Carbonate,Vitamin D3, Methylcobalamin,L-Methylfolate Calcium & Pyridoxal 5-Phosphate Tablets	Each film coated tablet contains:		
		Calcium Carbonate	IP	1250 mg
		Eq. to Elemental Calcium		500 mg
		Vitamin D3	IP	2000 IU
		Methylcobalamin	IP	1500 mcg
		L-Methylfolate Calcium		1 mg
		Pyridoxal 5-Phosphate		20 mg
		Excipients		q.s.
Approved colour used				
442	Ketorolac Tromethamine Dispersible Tablets	Each Uncoated dispersible Tablets contains:		
		Ketorolac Tromethamine	IP	10 mg
		Excipients		q.s.
		Approved colour used		
443	Cilnidipine Tablets IP 5 mg	Each film coated tablet contains:		
		Cilnidipine	IP	5 mg
		Excipients		q.s.
		Approved colour used		
444	Isotretinoin Capsule IP 10 mg	Each hard gelatin capsule contains		
		Isotretinoin	IP	10 mg
		Excipients		q.s.
		Approved colour used in empty capsule shells		
445	Isotretinoin Capsule IP 20 mg	Each hard gelatin capsule contains		
		Isotretinoin	IP	20 mg
		Excipients		q.s.
		Approved colour used in empty capsule shells		
446	Olmesartan Medoxomil & Hydrochlorothiazide Tablets IP	Each film coated tablet contains:		
		Olmesartan Medoxomil	IP	40 mg
		Hydrochlorothiazide	IP	12.5 mg
		Excipients		q.s.
		Approved colour used		

447	Isosorbide Mononitrate Tablets IP 20 mg	Each uncoated tablet contains:	IP	20 mg
		Diluted Isosorbide Mononitrate		
		eq. to Isosorbide Mononitrate		
		Excipients		
		Approved colour used		
448	Quetiapine Tablets IP 25 mg	Each uncoated tablet contains:	IP	25 mg
		Quetiapine Fumarate		
		eq. to Quetiapine		
		Excipients		
		Approved colour used		
449	Pioglitazone Tablets IP 15 mg	Each uncoated tablet contains:	IP	15 mg
		Pioglitazone Hydrochloride		
		Eq. to Pioglitazone		
		Excipients		
		Approved colour used		
450	Lamotrigine Dispersible Tablets IP 25 mg	Each uncoated dispersible tablet contains:	IP	25 mg
		Lamotrigine		
		Excipients		
		Approved colour used		
451	Lamotrigine Dispersible Tablets IP 100 mg	Each uncoated dispersible tablet contains:	IP	100 mg
		Lamotrigine		
		Excipients		
		Approved colour used		
452	Fluoxetine Tablets IP 20 mg	Each uncoated tablet contains:	IP	20 mg
		Fluoxetine HCL		
		eq. to Fluoxetine		
		Excipients		
		Approved colour used		
453	Letrozole Tablets IP 2.5 mg	Each film coated tablet contains:	IP	2.5 mg
		Letrozole		
		Excipients		
		Approved colour used		
454	Carvedilol Tablets IP 3.125 mg	Each uncoated tablet contains:	IP	3.125 mg
		Carvedilol		
		Excipients		
		Approved colour used		
455	Carvedilol Tablets IP 12.5 mg	Each uncoated tablet contains:	IP	12.5 mg
		Carvedilol		
		Excipients		
		Approved colour used		
456	Telmisartan Tablets IP 20 mg	Each uncoated tablet contains:	IP	20 mg
		Telmisartan		
		Excipients		
		Approved colour used		
457	Torsemide Tablets IP 5 mg	Each uncoated tablet contains:	IP	5 mg
		Torsemide		
		Excipients		
		Approved colour used		
458	Aripiprazole Tablets IP 10 mg	Each uncoated tablet contains:	IP	10 mg
		Aripiprazole		
		Excipients		
		Approved colour used		
459	Carvedilol Tablets IP 6.25 mg	Each uncoated tablet contains:	IP	6.25 mg
		Carvedilol		
		Excipients		
		Approved colour used		
460	Flupentixol Tablets BP 0.5 mg	Each film coated tablet contains:	BP	0.5 mg
		Flupentixol Hydrochloride		
		Eq. Flupentixol		
		Excipients		
		Approved colour used		
461	Sodium Bicarbonate Tablets USP 500 mg	Each film coated tablet contains:	IP	500 mg
		Sodium Bicarbonate		
		Excipients		
		Approved colour used		

462	Bupropion HCL Sustained Release Tablets USP 150 mg	Each film coated sustained release tablet contains:		
		Bupropion Hydrochloride	USP	150 mg
		Excipients		q.s.
		Approved colour used		
463	Paracetamol, Cetirizine Hcl & Phenylephrine Hcl Tablets	Each uncoated tablet contains:		
		Paracetamol	IP	500 mg
		Cetirizine Hydrochloride	IP	5 mg
		Phenylephrine Hydrochloride	IP	10 mg
		Excipients		q.s.
		Approved colour used		
464	Thiocolchicoside & Aceclofenac Tablets	Each film coated tablet contains:		
		Thiocolchicoside	I.P.	8 mg
		Aceclofenac	I.P.	100 mg
		Excipients		q.s.
		Approved colour used		
465	Etoricoxib & Thiocolchicoside Tablets	Each film coated tablet contains:		
		Etoricoxib	I.P.	60 mg
		Thiocolchicoside	I.P.	8 mg
		Excipients		q.s.
		Approved colour used		
466	Glimepiride , Voglibose & Metformin Hydrochloride Tablets	Each uncoated bilayered tablet contains:		
		Glimepiride	I.P.	1 mg
		Voglibose	I.P.	0.2 mg
		Metformin Hydrochloride (As sustained release)	I.P.	500 mg
		Excipients		q.s.
		Approved colour used		
467	Glimepiride , Voglibose & Metformin Hydrochloride Tablets	Each uncoated bilayered tablet contains:		
		Glimepiride	I.P.	2 mg
		Voglibose	I.P.	0.2 mg
		Metformin Hydrochloride (As sustained release)	I.P.	500 mg
		Excipients		q.s.
		Approved colour used		
468	Terbutaline Sulphate , Bromhexaine Hydrochloride , Guaiphenesin & Menthol Syrup	Each 5 ml contains:		
		Terbutaline Sulphate	I.P.	1.25 mg
		Bromhexine Hydrochloride	I.P.	4 mg
		Guaiphenesin	I.P.	50 mg
		Menthol	I.P.	0.5 mg
		Flavoured syrupy base		q.s.
		Approved colour used		
469	Aceclofenac , Paracetamol & Serratiopeptidase Tablets	Each film coated tablet contains:		
		Aceclofenac	I.P.	100 mg
		Paracetamol	I.P.	325 mg
		Serratiopeptidase (As enteric Serratiopeptidase eq. to 20,000 units)	I.P.	10 mg
		Excipients		q.s.
		Approved colour used in coating		
470	Diclofenac Potassium , Paracetamol & Serratiopeptidase Tablets	Each film coated tablet contains:		
		Diclofenac Potassium	B.P.	50 mg
		Paracetamol	I.P.	325 mg
		Serratiopeptidase (As enteric Serratiopeptidase eq. to 20,000 units)	I.P.	10 mg
		Excipients		q.s.
		Approved colour used		
471	Calcium , Magnesium , Vitamin D3 & Minerals Tablets	Each film coated tablet contains:		
		Calcium Carbonate (From Organic Source oyster shells) Eq.to elemental Calcium	I.P.	1250 mg
		Vitamin D3	I.P.	250 I.U
		Magnesium (As Magnesium Oxide)	I.P.	40 mg
		Copper (As Copper Sulphate)	U.S.P	2 mg
		Manganese (As Manganese Sulphate)	I.P.	1.8 mg
		Boron (As Sodium Borate)	U.S.P	250 mcg
		Selenium (As Selenium Dioxide)	U.S.P	60 mcg
		Chromium (As Chromium Picolinate)		50 mcg
		Excipients		q.s.
		Approved colour used		
472	Alfacalcidol Calcium Carbonate Tablets	Each uncoated tablet contains:-		
		Alfacalcidol	U.S.P	0.25 mg
		Calcium Carbonate from an organic Source (oyster shells Eq. to Elemental Calcium		500 mg
		Excipients		q.s.
		Approved colours used		

473	Prulifloxacin Tablets	Each film coated tablet contains		
		Prulifloxacin		600 mg
		Excipients		q.s.
		Approved colours used		
474	Nimesulide Tablets 100 mg	Each uncoated tablet contains		
		Nimesulide	B.P	100 mg
		Excipients		q.s.
		Approved colour used Warning : Not for use below 12 years of		
475	Diacerein , Glucosamine & Methylsulfonylmethane Tablets	Each film coated tablet contains:		
		Diacerein	I.P.	50 mg
		Glucosamine Sulphate	U.S.P	750 mg
		Potassium Chloride	Eq. to Glucosamine	446 mg
		Methylsulfonylmethane		250 mg
		Excipients		q.s.
		Approved colour used		
476	Artemether & Lumefantrine Dispersible Tablets	Each uncoated dispersible tablet contains:		
		Artemether	I.P.	40 mg
		Lumefantrine	U.S.P	240 mg
		Excipients		q.s.
		Approved colour used		
477	Artemether & Lumefantrine Dispersible Tablets	Each uncoated dispersible tablet contains:		
		Artemether	I.P.	80 mg
		Lumefantrine	U.S.P	480 mg
		Excipients		q.s.
		Approved colour used		
478	Adenosylcobalamin, Ferrous Ascorbate, Folic Acid & Zinc Tablets.	Each Film coated tablet contains:		
		Acenosylcobalamin	IP	15 mcg
		Ferrous Ascorbate	Eq.to Elemental Iron	100 mg
		Folic Acid	I.P.	1.5 mg
		Zinc Sulphate Monohydrate	Eq. to Elemental Zinc	22.5 mg
		Excipients		q.s.
Approved colours used				
479	Artemether & Lumefantrine Tablets	Each uncoated tablet contains:		
		Artemether	I.P.	40 mg
		Lumefantrine	U.S.P.	240 mg
		Excipients		q.s.
		Approved colour used		
480	Artemether & Lumefantrine Tablets	Each uncoated tablets contains		
		Artemether	I.P.	80 mg
		Lumefantrine	U.S.P	480 mg
		Excipients		q.s.
		Approved colour used		
481	Calcium & Vitamin D3 Tablets.	Each film coated tablet contains:		
		Calcium Citrate Maleate	Eq. to elemental Calcium	250 mg
		Vitamin D3	I.P	200 I.U
		Excipients		q.s.
		Approved colour used		
482	Ferrous Ascorbate, Folic Acid, Cyanocobalamin & Zinc Sulphate Tablets.	Each film coated tablet contains:		
		Ferrous Ascorbate	Eq. to elemental Iron	100 mg
		Folic Acid	I.P.	1.5 mg
		Cyanocobalamin	I.P.	15 mcg
		Zinc Sulphate Monohydrate	Eq. to elemental Zinc	22.5 mg
		Excipients		q.s.
Approved colours used				
483	Piroxicam & Paracetamol Tablets	Each uncoated tablets contains:		
		Piroxicam	I.P.	20 mg
		Paracetamol	I.P.	325 mg
		Excipients		q.s.
		Approved colours used		
484	Aceclofenac & Paracetamol Tablets	Each uncoated tablets contains:-		
		Aceclofenac	I.P.	100 mg
		Paracetamol	I.P	325 mg
		Excipients		q.s
		Approved colours used		
485	Ondansetron Tablets I.P 8 mg	Each uncoated Tablet contains		
		Ondansetron hydrochloride	I.P.	8 mg
		Excipients		q.s.
		Approved colour used		

486	Thiocolchicoside & Aceclofenac Tablets	Each film coated tablet contains:		
		Thiocolchicoside	I.P.	8 mg
		Aceclofenac	I.P.	100 mg
		Excipients		q.s.
Approved colour used				
487	Etoricoxib & Thiocolchicoside Tablets	Each film coated tablet contains:		
		Etoricoxib	I.P.	60 mg
		Thiocolchicoside	I.P.	8 mg
		Excipients		q.s.
Approved colour used				
488	Glimepiride , Voglibose & Metformin Hydrochloride Tablets	Each uncoated bilayered tablet contains:		
		Glimepiride	I.P.	1 mg
		Voglibose	I.P.	0.2 mg
		Metformin Hydrochloride (As sustained release)	I.P.	500 mg
		Excipients		q.s.
Approved colour used				
489	Glimepiride , Voglibose & Metformin Hydrochloride Tablets	Each uncoated bilayered tablet contains:		
		Glimepiride	I.P.	2 mg
		Voglibose	I.P.	0.2 mg
		Metformin Hydrochloride (As sustained release)	I.P.	500 mg
		Excipients		q.s.
Approved colour used				
490	Aceclofenac , Paracetamol & Serratiopeptidase Tablets	Each film coated tablet contains:		
		Aceclofenac	I.P.	100 mg
		Paracetamol	I.P.	325 mg
		Serratiopeptidase (As enteric Serratiopeptidase eq. to 20,000 units)	I.P.	10 mg
		Excipients		q.s.
Approved colour used in coating				
491	Diclofenac Potassium , Paracetamol & Serratiopeptidase Tablets	Each film coated tablet contains:		
		Diclofenac Potassium	B.P.	50 mg
		Paracetamol	I.P.	325 mg
		Serratiopeptidase (As enteric Serratiopeptidase eq. to 20,000 units)	I.P.	10 mg
		Excipients		q.s.
Approved colour used				
492	Calcium , Magnesium , Vitamin D3 & Minerals Tablets	Each film coated tablet contains:		
		Calcium Carbonate (From Organic Sourcess oyster shells) Eq.to elemental Calcium	I.P.	1250 mg
		Vitamin D3	I.P.	500 mg
		Magnesium (As Magnesium Oxide)	I.P.	250 I.U
		Copper (As Copper Sulphate)	I.P.	40 mg
		Manganese (As Manganese Sulphate)	U.S.P	2 mg
		Boron (As Sodium Borate)	I.P.	1.8 mg
		Selenium (As Selenium Dioxide)	U.S.P	250 mcg
		Chromium (As Chomium Picolinate)	U.S.P	60 mcg
		Excipients		50 mcg
Approved colour used				
493	Alfacalcidol Calcium Carbonate Tablets	Each uncoated tablet contains:-		
		Alfacalcidol	U.S.P	0.25 mg
		Calcium Carbonate from an organic Source (oyster shells) Eq. to Elemental Calcium		500 mg
		Excipients		q.s.
Approved colours used				
494	Prulifloxacin Tablets	Each film coated tablet contains		
		Prulifloxacin		600 mg
		Excipients		q.s.
		Approved colours used		
495	Nimesulide Tablets 100 mg	Each uncoated tablet contains		
		Nimesulide	B.P	100 mg
		Excipients		q.s.
Approved colour used Warning : Not for use below 12 years of				
496	Diacerein , Glucosamine & Methylsulfonylmethane Tablets	Each film coated tablet contains:		
		Diacerein	I.P.	50 mg
		Glucosamine Sulphate	U.S.P	750 mg
		Potassium Chloride Eq. to Glucosamine		446 mg
		Methylsulfonylmethane		250 mg
		Excipients		q.s.
Approved colour used				

497	Artemether & Lumefantrine Dispersible Tablets	Each uncoated dispersible tablet contains:		
		Artemether	I.P.	40 mg
		Lumefantrine	U.S.P.	240 mg
		Excipients		q.s.
Approved colour used				
498	Artemether & Lumefantrine Dispersible Tablets	Each uncoated dispersible tablet contains:		
		Artemether	I.P.	80 mg
		Lumefantrine	U.S.P.	480 mg
		Excipients		q.s.
Approved colour used				
499	Adenosylcobalamin, Ferrous Ascorbate, Folic Acid & Zinc Tablets.	Each Film coated tablet contains:		
		Acenosylcobalamin	IP	15 mcg
		Ferrous Ascorbate Eq.to Elemental Iron		100 mg
		Folic Acid	I.P.	1.5 mg
		Zinc Sulphate Monohydrate Eq. to Elemental Zinc		22.5 mg
		Excipients		q.s.
Approved colours used				
500	Artemether & Lumefantrine Tablets	Each uncoated tablet contains:		
		Artemether	I.P.	40 mg
		Lumefantrine	U.S.P.	240 mg
		Excipients		q.s.
Approved colour used				
501	Artemether & Lumefantrine Tablets	Each uncoated tablets contains		
		Artemether	I.P.	80 mg
		Lumefantrine	U.S.P.	480 mg
		Excipients		q.s.
Approved colour used				
502	Calcium & Vitamin D3 Tablets.	Each film coated tablet contains:		
		Calcium Citrate Maleate Eq. to elemental Calcium		250 mg
		Vitamin D3	I.P.	200 I.U
		Excipients		q.s.
Approved colour used				
503	Ferrous Ascorbate, Folic Acid, Cyanocobalamin & Zinc Sulphate Tablets.	Each film coated tablet contains:		
		Ferrous Ascorbate Eq. to elemental Iron		100 mg
		Folic Acid	I.P.	1.5 mg
		Cyanocobalamin	I.P.	15 mcg
		Zinc Sulphate Monohydrate Eq. to elemental Zinc	I.P.	22.5 mg
		Excipients		q.s.
Approved colours used				
504	Indomethacin Capsules 75 mg	Each hard gelatin capsule contains:		
		Indomethacin (Sustained release)	I.P	75 mg
		Excipients		q.s
		Approved colours used in empty hard gelatin capsule shells		
505	Piroxicam & Paracetamol Tablets	Each uncoated tablets contains:		
		Piroxicam	I.P.	20 mg
		Paracetamol	I.P.	325 mg
		Excipients		q.s.
Approved colours used				
506	Aceclofenac & Paracetamol Tablets	Each uncoated tablets contains:-		
		Aceclofenac	I.P.	100 mg
		Paracetamol	I.P	325 mg
		Excipients		q.s
507	Ondansetron Tablets I.P 8 mg	Each uncoated Tablet contains		
		Ondansetron hydrochloride	I.P.	8 mg
		Excipients		q.s.
		Approved colour used		
508	Rabeprazole Sodium & Domperidone Tablets	Each enteric coated tablet contains:		
		Rabeprazole Sodium	I.P	20 mg
		Domperidone	I.P	10 mg
		Excipients		q.s.
Approved colours used				
509	Telmisartan, Amlodipine & Hydrochlorothiazide Tablets	Each uncoated tablet contains:		
		Telmisartan	I.P.	40 mg
		Amlodipine Besylate Eq. to Amlodipine	I.P.	5 mg
		Hydrochlorothiazide	I.P.	12.5 mg
		Excipients		q.s.
Approved colour used				

510	Voglibose & Metformin Hydrochloride (Sustained Release) Tablets	Each uncoated tablet contains:		
		Voglibose	I.P.	0.3 mg
		Metformin Hydrochloride (As Sustained Release form)	I.P.	500 mg
		Excipients		q.s.
Approved colour used				
511	Glimepiride, Pioglitazone & Metformin Hydrochloride SR Tablets	Each uncoated tablet contains:		
		Glimepiride	I.P.	1 mg
		Pioglitazone	I.P.	15 mg
		Metformin Hydrochloride (As Sustained Release form)	I.P.	500 mg
Excipients				
Approved colour used				
512	Glimepiride, Pioglitazone & Metformin Hydrochloride SR Tablets	Each uncoated tablet contains:		
		Glimepiride	I.P.	2 mg
		Pioglitazone	I.P.	15 mg
		Metformin Hydrochloride (As Sustained Release form)	I.P.	500 mg
Excipients				
Approved colour used				
513	Gliclazide Modified Release & Metformin Hydrochloride Extended Release Tablets	Each uncoated tablet contains:		
		Gliclazide (In Modified Release form)	I.P.	30 mg
		Metformin Hydrochloride (In Extended Release form)	I.P.	500 mg
		Excipients		q.s.
Approved colour used				
514	Acarbose & Metformin Hydrochloride Tablets	Each film coated tablet contains:		
		Acarbose	I.P.	25 mg
		Metformin Hydrochloride	I.P.	500 mg
		Excipients		q.s.
Approved colour used				
515	Acarbose & Metformin Hydrochloride Tablets	Each film coated tablet contains:		
		Acarbose	I.P.	50 mg
		Metformin Hydrochloride	I.P.	500 mg
		Excipients		q.s.
Approved colour used				
516	Hydroxyzine Hydrochloride Sustained Release Tablets	Each sustained release tablet contains:		
		Hydroxyzine Hydrochloride	I.P.	50 mg
		Excipients		q.s.
Approved colour used				
517	Hydroxyzine Hydrochloride Sustained Release Tablets	Each sustained release tablet contains:		
		Hydroxyzine Hydrochloride	I.P.	75 mg
		Excipients		q.s.
Approved colour used				
518	Pitavastatin Calcium Tablets 1 mg	Each film coated tablet contains:		
		Pitavastatin Calcium Eq. to Pitavastatin	I.P.	1 mg
		Excipients		q.s.
Approved colour used				
519	Pitavastatin Calcium Tablets 2 mg	Each film coated tablet contains:		
		Pitavastatin Calcium Eq. to Pitavastatin	I.P.	2 mg
		Excipients		q.s.
Approved colour used				
520	Pitavastatin Calcium Tablets 4 mg	Each film coated tablet contains:		
		Pitavastatin Calcium Eq. to Pitavastatin	I.P.	4 mg
		Excipients		q.s.
Approved colours used				
521	Donepezil Sustained Release Tablet	Each film coated sustained release tablet contains:		
		Donepezil Hydrochloride	I.P.	23 mg
		Excipients		q.s.
Approved colours used				
522	Sevelamer Carbonate Tablets 400 mg	Each film coated tablet contains:		
		Sevelamer Carbonate		400 mg
		Excipients		q.s.
Approved colour used				
523	Sevelamer Carbonate Tablets 800 mg	Each film coated tablet contains:		
		Sevelamer Carbonate		800 mg
		Excipients		q.s.
Approved colour used				

524	Rifaximin Dispersible Tablets 200 mg	Each uncoated tablet contains:		
		Rifaximin	BP	200 mg
		Excipients		q.s.
		Approved colour used		
525	Rifaximin Tablets 400 mg	Each film coated tablet contains:		
		Rifaximin	BP	400 mg
		Excipients		q.s.
		Approved colour used		
526	Nitrofurantoin sustained release Tablets 100 mg	Each sustained release tablet contains:		
		Nitrofurantoin	I.P.	100 mg
		Excipients		q.s.
		Approved colour used		
527	Etodolac and Thiocolchicoside Tablets	Each film coated tablet contains:		
		Etodolac	I.P.	400 mg
		Thiocolchicoside	I.P.	8 mg
		Excipients		q.s.
		Approved colour used		
528	Rupatadine and Montelukast Tablets	Each film coated tablet contains:		
		Rupatadine Fumarate	I.P.	10 mg
		Eq. to Rupatadine		
		Montelukast	I.P.	10 mg
		Eq. to Montelukast		
		Excipients		q.s.
Approved colour used				
529	Rupatadine Tablets	Each uncoated tablet contains:		
		Rupatadine Fumarate	I.P.	10 mg
		Eq. to Rupatadine		
		Excipients		q.s.
		Approved colour used		
530	Nitroglycerin Sustained Release Tablets 2.6 mg	Each sustained release tablet contains:		
		Diluted Nitroglycerin	I.P.	2.6 mg
		Eq. to Nitroglycerin		
		Excipients		q.s.
		Approved colour used		
531	Lornoxicam & Thiocolchicoside Tablets	Each film coated tablet contains:		
		Lornoxicam	I.P.	4 mg
		Thiocolchicoside	I.P.	8 mg
		Excipients		q.s.
		Approved colour used		
532	Calcium Citrate & Alfalcidol Tablets	Each film coated tablet contains:		
		Calcium Citrate	USP	1000 mg
		Alfalcidol	I.P.	0.25 mcg
		Excipients		q.s.
		Approved colour used		
		Chlorpheniramine Maleate	I.P.	2 mg
		Excipients		q.s.
Approved colour used				
533	Aceclofenac & Tizanidine Hydrochloride Tablets	Each film coated tablet contains:		
		Aceclofenac	I.P.	100 mg
		Tizanidine Hydrochloride	I.P.	2 mg
		Excipients		q.s.
		Approved colour used		
534	Diclofenac Sodium, Paracetamol & Chlorzoxazone Tablets	Each uncoated tablet contains:		
		Diclofenac Sodium	I.P.	50 mg
		Paracetamol	I.P.	325 mg
		Chlorzoxazone	USP	500 mg
		Excipients		q.s.
		Approved colour used		
535	Aceclofenac & Serratiopeptidase Tablets	Each film coated tablet contains:		
		Aceclofenac	I.P.	100 mg
		Serratiopeptidase	I.P.	10 mg
		(As enteric coated Serratiopeptidase eq. to 20,000 units)		
		Excipients		q.s.
		Approved colour used		

536	Acarbose Tablets I.P. 100 mg	Each film coated tablet contains:		
		Acarbose	I.P.	100 mg
		Excipients		q.s.
		Approved colour used		
537	Bisacodyl Gastro-Resistant Tablets I.P.	Each enteric coated tablet contains:		
		Bisacodyl	I.P.	5 mg
		Excipients		q.s.
		Approved colour used		
538	Clotrimazole vaginal tablets I.P. 100 mg	Each uncoated tablet contains:		
		Clotrimazole	I.P.	100 mg
		Excipients		q.s.
		Approved colour used		
539	Cyproheptadine Tablets I.P. 4 mg	Each uncoated tablet contains:		
		Cyproheptadine Hcl (Anhydrous)	I.P.	4 mg
		Excipients		q.s.
		Approved colour used		
540	Diclofenac Sodium Prolonged Release Tablets I.P. 100 mg	Each Prolonged Release tablet contains:		
		Diclofenac Sodium	I.P.	100 mg
		Excipients		q.s.
		Approved colour used		
541	Disulfiram Tablets I.P. 200 mg	Each uncoated tablet contains:		
		Disulfiram	I.P.	200 mg
		Excipients		q.s.
		Approved colour used		
542	Etodolac Prolonged release Tablets I.P. 200 mg	Each prolonged release tablet contains:		
		Etodolac	I.P.	200 mg
		Excipients		q.s.
		Approved colour used		
543	Gabapentin Tablet I.P. 600 mg	Each film coated tablet contains:		
		Gabapentin	I.P.	600 mg
		Excipients		q.s.
		Approved colour used		
544	Glibenclamide & Metformin Hydrochloride tablets I.P	Each uncoated tablet contains:		
		Glibenclamide	I.P.	5mg
		Metformin Hydrochloride	I.P.	500mg
		Excipients		q.s.
		Approved colour used		
545	Isoxsuprine Hydrochloride Tablets I.P. 20 mg	Each uncoated tablet contains:		
		Isoxsuprine Hydrochloride	I.P.	20 mg
		Excipients		q.s.
		Approved colour used		
546	Metformin Hydrochloride Prolonged Release & Glimepiride Tablets I.P.	Each uncoated tablet contains:		
		Glimepiride	I.P.	2 mg
		Metformin Hydrochloride (As Sustained Release form)	I.P.	1000 mg
		Excipients		q.s.
		Approved colour used		
547	Olmesartan Medoxomil & Hydrochlorothiazide Tablets I.P.	Each film coated tablet contains:		
		Olmesartan Medoxomil	I.P.	40 mg
		Hydrochlorothiazide	I.P.	25 mg
		Excipients		q.s.
		Approved colour used		
548	Olanzapine Tablets I.P. 7.5 mg	Each film coated tablet contains:		
		Olanzapine	I.P.	7.5 mg
		Excipients		q.s.
		Approved colour used		
549	Tadalafil Tablets I.P. 10 mg	Each film coated tablet contains:		
		Tadalafil	I.P.	10 mg
		Excipients		q.s.
		Approved colour used		
550	Tadalafil Tablets I.P. 20 mg	Each film coated tablet contains:		
		Tadalafil	I.P.	20 mg
		Excipients		q.s.
		Approved colour used		
551	Torsemide Tablets I.P. 100 mg	Each uncoated tablet contains:		
		Torsemide	I.P.	100 mg
		Excipients		q.s.
		Approved colour used		
552	Voglibose Tablets I.P. 0.2 mg	Each uncoated tablet contains:		
		Voglibose	I.P.	0.2 mg
		Excipients		q.s.
		Approved colour used		

553	Ofloxacin Dispersible Tablets 100 mg	Each uncoated dispersible tablet contains:		
		Ofloxacin	I.P.	100 mg
		Excipients		q.s.
		Approved colour used		
554	Phenylephrine Hydrochloride, Paracetamol, Chlorpheniramine Maleate & Caffeine Tablets	Each uncoated tablet contains:		
		Phenylephrine Hydrochloride	I.P.	10 mg
		Paracetamol	I.P.	325 mg
		Chlorpheniramine Maleate	I.P.	2 mg
		Caffeine (Anhydrous)	I.P.	30 mg
		Excipients		q.s.
555	Ibuprofen & Paracetamol Tablets	Each uncoated tablet contains:		
		Ibuprofen	I.P.	400 mg
		Paracetamol	I.P.	325 mg
		Excipients		q.s.
556	Roxithromycin dispersible Tablets 50 mg	Each dispersible tablet contains:		
		Roxithromycin	I.P.	50 mg
		Excipients		q.s.
		Approved colour used		
557	Metformin Hydrochloride & Alpha Lipoic Acid Tablets	Each film coated tablet contains:		
		Metformin Hydrochlorid	I.P.	500 mg
		Alpha Lipoic Acid	USP	200 mg
		Excipients		q.s.
558	Artemether & Lumefantrine Dispersible Tablets.	Each uncoated dispersible tablet contains:		
		Artemether	I.P.	20 mg
		Lumefantrine	USP	120 mg
		Excipients		q.s.
559	Vildagliptin and Metformin Hydrochloride Tablets	Each film coated tablet contains:		
		Vildagliptin		50 mg
		Metformin Hydrochloride	I.P.	500 mg
		Excipients		q.s.
560	Lamivudine and Stavudine Dispersible Tablets	Each uncoated dispersible tablet contains:		
		Lamivudine	I.P.	40 mg
		Stavudine	I.P.	10 mg
		Excipients		q.s.
561	Lopinavir and Ritonavir Tablets	Each film coated tablet contains:		
		Lopinavir	I.P.	10 mg
		Ritonavir	I.P.	25 mg
		Excipients		q.s.
562	Lopinavir and Ritonavir Tablets	Each film coated tablet contains:		
		Lopinavir	I.P.	100 mg
		Ritonavir	I.P.	25 mg
		Excipients		q.s.
563	Tenofovir Disoproxil Fumarate, Efavirenz and Emtricitabine Tablets	Each film coated tablet contains:		
		Tenofovir Disoproxil Fumarate	I.P.	300 mg
		Efavirenz	I.P.	600 mg
		Emtricitabine	I.P.	200 mg
		Excipients		q.s.
		Approved colours used		

564	Flupirtine Maleate Sustained Release Tablets 400 mg	Each uncoated sustained release tablet contains:		
		Flupirtine Maleate		400 mg
		Excipients		q.s.
		Approved colours used		
565	Rosuvastatin and Fenofibrate Tablets	Each film coated tablet contains:		
		Rosuvastatin Calcium	I.P.	
		Eq. to Rosuvastatin		10 mg
		Fenofibrate	I.P.	160 mg
		Excipients		q.s.
566	Olmesartan Medoxomil & Amlodipine Tablets	Each film coated tablet contains:		
		Olmesartan Medoxomil	I.P.	40 mg
		Amlodipine Besylate	I.P.	
		Eq. to Amlodipine		5 mg
		Excipients		q.s.
567	Olmesartan Medoxomil & Amlodipine Tablets	Each film coated tablet contains:		
		Olmesartan Medoxomil	I.P.	20 mg
		Amlodipine Besylate	I.P.	
		Eq. to Amlodipine		5 mg
		Excipients		q.s.
568	Valsartan & Amlodipine Tablets	Each film coated tablet contains:		
		Valsartan	I.P.	160 mg
		Amlodipine Besylate	I.P.	
		Eq. to Amlodipine		10 mg
		Excipients		q.s.
569	Valsartan & Amlodipine Tablets	Each film coated tablet contains:		
		Valsartan	I.P.	160 mg
		Amlodipine Besylate	I.P.	
		Eq. to Amlodipine		5 mg
		Excipients		q.s.
570	Montelukast & Doxofylline (SR) Tablets	Each film coated bilayered tablet contains:		
		Montelukast Sodium	I.P.	10 mg
		Eq. to Montelukast		
		Doxofylline (As sustained release form)	I.P.	800 mg
		Excipients		q.s.
571	Doxofylline & Salbutamol Tablets	Each film coated tablet contains:		
		Doxofylline	I.P.	400 mg
		Salbutamol Sulphate	I.P.	4 mg
		Excipients		q.s.
		Approved colours used		
572	Doxofylline & Salbutamol Tablets	Each film coated tablet contains:		
		Doxofylline	I.P.	400 mg
		Salbutamol Sulphate	I.P.	2 mg
		Excipients		q.s.
		Approved colours used		
573	Bisoprolol Fumarate and Amlodipine Tablets	Each film coated tablet contains:		
		Bisoprolol Fumarate	I.P.	5 mg
		Amlodipine Besylate	I.P.	
		Eq. to Amlodipine		5 mg
		Excipients		q.s.
Approved colours used				

574	Bisoprolol Fumarate and Amlodipine Tablets	Each film coated tablet contains:				
		Bisoprolol Fumarate	I.P.	2.5 mg		
		Amlodipine Besylate	I.P.			
		Eq. to Amlodipine		5 mg		
		Excipients		q.s.		
		Approved colours used				
575	Tolperisone & Paracetamol Tablets	Each film coated tablet contains:				
		Tolperisone Hydrochloride	J.P.	150 mg		
		Paracetamol	I.P.	325 mg		
		Excipients		q.s.		
				Approved colours used		
576	Febuxostat Tablet 80 mg	Each film coated tablet contains:				
		Febuxostat		80 mg		
		Excipients		q.s.		
				Approved colours used		
				Approved colours used		
577	Paracetamol & Dicyclomine Hydrochloride Tablets	Each uncoated tablet contains:				
		Paracetamol	I.P.	500 mg		
		Dicyclomine Hydrochloride	I.P.	20 mg		
		Excipients		q.s.		
				Approved colours used		
578	Ranolazine Extended Release Tablets	Each film coated extended release tablet contains:				
		Ranolazine		1000 mg		
		Excipients		q.s.		
				Approved colours used		
				Approved colours used		
579	Ranolazine Extended Release Tablets	Each film coated extended release tablet contains:				
		Ranolazine		500 mg		
		Excipients		q.s.		
				Approved colours used		
				Approved colours used		
580	Dexketoprofen & Paracetamol Tablets	Each film coated tablet contains:				
		Dexketoprofen		25 mg		
		Paracetamol	I.P.	325 mg		
		Excipients		q.s.		
				Approved colours used		
581	Dexketoprofen & Paracetamol Tablets	Each film coated tablet contains:				
		Dexketoprofen		12.5 mg		
		Paracetamol	I.P.	325 mg		
		Excipients		q.s.		
				Approved colours used		
582	Prasugrel Tablets 5 mg	Each film coated tablet contains:				
		Prasugrel Hydrochloride				
		Eq. to Prasugrel		5 mg		
		Excipients		q.s.		
				Approved colours used		
583	Ranolazine Extended Release Tablets	Each film coated extended release tablet contains:				
		Ranolazine		375 mg		
		Excipients		q.s.		
				Approved colours used		
				Approved colours used		
584	Ranolazine Extended Release Tablets	Each film coated extended release tablet contains:				
		Ranolazine		750 mg		
		Excipients		q.s.		
				Approved colours used		
				Approved colours used		
585	Glucosamine Sulphate & Chondroitin Sulphate Tablets	Each film coated tablet contains:				
		Glucosamine Sulphate		500 mg		
		(Added as Glucosamine Sulphate Sodium Chloride)				
		Chondroitin Sulphate		400 mg		
		(Added as Chondroitin Sulphate Sodium)				
		Excipients		q.s.		
		Approved colours used				
586	Alfuzosin Hydrochloride & Dutasteride Tablets	Each film coated tablet contains:				
		Alfuzosin Hydrochloride	I.P.	10 mg		
		(As extended release tablets)				
		Dutasteride	I.P.	0.5 mg		
		Excipients		q.s.		
				Approved colours used		

587	Gabapentin and Nortriptyline Tablets	Each film coated tablet contains:		
		Gabapentin	I.P.	300 mg
		Nortriptyline Hydrochloride Eq. to Nortriptyline	I.P.	10 mg
		Excipients		q.s.
		Approved colours used		
588	Trypsin-Chymotrypsin and Diclofenac Tablets	Each Enteric coated tablet contains:		
		50000 AU of Enzymatic activity supplied by a Purified Concentrate which has specific trypsin and Chymotrypsin Activity in a ratio of approximately six to one		
		(As enteric coated granules)		
		Diclofenac Potassium	BP	50 mg
		Excipients		q.s.
Approved colours used				
589	Trypsin, Bromelain, Rutoside, Aceclofenac Tablets	Each Enteric coated tablet contains:		
		Trypsin	I.P.	48 mg
		Bromelain		90 mg
		Rutoside Trihydrate	BP	100 mg
		Aceclofenac	I.P.	100 mg
		Excipients		q.s.
Approved colours used				
590	Doxylamine Succinate, Pyridoxine Hydrochloride Tablets	Each Enteric coated tablet contains:		
		Doxylamine Succinate	USP	10 mg
		Pyridoxine Hydrochloride	I.P.	10 mg
		Excipients		q.s.
		Approved colours used		
591	Amlodipine Besylate & Atenolol Tablets	Each uncoated tablet contains:		
		Amlodipine Besylate	I.P.	
		Eq. to Amlodipine		2.5 mg
		Atenolol	I.P.	50 mg
		Excipients		q.s.
		Approved colours used		
592	Amlodipine Besylate & Atenolol Tablets	Each uncoated tablet contains:		
		Amlodipine Besylate	I.P.	
		Eq. to Amlodipine		2.5 mg
		Atenolol	I.P.	25 mg
		Excipients		q.s.
Approved colours used				
593	Oxcarbazepine Tablets I.P. 300 mg	Each film coated tablet contains:		
		Oxcarbazepine	I.P.	300 mg
		Excipients		q.s.
		Approved colours used		
594	Isosorbide Mononitrate Tablets I.P. 10 mg	Each uncoated tablet contains:		
		Diluted Isosorbide Mononitrate	I.P.	
		Eq. to Isosorbide Mononitrate		10 mg
		Excipients		q.s.
Approved colours used				
595	Telmisartan Tablets I.P. 80 mg	Each uncoated tablet contains:		
		Telmisartan	I.P.	80 mg
		Excipients		q.s.
		Approved colours used		
596	Atorvastatin Tablets I.P. 80 mg	Each film coated tablet contains:		
		Atorvastatin Calcium	I.P.	
		Eq. to Atorvastatin		80 mg
		Excipients		q.s.
		Approved colours used		
597	Telmisartan & Amlodipine Tablets I.P.	Each uncoated tablet contains:		
		Telmisartan	I.P.	80 mg
		Amlodipine Besylate	I.P.	10 mg
		Excipients		q.s.
Approved colours used				
598	Amlodipine Besylate Tablets I.P. 10 mg	Each uncoated tablet contains:		
		Amlodipine Besylate	I.P.	
		Eq. to Amlodipine		10 mg
		Excipients		q.s.
Approved colours used				

599	Levetiracetam Prolonged-Release Tablets I.P. 1000 mg	Each film coated prolonged release tablet contains :		
		Levetiracetam	IP	1000 mg
		Excipients		q.s.
		Approved colour used		
600	Levetiracetam Prolonged-Release Tablets I.P. 750 mg	Each film coated prolonged release tablet contains :		
		Levetiracetam	IP	750 mg
		Excipients		q.s.
		Approved colour used		
601	Levetiracetam Prolonged-Release Tablets I.P. 500 mg	Each film coated prolonged release tablet contains :		
		Levetiracetam	IP	500 mg
		Excipients		q.s.
		Approved colour used		
602	Mesalamine Prolonged Release Tablets I.P. 1200 mg	Each uncoated prolonged release tablet contains:		
		Mesalamine	I.P.	1200 mg
		Excipients		q.s.
		Approved colours used		
603	Mesalamine Prolonged Release Tablets I.P. 1000 mg	Each uncoated prolonged release tablet contains:		
		Mesalamine	I.P.	1000 mg
		Excipients		q.s.
		Approved colours used		
604	Mesalamine Prolonged Release Tablets I.P. 500 mg	Each uncoated prolonged release tablet contains:		
		Mesalamine	I.P.	500 mg
		Excipients		q.s.
		Approved colours used		
605	Oxcarbazepine Tablets I.P. 600 mg	Each film coated tablet contains:		
		Oxcarbazepine	I.P.	600 mg
		Excipients		q.s.
		Approved colours used		
606	Oxcarbazepine Tablets I.P. 150 mg	Each film coated tablet contains:		
		Oxcarbazepine	I.P.	150 mg
		Excipients		q.s.
		Approved colours used		
607	Metoprolol Succinate Extended-Release Tablets I.P. 100 mg	Each film coated extended release tablet contains:		
		Metoprolol Succinate	I.P.	
		Eq. to Metoprolol Tartrate		100 mg
		Excipients		q.s.
Approved colours used				
608	Metoprolol Tablets I.P. 100 mg	Each uncoated tablet contains:		
		Metoprolol Tartrate	I.P.	100 mg
		Excipients		q.s.
		Approved colours used		
609	Quinine Sulphate Tablets I.P. 300 mg	Each film coated tablet contains:		
		Quinine Sulphate	I.P.	300 mg
		Excipients		q.s.
		Approved colours used		
610	Quinine Sulphate Tablets I.P. 100 mg	Each film coated tablet contains:		
		Quinine Sulphate	I.P.	100 mg
		Excipients		q.s.
		Approved colours used		
611	Quetiapine Tablets I.P. 200 mg	Each film coated tablet contains:		
		Quetiapine Fumarate	I.P.	
		Eq. to Quetiapine		200 mg
		Excipients		q.s.
Approved colours used				
612	Quetiapine Fumarate Tablets 25 m,g I.P	Each film coated tablet contains:		
		Quetiapine Fumarate	I.P.	25 mg
		Excipients		q.s.
		Approved colour used		
613	Paroxetine Tablets I.P. 30 mg	Each film coated tablet contains:		
		Paroxetine Hydrochloride	I.P.	
		Eq. to Paroxetine		30 mg
		Excipients		q.s.
Approved colours used				
614	Paroxetine Tablets I.P. 20 mg	Each film coated tablet contains:		
		Paroxetine Hydrochloride	I.P.	
		Eq. to Paroxetine		20 mg
		Excipients		q.s.
Approved colours used				

615	Paroxetine Tablets I.P. 10 mg	Each film coated tablet contains:		
		Paroxetine Hydrochloride	I.P.	
		Eq. to Paroxetine		10 mg
		Excipients		q.s.
Approved colours used				
616	Fenofibrate Tablets Tablets I.P. 200 mg	Each film coated tablet contains:		
		Fenofibrate	I.P.	200 mg
		Excipients		q.s.
		Approved colours used		
617	Fenofibrate Tablets Tablets I.P. 160 mg	Each film coated tablet contains:		
		Fenofibrate	I.P.	160 mg
		Excipients		q.s.
		Approved colours used		
618	Fenofibrate Tablets Tablets I.P. 145 mg	Each film coated tablet contains:		
		Fenofibrate	I.P.	145 mg
		Excipients		q.s.
		Approved colours used		
619	Fenofibrate Tablets Tablets I.P. 120 mg	Each film coated tablet contains:		
		Fenofibrate	I.P.	120 mg
		Excipients		q.s.
		Approved colours used		
620	Thyroxine Tablet IP 75 mcg	Each uncoated tablet contains:		
		Thyroxine Sodium	I.P.	75 mcg
		Excipients		q.s.
		Approved colour used		
621	Thyroxine Tablet IP 100 mcg	Each uncoated tablet contains:		
		Thyroxine Sodium	I.P.	100 mcg
		Excipients		q.s.
		Approved colour used		
622	Moxifloxacin Hydrochloride Tablet B.P 400 mg	Each film coated tablet contains:		
		Moxifloxacin Hydrochloride	B.P	400 mg
		Eq. to Moxifloxacin		
		Excipients		q.s.
Approved colour used				
623	Sodium Bicarbonate Tablets USP 1000 mg	Each film coated tablet contains:		
		Sodium Bicarbonate	I.P	1000 mg
		Excipients		q.s.
		Approved colour used		
624	Faropenem Sodium Tablets JP 200 mg	Each film coated tablet contains:		
		Faropenem Sodium Hydrate		
		Eq. to Faropenem	JP	200 mg
		Excipients		q.s.
Approved colour used in coating				
625	Montelukast & Levocetirizine Dihydrochloride Suspension	Each 5 ml contains		
		Montelukast Sdium	IP	
		Eq. to Montelukast		4 mg
		Levocetirizine Dihydrochloride	IP	2.5 mg
		Flavoured syrup base		q.s.
Approved colour used				
626	Glimepiride & Metformin Hydrochloride (SR) Tablets IP	Each uncoated bilayered tablet contains		
		Glimepiride	IP	2 mg
		Metformin Hydrochloride (As Sustained Release)	IP	1000 mg
		Excipients		q.s.
		Approved colour used		
627	Pantoprazole & Domperidone Tablets	Each enteric coated tablet contains:		
		Pantoprazole Sodium Sesquihydrate		
		Eq. to Pantoprazole	IP	40 mg
		Domperidone	IP	10 mg
		Excipients		q.s.
Approved colour used				
628	Ofloxacin & Flavoxate Hcl Tablets	Each film coated tablet contains:		
		Ofloxacin	IP	200 mg
		Flavoxate Hydrochloride	IP	200 mg
		Excipients		q.s.
Approved colour used				

629	Nimesulide, Phenylephrine Hcl, Caffeine & Cetirizine Dihydrochloride Tablets	Each uncoated tablet contains:		
		Nimesulide	BP	100 mg
		Phenylephrine Hydrochloride	IP	10 mg
		Cetirizine Dihydrochloride	IP	5 mg
		Caffeine (Anhydrous)	IP	30 mg
		Excipients		q.s.
		Approved colour used		
630	Acetazolamide Tablets IP 250 mg	Each uncoated tablet contains:		
		Acetazolamide	IP	250 mg
		Excipients		q.s.
		Approved colour used		
631	Flunarizine Dihydrochloride Tablets	Each film coated tablet contains:		
		Flunarizine Dihydrochloride	BP	10 mg
		Excipients		q.s.
		Approved colour used		
632	Faropenem Sodium Extended Release Tablets 300 mg	Each film coated extended release tablet contains:		
		Faropenem Sodium		
		Eq. to Faropenem		300 mg
		Excipients		q.s.
		Approved colour used		
633	Clarithromycin Tablets IP 250 mg	Each film coated tablet contains:		
		Clarithromycin	IP	250 mg
		Excipients		q.s.
		Approved colour used		
634	Nimesulide, paracetamol & serratiopeptidase Tablets	Each film coated tablet contains:		
		Nimesulide	BP	100 mg
		Paracetamol	IP	325 mg
		Serratiopeptidase	IP	15 mg
		(as enteric coated granules 30,000 unit of serratiopeptidase)		
635	Levocetirizine Hydrochloride, Phenylephrine Hydrochloride & Paracetamol Tablets	Each uncoated tablet contains:		
		Levocetirizine Hydrochloride	I.P.	5 mg
		Phenylephrine Hydrochloride	I.P.	5 mg
		Paracetamol	I.P.	500 mg
		Excipients		q.s.
		Approved colours used		
636	Trypsin-Chymotrypsin and Diclofenac Tablets	Each Enteric coated tablet contains:		
		50000 AU of Enzymatic activity supplied by a Purified Concentrate which has specific trypsin and Chymotrypsin Activity in a ratio of approximately six to one		
		(As enteric coated granules)		
		Diclofenac Potassium	BP	50 mg
		Excipients		q.s.
		Approved colours used		
637	Trypsin, Bromelain, Rutoside, Aceclofenac Tablets	Each Enteric coated tablet contains:		
		Trypsin	I.P.	48 mg
		Bromelain		90 mg
		Rutoside Trihydrate	BP	100 mg
		Aceclofenac	I.P.	100 mg
		Excipients		q.s.
		Approved colours used		
638	Doxylamine Succinate, Pyridoxine Hydrochloride Tablets	Each Enteric coated tablet contains:		
		Doxylamine Succinate	USP	10 mg
		Pyridoxine Hydrochloride	I.P.	10 mg
		Excipients		q.s.
		Approved colours used		
639	Nimesulide, Paracetamol & Chlorzoxazone Tablets	Each uncoated tablet contains:		
		Nimesulide	BP	100 mg
		Paracetamol	I.P.	325 mg
		Chlorzoxazone	USP	375 mg
		Excipients		q.s.
		Approved colours used		
		Warning : 'Not for use below , 12 years of age'		

640	Lamivudine and Stavudine Dispersible Tablets	Each uncoated dispersible tablet contains:		
		Lamivudine	I.P.	20 mg
		Stavudine	I.P.	5 mg
		Excipients		q.s.
		Approved colours used		
641	Ofloxacin & Tinidazole Tablets	Each film coated tablet contains:		
		Ofloxacin	I.P.	200 mg
		Tinidazole	I.P.	600 mg
		Excipients		q.s.
		Approved colours used		
642	Diacerein & Aceclofenac Tablets	Each film coated tablet contains:		
		Diacerein	I.P.	50 mg
		Aceclofenac	I.P.	100 mg
		Excipients		q.s.
		Approved colours used		
643	Diacerein & Glucosamine Tablets	Each film coated tablet contains:		
		Diacerein	I.P.	50 mg
		Glucosamine Sulphate		
		Potassium Chloride	USP	750 mg
		Excipients q.s.		
		Approved colours used		
644	Telmisartan, Amlodipine & Hydrochlorothiazide Tablets	Each uncoated tablet contains:		
		Telmisartan	I.P.	80 mg
		Amlodipine Besylate	I.P.	
		Eq. to Amlodipine		10 mg
		Hydrochlorothiazide	I.P.	25 mg
		Excipients q.s.		
		Approved colours used		
645	Telmisartan, Amlodipine & Hydrochlorothiazide Tablets	Each uncoated tablet contains:		
		Telmisartan	I.P.	20 mg
		Amlodipine Besylate	I.P.	
		Eq. to Amlodipine		2.5 mg
		Hydrochlorothiazide	I.P.	2.5 mg
		Excipients q.s.		
		Approved colours used		
646	Nimesulide, Phenylephrine Hydrochloride, Cetirizine Dihydrochloride & Caffeine Tablets	Each uncoated tablet contains:		
		Nimesulide	B.P.	100 mg
		Phenylephrine Hydrochloride	I.P.	10 mg
		Cetirizine Dihydrochloride	I.P.	5 mg
		Caffeine Anhydrous	I.P.	30 mg
		Excipients q.s.		
		Approved colours used		
647	Paracetamol, Levocetirizine, Dextromethorphan, Phenylephrine & Caffeine Tablets	Each uncoated tablet contains:		
		Paracetamol	I.P.	325 mg
		Levocetirizine Hydrochloride	I.P.	5 mg
		Dextromethorphan Hydrobromide	I.P.	5 mg
		Phenylephrine Hydrochloride	I.P.	5 mg
		Caffeine (Anhydrous)	I.P.	30 mg
		Excipients q.s.		
		Approved colour used		
648	Glimepiride & Metformin Hydrochloride Prolonged Release Tablets IP	Each uncoated tablet contains:		
		Glimepiride	I.P.	2 mg
		Metformin Hydrochloride (As Sustained Release form)	I.P.	1000 mg
		Excipients		q.s.
		Approved colour used		
649	Cetirizine Hydrochloride & Ambroxol Hydrochloride Tablets	Each film coated tablet contains:		
		Cetirizine Hydrochloride	I.P.	5 mg
		Ambroxol Hydrochloride	I.P.	60 mg
		Excipients		q.s.
		Approved colour used		
650	Phenylephrine Hydrochloride & Bromhexine Hydrochloride Tablets	Each uncoated tablet contains:		
		Phenylephrine Hydrochloride	I.P.	10 mg
		Bromhexine Hydrochloride	I.P.	8 mg
		Excipients		q.s.
		Approved colour used		
651	Rabeprazole Sodium & Ondansetron Tablet	Each enteric coated tablet contains:		
		Rabeprazole Sodium	I.P.	20 mg
		Ondansetron Hydrochloride Eq. to Ondansetron	I.P.	4 mg
		Excipients		q.s.
		Approved colour used		

652	Potassium Magnesium citrate & Vitamin B6 Tablets	Each film coated tablet contains:		
		Potassium Magnesium Citrate		978 mg
		Eq. to Potassium Citrate (Anhydrous) & Magnesium Citrate (Anhydrous)		714.90 mg
		Pyridoxine Hydrochloride	I.P.	15 mg
		Excipients		q.s.
Approved colour used				
653	Mefenamic Acid & Paracetamol Tablets	Each uncoated tablet contains:		
		Mefenamic Acid	I.P.	500 mg
		Paracetamol	I.P.	325 mg
		Excipients		q.s.
654	Gabapentin Tablet I.P. 400 mg	Each film coated tablet contains:		
		Gabapentin	I.P.	400 mg
		Excipients		q.s.
		Approved colour used		
655	Fluvoxamine Tablets I.P. 25 mg	Each film coated tablet contains:		
		Fluvoxamine Maleate	I.P.	25 mg
		Excipients		q.s.
		Approved colour used		
656	Fluvoxamine Tablets I.P. 50 mg	Each film coated tablet contains:		
		Fluvoxamine Maleate	I.P.	50 mg
		Excipients		q.s.
		Approved colour used		
657	Fluvoxamine Tablets I.P. 100 mg	Each film coated tablet contains:		
		Fluvoxamine Maleate	I.P.	100 mg
		Excipients		q.s.
		Approved colour used		
658	Sulfasalazine gastro-resistant Tablets I.P. 500 mg	Each Gastro-resistant tablet contains:		
		Sulfasalazine	I.P.	500 mg
		Excipients		q.s.
		Approved colour used		
659	Tolperisone hydrochloride & Diclofenac Sodium Tablets	Each uncoated sustained release tablet contains:		
		Tolperisone Hydrochloride	J.P	450 mg
		Diclofenac Sodium	I.P.	100 mg
		Excipients		q.s.
		Approved colour used		
660	Dapagliflozin Tablets 10 mg	Each film coated tablet contains:		
		Dapagliflozin Propanediol Monohydrate Eq. to Dapagliflozin		10 mg
		Excipients		q.s.
		Approved colour used		
661	Trypsin, Bromelain, Rutoside, Tablets	Each enteric coated tablet contains:		
		Trypsin	I.P.	48 mg
		Bromelain	B.P	90 mg
		Rutoside Trihydrate	B.P	100 mg
		Excipients		q.s.
		Approved colours used		
662	Gabapentin and Nortriptyline Tablets	Each film coated tablet contains:		
		Gabapentin	I.P.	100 mg
		Nortriptyline Hydrochloride	I.P.	
		Eq. to Nortriptyline		10 mg
		Excipients		q.s.
		Approved colours used		
663	Pantoprazole Sodium & Ondansetron Tablet	Each enteric coated tablet contains:		
		Pantoprazole Sodium Eq. to Pantoprazole	I.P.	40 mg
		Ondansetron Hydrochloride Eq. to Ondansetron	I.P.	4 mg
		Excipients		q.s.
		Approved colour used		
664	Levocetirizine Dihydrochloride Tablets	Each film coated tablet contains:		
		Levocetirizine dihydrochloride	IP	10 mg
		Excipients		q.s.
		Approved colour used		
665	Sulfasalazine gastro-resistant Tablets 1000 mg	Each enteric coated tablet contains:		
		Sulfasalazine	I.P.	1000 mg
		Excipients		q.s.
		Approved colour used		

666	Amisulpride Tablets I.P	50 mg	Each uncoated tablet contains:		
			Amisulpride	I.P	50 mg
			Excipients		q.s.
			Approved colours used		
667	Amisulpride Tablets I.P	100 mg	Each uncoated tablet contains:		
			Amisulpride	I.P	100 mg
			Excipients		q.s.
			Approved colours used		
668	Amisulpride Tablets I.P	200 mg	Each uncoated tablet contains:		
			Amisulpride	I.P	200 mg
			Excipients		q.s.
			Approved colours used		
669	Amisulpride Tablets I.P	300 mg	Each film coated tablet contains:		
			Amisulpride	I.P	300 mg
			Excipients		q.s.
			Approved colours used		
670	Amisulpride Tablets I.P	400 mg	Each uncoated tablet contains:		
			Amisulpride	I.P	400 mg
			Excipients		q.s.
			Approved colours used		
671	Nimesulide , Paracetamol, Phenylephrine Hydrochloride & Caffeine Tablets		Each uncoated tablet contains:		
			Nimesulide	B.P	100 mg
			Paracetamol	I.P	325 mg
			Phenylephrine Hydrochloride	I.P	10 mg
			Caffeine (Anhydrous)	I.P	25 mg
			Excipients		q.s.
672	Flupentixol & Melitracen Tablets		Each film coated tablet contains:		
			Flupentixol Hydrochloride eq. to Flupentixol	B.P	0.5 mg
			Melitracen Hydrochloride eq. to Melitracen		10 mg
			Excipients		q.s.
673	Loratadine Dispersible Tablet		Each uncoated Dispersible tablet contains:		
			Loratadine	I.P	10 mg
			Excipients		q.s.
674	Griseofulvin Tablets		Each uncoated tablet contains:		
			Griseofulvin	I.P	250 mg
			Excipients		q.s.
675	Calcium Citrate Maleate, Magnesium, Zinc, Vitamin D3 , Methylcobalamin, L-Methylfolate with Pyridoxal-5 Phosohate Tablets		Each film coated tablet contains:		
			Calcium Citrate maleate eq.		1250 mg
			elemental Calcium		250 mg
			Magnesium Hydroxide	I.P	100 mg
			Zinc Sulphate Monohydrate eq. to		10 mg
			Elemental Zinc		
			Vitamin D3	IP	2000 IU
			Methylcobalamin	IP	1500 mcg
			L-Methylfolate		1 mg
			Pyridoxal 5-Phosphate		20 mg
Excipients		q.s.			
676	Vildagliptin Tablets 50 mg I.P		Each film coated tablet contains		
			Vildagliptin	I.P	50 mg
			Excipients		q.s
			Approved colour used		
677	Vildagliptin Tablets 100 mg I.P		Each film coated tablet contains		
			Vildagliptin	I.P	100 mg
			Excipients		q.s
			Approved colour used		
678	Vildagliptin and Metformin HCL Tablets I.P		Each film coated tablet contains:		
			Vildagliptin	I.P	50 mg
			Metformin Hydrochloride	IP	1000 mg
			Excipients		q.s.
			Approved colour used		

679	Vildagliptin and Metformin HCL Tablets I.P	Each film coated tablet contains:		
		Vildagliptin	I.P	50 mg
		Metformin Hydrochloride	IP	500 mg
		Excipients		q.s.
Approved colour used				
680	Vildagliptin and Metformin HCL Tablets I.P	Each film coated tablet contains:		
		Vildagliptin	I.P	50 mg
		Metformin Hydrochloride	IP	850 mg
		Excipients		q.s.
Approved colour used				
681	Ferrous Ascorbate & Folic Acid Tablets I.P	Each film coated tablet contains:		
		Ferrous Ascorbate	I.P	100 mg
		Eq. to Elemental Iron		
		Folic Acid	I.P	1.5 mg
		Excipients		q.s.
Approved colour used				
682	Telmisartan & Hydrochlorothiazide Tablets IP	Each uncoated bilayer tablet contains:		
		Telmisartan	IP	40 mg
		Hydrochlorothiazide	IP	12.5 mg
		Excipients		q.s.
Approved colour used				
683	Isoniazid Tablets I.P 300 mg	Each uncoated tablet contains:		
		Isoniazid	I.P	300 mg
		Excipients		q.s.
Approved colour used				
684	Bilastine Tablets 20 mg	Each uncoated tablet contains:		
		Bilastine		20 mg
		Excipients		q.s.
Approved colour used				
685	Glimepiride, Pioglitazone & Metformin Hydrochloride SR Tablets	Each uncoated bilayer tablet contains:		
		Glimepiride	I.P.	2 mg
		Pioglitazone	I.P.	15 mg
		Metformin Hydrochloride Sustained Release form)	(As I.P.	500 mg
		Excipients		q.s.
Approved colour used				
686	Linagliptin and Metformin Tablets	Each film coated tablets contains:		
		Linagliptin		2.5 mg
		Metformin Hydrochloride	I.P	500 mg
		Excipients		q.s.
Approved coloured used				
687	Linagliptin and Metformin Tablets	Each film coated tablets contains:		
		Linagliptin		2.5 mg
		Metformin Hydrochloride	I.P	850 mg
		Excipients		q.s.
Approved coloured used				
688	Linagliptin and Metformin Tablets	Each film coated tablets contains:		
		Linagliptin		2.5 mg
		Metformin Hydrochloride	I.P	1000 mg
		Excipients		q.s.
Approved coloured used				
689	Linagliptin Tablets	Each film coated tablets contains:		
		Linagliptin		5 mg
		Excipients		q.s.
Approved coloured used				
690	Riboflavin, Folic Acid , Niacinamide & Lactic Acid Bacillus Tablets	Each uncoated tablets contains:		
		Riboflavin	I.P	10 mg
		Folic Acid	I.P	1.5 mg
		Niacinamide	I.P	100 mg
		Lactic Acid Bacillus		60 million spores
		Excipients		q.s.
Approved coloured used				

LIQUID

1	Vitamin D3 Oral Solution	Each 5 ml syrup contains		
		Cholecalciferol (in nano droplet form)	I.P	60000 IU
		In a flavoured sugar free base		q.s.
		Clour Tartrazine supra		
		Each ml contains:		
2	Paracetamol Paediatric Oral Suspension IP	Paracetamol	I.P	100 mg
		In a flavoured Palatable Base		q.s.
		Colour : Approved colour used		
		Each ml Contains		
3	Paracetamol, Phenylephrine HCl & Chlorpheniramine Maleate Oral drops	Paracetamol	I.P	125 mg
		Phenylephrine HCl	I.P	2.5 mg
		Chlopheniramine Maleate	I.P	1.0 mg
		In a flavoured Palatable Base		q.s.
		Colour : Approved colour used		
		Each ml Contains		
4	Phenylephrine HCl & Chlorpheniramine Maleate Oral Drops IP	Phenylephrine HCl	I.P	5.0 mg
		Chlorpheniramine Maleate	I.P	2.0 mg
		In a flavoured Palatable Base		q.s.
		Each ml Contains		
5	Cyproheptadine HCl & Tricholine Citrate Drops	Cyproheptadine HCl (Anhydrous)	I.P	1.50 mg
		Trocholine Citrate (65 %)	I.P	55.0 mg
		In a flavoured Palatable Base		q.s.
		Colour : Approved colour used		
		Each ml Contains		
6	Hydroxyzine Hydrochloride Oral Solution USP	Hydroxyzine Hydrochloride	I.P	6.0 mg
		In a flavoured Palatable Base		q.s.
		Each 5 ml Contains		
7	Levosambutamol Sulphate, Ambroxol HCl & Guaiphenesin Syrup	Levosambutamol Sulphate	I.P	
		Eq.to Levosambutamol		0.50 mg
		Ambroxol HCl	I.P	15.0 mg
		Guaiphenesin	I.P	50.0 mg
		In a flavoured Palatable Base		q.s.
		Colour : Approved colour used		
		Each 5 ml Contains		
8	Citicoline Sodium & Piracetam Syrup	Citicoline Sodium	I.P	500 mg
		Piracetam	I.P	400 mg
		In a flavoured Palatable Base		q.s.
		Colour : Approved colour used		
		Each 5 ml Contains		
9	Mefenamic Acid Oral Suspension	Mefenamic Acid	I.P	100 mg
		In a flavoured Palatable Base		q.s.
		Colour : Approved colour used		
		Each ml Contains		
10	Ferrous Ascorbate & Folic Acid Oral Drops	Ferrous Ascorbate		
		Eq.to Elemental Iron		10 mg
		Folic Acid	I.P	100 mcg
		In a flavoured Palatable Base		q.s.
		Colour : Approved colour used		
		Each ml Contains		
11	Dicyomine Hydrochloride & Simethicone Oral drops	Dicyomine Hydrochloride	I.P	10 mg
		Simethicone Emulsion	I.P	
		Eq. to Simethicone		40 mg
		In a flavoured Palatable Base		q.s.
		Colour : Approved colour used		
		Each 5 ml Contains		
12	Phenylephrine HCl & Chlorpheniramine Maleate Syrup IP	Phenylephrine HCl	I.P	5.0 mg
		Chlorpheniramine Maleate	I.P	2.0 mg
		In a flavoured Palatable Base		q.s.
		Each 5 ml Contains		
13	Dextrometharphan HBr. ,Chlorpheniramine Maleate & Phenylephrine HCl. Syrup	Dextrometharphan Hydrobromide	I.P	15.0 mg
		Chlopheniramine Maleate	I.P	2.0 mg
		Phenylephrine Hydrochloride	I.P	5.0 mg
		In a flavoured syrupy Base		q.s.
		Each 5 ml Contains		

14	Calcium	Calcium Carbonate	I.P	625 mg
	Cholecalciferol	e.q. to Elemental Calcium		250mg
	Magnesium & Zinc	Magnesium Hydroxide	I.P	
	Suspension	e.q. to Elemental Magnesium		25 mg
		Zinc Sulphate	I.P	
		Eq. to elemental Zinc		1.5 mg
		Vitamin D3	I.P	200 I.U.
		Flavoured base		q.s.
		Colour : approved colour used		
		Chlorhexidine Gluconate Solution	I.P	
15	Chlorhexidine	Eq.to chlhexidine Gluconate		0.2%w/v
	Mouthwash IP	In Pleasantly Aqueous Base		q.s.
		Colour : Approved Colour		
		Each 5 ml contains		
16	Ofloxacin Oral	Ofloxacin	I.P	100mg
	suspension IP	In a Flavoured syrupy base		
		Each 5 ml contains		
17	Guaiphensin	Guaiphensin	I.P	100 mg
	Dextromethorpha,	Dextromethorphan Hbr	I.P	10 mg
	Phenylephrine &	Phenylephrine Hcl	I.P	5 mg
	Chlorpheniramine syrup	Chlorpheniramine Maleate	I.P	4 mg
		In a Flavoured syrupy base		q.s.
		Each 5 ml contains:		
18	Cyproheptadine HCl	Cyproheptadine HCl	I.P	2 mg
	& Tricholine Citrate	Tricholine Citrate (65%)		275 mg
	& sorbitol Syrup	Sorbitol solution (70%)	I.P	3.57 mg
		non crystallizing		
		Flavoured syrup base		q.s.
		Approved Colours used		
		Each 5 ml contains:		
19	Magnesium Hydroxide,	Magnesium Hydroxide,	IP	185 mg
	Simethicone,sodium	(assed as paste)		
	carboxymethicellulose & dried	Simethicone	IP	50 mg
	aluminium hydroxide gel	sodium carboxymethicellulose	IP	100 mg
		dried aluminium hydroxide gel	IP	830 mg
		(added as paste)		
		In flavoured sugar free base		
		Approved Colours used		
		Each 5ml contains:		
20	Dextromethorphan	Dextromethorphan HBr	I.P	10 mg
	HBr,ambroxol HCl,	Ambroxol HCl	I.P	15 mg
	Chlorpheniramine	Chlorpheniramine Maleate	I.P	2 mg
	Maleate	Phenylephrine	I.P	5 mg
	Phenylephrine &	Menthol	I.P	1.5 mg
	Menthol Syrup	In Flavoured sugar free base		q.s.
		Approved Colours Used		
		Each ml contains		
21	Levetiracetam Oral	Levetiracetam		100 mg
	Solution IP	Flavoured Syrupy Base		q.s.
		Each 5 ml contains:		
22	Cholescalciferol,Beta	Cholescalciferol	I.P	200 IU
	Carotene,	Pyridoxine Hydrochloride	I.P	1 mg
	Biotin,Inositol,L-	Niacinamide	I.P	15 mg
	Lysine Multi-	Cynocobalamin	I.P	1 mcg
	Vitamin Multi	Zinc as Zinc Gluconate	USP	3 mg
	Mineral Suspension	Beta-Cartene Dispersion 2.5%		38 mg
		Manganese	USP	
		as Maganese Chloride Tetra hydrate		0.8 mg
		Molybdenum	BP	
		as Sodium Molybdate Dihydrate		8 mcg
		Selenium		
		as Sodium Selenate		10 mcg
		Lysine Hydrochloride	B.P	30 mg
		Iodine as Potassium Iodine	I.P	50 mcg
		Biotin	USP	10 mcg
		Chromium		
		as Chromium Chloride Hexahydrate	USP	10 mcg
		Inositol		10 mg
		In a flavour Palatable Base		q.s.
		Approved color used, Each 5 ml contains :		

23	Promethazine Hydrochloride & Paracetamol Suspension	Promethazine Hydrochloride Paracetamol In a Flavour Palatable Base Approved color used	I.P I.P	5 mg 125 mg q.s.
		Each 5 ml contains :		
24	PARAFIRST (Paracetamol Paediatric Oral Suspension B.P.)	Paracetamol In a Flavoured syrup base. Colour : Ponceau-4R	B.P	250 mg q.s.
		Each 5 ml contains		
25	Dried Aluminium Hydroxide Gel, Magnesium Hydroxide, Simehicone & Oxetacaine Suspension	Dried Aluminium Hydroxide Gel Magnesium Hydroxide Simethicone Oxetacaine In a flavoured Palatable base Color : Approved color used	I.P I.P I.P B.P	600 mg 300 mg 25 mg 10 mg q.s.
		Each 5 ml contains		
26	Dextromethorphan HBr. Phenylephrine HCl. Paracetamol Cholphenitamine Maleate Suspension	Dextromethorphan HBr Phenylephrine HCl Paracetamol Cholrpheniramine Maleate In a flavoured Palatable base Color : Approved color used	I.P I.P I.P I.P	5 mg 2.5 mg 170 mg 1.5 mg q.s.
		Each 5 ml contains		
27	Trimethoprim & Sulphamethoxazole Oral Suspension IP	Trimethoprim Sulphammethoxazole In a Flavoured Palatable base Color: Approved color used	I.P I.P	40 mg 200 mg q.s.
		Each 5 ml contains		
28	Ambroxol HCl & Cetirizine HCl Syrup	Ambroxol HCl Cetirizine Hcl In a flavoured Palatable base Color : Tartazine Supra	I.P I.P	30 mg 5 mg q.s.
		Each 5 ml contains		
29	Potassium Citrate & Citric acid Oral Solution USP	Potassium Citrate Monohydrate Citric acid Monohydrate In a Flavoured Sorbitol 70 % base Color : Caramel	I.P I.P	1100 mg 334 mg
		Each 15 ml contains		
30	Sodium Picosulphate & Liquid Paraffin Oral Solution	Sodium Picosulphate Liquid Paraffin In a flavoured Palatable base Color: Approved color used		5 mg 4.8 ml
		Each 5 ml contains		
31	Levocetirizine HCl. & Ambroxol Hydrochloride Syrup	Levocetirizine HCl. Ambroxol HCl In a flavoured Palatable base Color: Approved color used	I.P I.P	2.5 mg 30 mg q.s.
		Each 5 ml contains		
32	Levocetirizine HCl. & Ambroxol Hydrochloride Syrup	Levocetirizine HCl. Ambroxol HCl In a flavoured Palatable base Color: Approved color used	I.P I.P	5 mg 30 mg q.s.
		Each 10ml contains		
33	Sodium Carboxymethylcellulose Dried Aluminium Hydroxide gel, Magnesium Hydroxide & Simethicone Suspension	Sodium Carboxymethylcellulose Dried Aluminium Hydroxide gel (Added as Paste) Magnesium Hydroxide (Added as paste) Simethicone In a flavoured Palatable base Color : Approved color used	I.P I.P I.P I.P	100 mg 830 mg 185 mg 50 mg q.s.
		Each 15 ml contains		

34	Lactulose Solution USP	Lactulose Solution Equivalent to Lactulose	USP	10 gm
		In a flavoured Palatable base		q.s.
		Each 5 ml. contains		
35	Dicyclomine HCl	Dicyclomine HCl	I.P	2.5 mg
	Aluminium,	Dried Aluminium Hydroxide gel	I.P	200 mg
	Magnesium &	Light Magnesium Oxide	I.P	100 mg
	Simethicone	Simethicone	I.P	20 mg
	Suspension	In a flavoured Palatable base		q.s.
		Color: Approved color used		
		Each 10 ml. contains		
36	Magaldrate &	Magaldrate		
	Simethicone	Simethicone	I.P	400 mg
	Suspension	In a flavoured Palatable base	I.P	20 mg
		Color: Approved color used		q.s.
		Each 5 ml. contains		
37	Deflazacort oral suspension	Deflazacort		6 mg
		In a Flavoured syrupy base		q.s
		Color: Approved color used		
		Each 10 ml. contains		
38	Lycopene	Lycopene 10%	USP	1000 MCG
	Vitamin&	Vitamin A (as Palmitate)	IP	1600 IU
	Multimineral	Vitamin E acetate	IP	10 IU
	Syrup	Vitamin C (ascorbic acid)	IP	50 MG
		Selenium (as sodium Selenate)	USP	35 MCG
		Zinc (as Gluconate)	USP	3 MG
		Manganese (as Manganese Gluconate Sulphate)	USP	2 mg
		Iodine (as potassium Iodide	IP	100 MCG
		Copper (as Cupric sulphate)	USP	500 mcg
		Thiamine Hydrochloride	IP	2 mg
		Riboflavin	IP	3 MG
		Pyridoxine Hydrochloride	IP	1.5 MG
		in a flavoured syrupy base		q.s
		Color : Approved colors used		
		Each 5 ml contains:		
39	Vitamin B Complex,Zinc & Cyproheptadine Syrup	Cyproheptadine Hydrochloride	I.P	2 mg
		Vitamin B1	I.P	1 mg
		Vitamin B6	I.P	1.5 mg
		Vitamin B12	I.P	1 mcg
		Niacinamide	I.P	15 mg
		D-Panthenol	I.P	1.5 mg
		Zinc Sulphate	I.P	
		Eq.to Elemental zinc		1.8 mg
		In a flavoured Syrupy base		q.s.
		Color : Approved colors used		
		Each 5 ml contains:		
40	Dextromethorphan, Levocetirizine, Phenylephrine & Zinc Gluconate Syrup	Dextromethorphan Hbr	I.P	10 mg
		Levocetirizine HCl	I.P	2.5 mg
		Phenylephrine HCl	I.P	5 mg
		Zinc Gluconate	USP	
		eq.to Elemental Zinc		7.5 mg
		In a flavoured Sorbitol base		q.s
		Color: Approved colors used		
		Each 5 ml contains:		
41	Vitamin B-complex & L-Lysine with Tricholine Citrate Syrup	Thiamine Hydrochloride	I.P	2.5 mg
		Riboflavin	I.P	2.5 mg
		Pyridoxine Hydrochloride	I.P	00.75 mg
		Niacinamide	I.P	25.0 mg
		D-Panthenol	I.P	2.5 mg
		Tricholine Citrate		8.5 mg
		Inositol	USP	2.0 mg
		L-Lysine Monhydrochloride	USP	15.0 mg
		In a flavoured Syrupy base		q.s.
		Approved Colors Used		
		Each 5 ml contains:		
42	Zinc Acetate Syrup	Zinc Acetate (as dihydrate)	USP	
		Equivalent to Elemental zinc		20 mg
		In a mentholated Syrup base		q.s
		Each 5 ml contains:		

43	Paracetamol,	Paracetamol		
	Phenylephrine HCl	Phenylephrine HCl	I.P	250 mg
	&	Chlorpheniramine Maleate	I.P	5 mg
	Chlorpheniramine	Flavoured Syrupy base	I.P	2 mg
	Maleate	Approved Colours Used		q.s.
	Suspension			
		Each 5 ml contains:		
44	Magaldrate,	Magaldrate	I.P	400 mg
	Simethicone	Simethicone	I.P	20 mg
		Sorbitol Solution (70%) (Non Crystallising)	I.P	
		Flavoured sugar free base		q.s.
		Approved Colours used		
		Each 5 ml contains:		
45	Magaldrate,	Magaldrate	I.P	400 mg
	Simethicone	Simethicone	I.P	60 mg
	Suspension	Sorbitol Solution (70%) (Non Crystallising)	I.P	
		Flavoured base		q.s.
		Approved Colours used		
		Each 5 ml contains:		
46	Paracetamol,	Paracetamol,	I.P	250 mg
	Phenylephrine	Phenylephrine HCl	I.P	5 mg
	Chlorpheniramine	Chlorpheniramine Maleate	I.P	2 mg
	Maleate,Sodium	Sodium Citrate	I.P	60 mg
	Citrate & Menthol	Menthol	I.P	1 mg
	Suspension	Flavoured Syrupy base		q.s.
		Approved Colours Used		
		Each 5ml contains:		
47	Terabutaline	Terabutaline Sulphate	I.P	1.25 mg
	Sulphate	Bromhexine HCl	I.P	4 mg
	Bromhexine HCl,	Guaiphenesin	I.P	50mg
	Guaiphenesin &	Menthol	I.P	2.5 mg
	Menthol Syrup	Flavoured Syrupy base.		q.s.
		Approved Colours Used		
		Each 5ml contains:		
48	Ambroxol	Ambroxol Hydrochloride	I.P	30 mg
	Hydrochloride,	Terabutaline Sulphate	I.P	2.5 mg
	Terabutaline,	Guaiphenesin	I.P	100 mg
	Guaiphenesin &	Menthol	I.P	1 mg
	Menthol Syrup	Flavoured Syrupy base.		q.s.
		Approved Colours Used		
		Each 5ml contains:		
49	Cetirizine	Cetirizine HCl	I.P	2.5 mg
	Hydrochloride,	Phenylephrine HCl	I.P	2.5 mg
	Phenylphrine	Paracetamol	I.P	125 mg
	Hydrochloride &	Flavoured sugar free base		q.s.
	Paracetamol	Approved Colours Used		
	Suspension			
		Each 10ml contains:		
50	Lycopene with	Lycopene 10%		2000 mcg
	Vitamins &	Niacinamide	I.P	25 mg
	Minerals Syrup	Folic Acid	I.P	100 mcg
		Selenium		35 mcg
		(as Sod Selenium)		
		Zinc		3 mg
		(as zinc Gluconate USP)		
		Iodine	I.P	100 mcg
		(as potassium Iodine USP)		
		Copper	I.P	500 mcg
		(as cupric Sulphate USP)		
		Vitamin B12		1 mcg
		Vitamin B6		1.5 mg
	Flavoured Syrupy base		q.s.	
	Approved Colours Used			
		Each 5ml contains		

51	Multi Vitamin & Multi Minerals Syrup	Vitamin A(Palmitate) Vitamin B1,HCl Vitamin B2,HCl Cyanocobalamine D-Panthenol Nicotinamide Zinc Sulphate L-lysine Hydrochloride Flavoured Syrupy base Approved Colours Used Each 5 ml Contains:	I.P I.P I.P I.P I.P I.P I.P USP	1600 I.U. 1.5 mg 1.2 mg 1.0 mcg 1.0 mg 15 mg 25 mg 10 mg q.s.
52	Diphenhydramine HCl,Ammonium Chloride,Sodium Citrate Syrup	Diphenhydramine Hydrochloride Ammonium Chloride Sodium Citrate In a Mentholated Syrupy base. Approved Colours Used Each 5 ml Contains:	I.P I.P I.P	14.08 mg 138 mg 57.03 mg q.s.
53	Acetaminophen Paediatric Oral Suspension IP	Paracetamol In a Flavoured Syrup base. Approved Colours Used Each 5 ml Contains:	I.P	250 mg q.s.
54	Ambroxol HCl Levo salbutamol Sulphate and Guaiphenesin Syrup	Ambroxol Hydrochloride Levo salbutamol Sulphate Equ to Levo salbutamol Guaiphenesin Flavoured syrup base Approved Colours Used Each 5 ml Contains:	I.P I.P I.P	30 mg 1 mg 50 mg q.s.
55	Ondansetron Hydrochloride Oral Solution IP	Ondansetron Hydrochloride Eq.to Ondansetron In a flavoured Syrupy base. Approved Colours Used Each 5 ml Contains:	I.P	2 mg q.s.
56	Levocetirizine & Montelukast Syrup	Levocetirizine Hydrochloride Montelukast Sodium Eq.to Montelukast In a flavoured Syrupy base. Approved colours Used Each 5 ml Contains:	I.P I.P	2.5 mg 4 mg q.s.
57	Ambroxol Hcl, Guaiphenesin, Terabutaline Sulphate & Menthol Syrup	Ambroxol Hydrochloride Guaiphenesin Terabutaline Sulphate Menthol In a flavoured Syrup base Approved Colours Used Each 5 ml Contains:	I.P I.P I.P I.P	15 mg 50 mg 1.25 mg 2.5 mg q.s.
58	Phenylephrine Chlorpheniramine Maleate Paracetamol Sodium Citrate & Menthol Suspension	Phenylephrine Hcl Chlorpheniramine Maleate Paracetamol Sodium Citrate Menthol In a flavoured Syrup base. Approved Colours Used Each 5 ml Contains:	I.P I.P I.P I.P I.P	5 mg 0.5 mg 125 mg 60 mg 1 mg q.s.
59	Ofloxacin Oral Suspension IP	Ofloxacin In a flavoured Syrupy base Each 5 ml Contains:	I.P	50 mg q.s.
60	Terabutaline Sulphate, Bromhexine Hydrochloride, Guaiphenesin & Menthol Syrup	Terabutaline Sulphate Bromhexine Hydrochloride Guaiphenesin Menthol Flavoured Syrupy base Approved Colours Used Each 5 ml Contains:	I.P I.P I.P I.P	1.25 mg 2 mg 50 mg 0.5 mg q.s.
61	Levocetirizine HCL & Ambroxol HCL Syrup	Levocetirizine Hydrochloride Ambroxol Hydrochloride Flavoured Syrupy base Approved Colours Used Each 5 ml Contains:	I.P I.P	2.5 mg 30 mg q.s.

62	Cyproheptadine HCL Syrup IP	Cyproheptadine HCl (Anhydrous) Flavoured Syrupy base Colour: Approved Colour Used Each 5 ml Contains:	I.P	2 mg q.s.
63	Ferrous Ascorbate & Folic Acid Suspension	Ferrous Ascorbate eq.to Elemental Iron Folic Acid In a Flavoured Syrup base Approved Colours Used Each 5 ml Contains:	I.P	30 mg 550 mcg q.s.
64	Azithromycin Oral Suspension IP 100 MG	Azithromycin Dihydrate Eq.to Azithromycin (Anhydrous) Flavoured Syrup base Approved Colours Used Each 5 ml Contains:	I.P	100 mg q.s.
65	Azithromycin Oral Suspension IP 200 MG	Azithromycin Dihydrate Eq.to Azithromycin (Anhydrous) Flavoured Syrup base Approved Colours Used Each 5ml contains:	I.P	200 mg q.s.
66	Magnesium Hydroxide, Simethicone,Sodium Carboxymethicellulose & dried aluminium Hydroxide gel	Magnesium Hydroxide (assed as paste) Simethicone Sodium carboxymethicellulose dried aluminium hydroxide gel (added as paste) In Flavoured sugar free base Approved colours Used Each 10 ml contains:		185 mg 50 mg 100 mg 830 mg q.s.
67	Magaldrate,Simethicone & Domperidone Suspension	Magaldrate Eq. to Anhydrous Magaldrate Simethicone Domperidone Sorbitol Solition(70%) (Non Crystallising) Approved Colour Used Composition:	I.P. I.P. I.P. I.P.	480 mg 20 mg 10 mg Q.S.
68	Chlorhexidine, Sodium Fluoride & Zinc Chloride Mouth Wash	Chlorhexidine Gluconate Solution Eq. to Chlorhexidine Gluconate Sodium Floride Zinc Chloride Pleasantly Flavoured Aqueous Base Approved Colour Used Each 5 ml Contains:	IP IP IP	0.2%W/V 0.05%W/V 0.09%W/V q.s.
69	Triclofos Solotion IP	Triclofos Sodium in a flavoured Syrup base Approved Colour Used Each 5 ml Contains:	IP	500 mg
70	Domperidone Suspension IP	Domperidone Flavoured Syrupy Base Approved Colour Used Each 5 ml Contains:	IP	1 mg q.s.
71	Levofloxacin & Ornidazole Oral Suspension IP	Levofloxacin Hemihydrate Eq. to Levofloxacin Ornidazole Flavoured Palatable base Approved Colour Used Each ml contains:	IP IP	125 mg 125 mg q.s.
72	Cholecalciferol (Vitamin D3) Oral Solution IP	Vitamin D3 Cholecalciferol Approved Colour Used Each 1 ml contains:	IP	400 IU q.s.

73	Levosalbutamol Sulphate, Ambroxol Hydrochloride & Guaiphenesin Drops	Levosalbutamol Sulphate Eq. to Levosalbutamol	IP	0.25 mg
		Ambroxol Hydrochloride	IP	7.5 mg
		Guaiphenesin	IP	12.5 mg
		Flavoured Syrup base		q.s.
		Approved Colour Used		
		Each 5 ml Contains:		
74	Fexofenadine Hydrochloride Oral Suspension	Fexofenadine Hydrochloride	IP	30 mg
		In a flavoured Syrup base		q.s.
		Approved Colour Used		
		Each 5 ml Contains:		
75	Rifaximin For Oral Suspension	Rifaximin	B.P.	100 mg
		In a flavoured base		
		Approved Colour Used		
		Each 5 ml Contains:		
76	Ursodeoxycholic Acid Oral Suspension	Ursodeoxycholic Acid	IP	125 mg
		In a flavoured base		q.s.
		Approved Colour Used		
		Each 5 ml contain:		
77	Ofloxacin & Metronidazole Suspension	Ofloxacin	IP	50 mg
		Metronidazole Benzoate	IP	
		Eq to Metronidazole		100 mg
		Flavoured Syrup base		q.s.
		Approved Colour Used		
		Each 5 ml contain:		
78	Dextromethorphan Hydrobromide	Dextromethorphan Hydrobromide	IP	10 mg
	and Chlorpheniramine Maleate Cough Syrup	and Chlorpheniramine Maleate	IP	4 mg
		Flavoured Non Syrup base		q.s.
		Approved Colour Used		
		Each 5 ml contain:		
79	Sodium Alginate, Sodium Bicarbonate & Calcium Carbonate Oral Suspension	Sodium Alginate	IP	250 mg
		Sodium Bicarbonate	IP	133.5 mg
		Calcium Carbonate	IP	80 mg
		Flavoured Sugar free base		q.s.
		Approved Colour Used		
		Each 5 ml contain:		
80	Liquid of Ferrous Bis Glycinate with Folic Acid	Iro Amino Acid Chelate		
	Vitamin B12 & Zinc Suspension	As Ferrous Bis-Glycinate		150 mg
		Eq. to Elemental Iron		30 mg
		Folic Acid	I.P.	0.5 mg
		Vitamin B12	I.P.	7.5 mg
		Zinc Picolinate		52 mg
		Eq. to Elemental Zinc		11 mg
		Flavoured Syrup base		q.s.
		Approved Colour Used		
		Each 5 ml contain:		
81	Levodropropizine & Chlorpheniramine Maleate Syrup	Levodropropizine	IP	30 mg
		Chlorpheniramine Maleate Syrup	IP	2 mg
		In flavoured Syrupy base		
		Approved Colour Used		
		Each ml contain:		
82	Acebrophylline Syrup	Acebrophylline		10 mg
		In flavoured Syrupy base		q.s.
		Approved Colour Used		
		Each 5 ml contain:		
83	Suspension of Calcium with Vitamin D3 and B12	Vitamin D3 (Cholecalciferol)	IP	200 IU
		Vitamin B12	IP	2.5 mcg
		Calcium Phosphate Eq. to Elemental Calcium		82 mg
		In a flavoured Syrupy base		q.s.
		Approved Colour Used		
		Each 5 ml contain:		

84	Suspension of Aluminium Hydroxide	Aluminium Hydroxide Paste	IP	
	Magnesium Hydroxide	Eq. to Dried Aluminium Hydroxide		300 mg
	Activated Dimethicone and Oxetacaine and	Magnesium Hydroxide Paste		
	Sorbitol Solution	Eq. to Magnesium Hydroxide	IP	250 mg
		Activated Dimethicone	IP	40 mg
		Oxetacaine	B.P.	10 mg
		Sorbitol Solution (70%) (Non-Crystallising)	I.P	1000 mg
		Approved Colour Used		
	Each 5 ml contain:			
85	Multi Vitamin Syrup	Vitamin A Concentrate	IP	2500 IU
		(only from)(as palmitate)		
		Cholecalciferol	IP	200 IU
		Thiamine Hydrochloride	IP	2 mg
		Riboflavin	IP	1 mg
		Pyridoxine Hydrochloride	IP	1 mg
		Nicotinamide	IP	15 mg
		Ascorbic Acid	IP	50 mg
		D-Panthenol	IP	2.5 mg
		Cyanocobalamin	IP	1 mcg
		Citrus Bioflavonoid Compound	IP	5 mg
		Flavoured Base		q.s.
	Approved Colour Used			
	Each 15 ml contain:			
86	Lactitol Monohydrate Syrup 66.67%w/v	Lactitol Monohydrate	BP	10 gm
		Benzoic Acid	IP	0.0225 gm
		(as Preservative)		
		Aqueous base		q.s.
		Approved Colour Used		
	Each 10 ml contain:			
87	Magaldrate ,Benzocaine & Simethicone Gel	Magaldrate	IP	800 mg
		Benzocaine	IP	10 mg
		Simethicone	IP	125 mg
		Flavoured Sorbitol Base		q.s.
		Approved Colour Used		
	Each 5 ml contain:			
88	Ofloxacin & Metronidazole Suspension	Ofloxacin	IP	100mg
		Metronidazole Benzoate		
		Eq. to Metronidazole	IP	200 mg
		Flavoured Syrup Base		q.s.
		Approved Colour Used		
	Each 5 ml contain:			
89	Dextromethorphan Hbr Guaiphenesin Ammonium Chloride & Chlorpheniramine Maleate Syrup	Dextromethorphan Hydrobromide	IP	5 mg
		Guaiphenesin	IP	50 mg
		Ammonium Chloride	IP	60 mg
		Chlorpheniramine Maleate	IP	2.5 mg
		Flavoured Syrup Base		q.s
		Approved Colour Used		
	Each 5 ml contain:			
90	Ibuprofen & Paracetamol Syrup	Ibuprofen	IP	100mg
		Paracetamol	IP	162.5mg
		Flavoured Syrup Base		q.s.
		Approved Colour Used		
	After reconstitution Each 5 ml contain:			
91	Doxycycline Suspension	Doxycycline Monohydrate		
		Eq. to Doxycycline (anhydrous)	USP	50 mg
		Flavoured Syrup Base		q.s.
		Approved Colour Used		
	Each 5 ml contain:			
92	Paracetamol, Phenylephrine & Chlorpheniramine Maleate Suspension	Paracetamol	IP	125mg
		Phenylephrine Hydrochloride	IP	5mg
		Chlorpheniramine Maleate	IP	2mg
		Flavoured Syrup Base		q.s.
		Approved Colour Used		
	Each 5 ml contain:			
93	Ibuprofen & Paracetamol Suspension	Ibuprofen	IP	100mg
		Paracetamol	IP	125mg
		Flavoured Syrup Base		q.s.
		Approved Colour Used		
		Each 10 ml contain:		

94	Bromhexine Hydrochloride	Bromhexine Hydrochloride	IP	8mg
	Dextromethorphan Hydrobromide &	Dextromethorphan Hydrobromide	IP	10mg
	Ammonium Chloride Syrup	Ammonium Chloride	IP	100mg
		Mentholated Syrup Base		q.s.
		Approved Colour Used		
		Each 5 ml contain:		
95	Suspension of Aluminium Hydroxide	Aluminium Hydroxide Paste		
	Magnesium Hydroxide	Eq. to Dried Aluminium Hydroxide	IP	300mg
	Activated Dimethicone , Oxetacaine and	Magnesium Hydroxide Paste		
	Sorbitol Solution	Eq. to Magnesium Hydroxide	IP	250mg
		Activated Dimethicone	IP	40mg
		Oxetacaine	BP	10mg
		Sorbitol Solution(70%)	IP	
		(Non-Crystallising) in a flavoured base		q.s.
		Approved Colour Used		
		Each ml contain:		
96	Terbutalin Sulphate	Terbutalin Sulphate	IP	0.25mg
	Ambroxol Hydrochloride	Ambroxol Hydrochloride	IP	3mg
	Guaipenesin Drops	Guaipenesin	IP	10mg
		Flavoured Syrup Base		q.s.
		Approved Colour Used		
		Each 5 ml contain:		
97	Dextromethorphan	Dextromethorphan Hydrobromide	IP	10mg
	Ambroxol , Cetrizine	Ambroxol Hydrochloride	IP	30mg
	Ammonium Chloride	Cetrizine Hydrochloride	IP	2.5mg
	& Menthol Syrup	Ammonium Chloride	IP	100mg
		Menthol	IP	1mg.
		Flavoured Syrup Base		q.s.
		Approved Colour Used		
		Each 5 ml contain:		
98	Aluminium Hydroxide	Dried Aluminium Hydroxide	IP	250mg
	Magnesium Hydroxide	Magnesium Hydroxide	IP	250mg
	Activated Dimethicone and	Activated Dimethicone	IP	50mg
	Oxetacaine Suspension	Oxetacaine	BP	10mg
		Flavoured Sugar Free Base		q.s.
		Approved Colour Used		
		Each 10 ml contains.		
99	Solution of Sorbitol &	Tricholine Citrate		
	Tricholine Citrate Syrup	Sorbitol Solution(70%)		0.55 gm
		Non-Crystallising)	IP	7.15 gm
		Flavoured syrup base		
	Approved colour used		q.s	
		Each 5 ml contain:		
100	Paracetamol Cetrizine HCL &	Paracetamol	IP	250mg
	Phenylephrine Hydrochloride Suspension	Cetrizine Hydrochloride	IP	2.5mg
		Phenylephrine Hydrochloride	IP	2.5mg
		Flavoured Syrupy base		q.s
		Approved colour used		
		Each 5 ml contain:		
101	Methylcobalamin Vitamins, Minerals	Methylcobalamin	IP	750mcg
	& Zinc Syrup	Thiamine Hydrochloride	IP	5mg
		Pyridoxine Hydrochloride	IP	3mg
		Niacinamide	IP	45mg
		D-Biotin	IP	100mcg
		Cholecalciferol	IP	200 I.U
		Folic acid	IP	1.5mg
		Zinc Gluconate equivalent to Elemental Zinc	USP	7.5mg
		Potassium Iodide equivalent to Elemental Iodine	IP	25mcg
		Copper sulphate Pentahydrate equivalent to Elemental Copper	BP	0.45mg
		Mangancese sulphate Monohydrate equivalent to Elemental Chromium	USP	0.8mg
		D-Panthenol	IP	5mg
		Chromic Chloride equivalent to Elemental Chromium	USP	25mcg
		L-Lysine Monohydrochloride	USP	150mg
		Flavoured Syrupy base		q.s
	Approved colour used			
		Each 5 ml contain:		

102	Multivitamin Multimineral Syrup with Lysine & Zinc	Vitamins A (as Palmitate)	IP	5000 IU
		Chloecalciferol	IP	500 IU
		Vitamin E (as Acetate)	IP	15 IU
		Ascorbic Acid	IP	100 mg
		Thiamin Hydrochloride	IP	2.5 mg
		Riboflavine Sodium Phosphate	IP	2.5 mg
		Pyridoxine Hydrochloride	IP	1 mg
		Cyanocobalamin	IP	3 mcg
		D Panthenol	IP	5 mg
		Niacinamide	IP	22.5 mg
		Lysine Hydrochloride	USP	300 mg
		Potassium Iodide	IP	50 mcg
		Biotin	USP	100 mcg
		Copper Sulphate	IP	100 mcg
		Chromic Chloride USP equivalent to Elemental Chromium		8 mcg
		Manganese Chloride equivalent to Elemental Manganese		0.8 mg
		Calcium Lactate IP equivalent to Elemental Calcium		1.25 mg
		Zinc Sulphate	IP	22.2 mg
		Flavoured Syrupy base		
		Approved colour used		q.s
		Each 5 ml contains		
103	Syrup of Cholin, Lysine with Vitamins & Minerals	Thiamine Hydrochloride	IP	5mg
		Ribofavin Sodium Phosphate	IP	5mg
		Niacinamide	IP	45mg
		D-Panthenol	IP	5mg
		Pyridoxine Hydrochloride	IP	1.5 mg
		Cyanocobalamin	IP	7.5 mcg
		Choline Dihydrozen Citrate		87.5 mg
		Lysine Hydrochloride	USP	375 mg
		Copper Sulphate	IP	100 mcg
		Potassium Iodine	IP	50 mcg
		Zinc Sulphate	IP	22.2 mg
		Flavoured syrupy base		q.s.
		Each ml contains:		
104	Alpha-Amylase, Papain, Dill-oil, Anise Oil & Caraway oil Drops	Alpha- Amylase (Bacterial 1,800)	I.P	20 mg
		Papain	I.P	10 mg
		Dill-Oil	B.P	2 mg
		Anise Oil	B.P	2 mg
		Caraway oil	B.P	2 mg
		In a flavoured Syrupy base		q.s.
		Approved Colors used		
		Each 5 ml contains		
105	Levocetirizine Hydrochloride Syrup	Levocetirizine HCl	I.P	2.5 mg
		In a flavoured Syrupy base		q.s.
		Approved colors used		
		Each 5ml. Contains:		
106	Sodium picosulphate Syrup B.P.	Sodium Picosulphate	B.P	5 mg
		In a Palatable base sorbitol		
		I.P. (70%)		q.s.
		Approved Colors Used		
		Each 5ml. Contains:		
107	Zinc Gluconate Suspension	Zinc Gluconate		
		E.q. to elemental zinc	USP	
		In a flavoured Syrupy base		20 mg
		Color: Approved color used		q.s.
		Each 10 ml contains:		

108	Multivitamin, Multiminerals & Antioxidants Suspension	Lycopene 10%		1000 mcg
		Niacinamide	I.P	25 mg
		Pyridoxine Hydrochloride	I.P	1.5 mg
		Cynocobalamin	I.P	1 mcg
		Folic Acid	I.P	100 mcg
		Selenium (As Sodium selenite B.P.)		35 mcg
		Zinc (as zinc sulphate I P)		3 mg
		Manganese (as Manganese sulphate USP)		2 mg
		Iodine (as potassium Iodine I.P.)		100 mcg
		Copper (as Copper Sulphate B.P.)		500 mcg
		Approved color used		
		Each 5ml. Contains:		
109	Paracetamol Phenylephrine HCl & Chlorpheniramine Maleate Suspension	Paracetamol	I.P	125 mg
		Phenylephrine HCl	I.P	5 mg
		Chlorpheniramine Maleate	I.P	1 mg
		In a flavoured Syrupy base		q.s.
		Approved color used		
Each 5ml. Contains:				
110	Desloratadine, Ambroxol HCl, Guaiphenesin & Menthol Syrup	Desloratadine Ph.Eur		2.5 mg
		Ambroxol HCl	I.P	30 mg
		Guaiphenesin	I.P	50 mg
		Menthol	I.P	1 mg
		In a Flavoured Syrupy base Color : approved color used		q.s.
Each 10ml. Contains:				
111	Sucralfate Suspension	Sucralfate		
		In palatable sorbitol base	USP	500 mg
		Approved Colours Used		q.s.
Each 10ml. Contains:				
112	Sucralfate Suspension	Sucralfate	USP	1000 mg
		In palatable sorbitol base		q.s.
		Approved Colours Used		
Each 10ml. Contains:				
113	Sucralfate & Oxetacaine Suspension	Sucralfate	USP	1000 mg
		Oxetacaine	B.P	20 mg
		In palatable sorbitol base		q.s.
Approved Colours Used				
Each 5 ml.contains:				
114	Piracetam Syrup	Piracetam	B.P	500 mg
		Flavoured Syrupy base		q.s.
		Approved Colours Used		
Each 5 ml.contains:				
115	Vitamin B- Complex with Lysine Syrup	Thiamine Hydrochloride	I.P	2.5 mg
		Riboflavin Sodium Phosphate	I.P	2.5 mg
		Pyridoxine Hydrochloride	I.P	0.75 mg
		Nicotinamide	I.P	25 mg
		D-Panthenol	I.P	3 mg
		Cyanocobalamin	I.P	5 mcg
		Lysine Hydrochloride	USP	37.5 mg
		Flavoured Syrupy base Approved Colors Used		
Each 5 ml. contains:				
116	Disodium Hydrogen Citrate Syrup	Disodium Hydrogen Citrate	BP	1.25 gm
		Flavoured Syrupy base		q.s.
		Approved Colours Used		
Each 5 ml. contains:				
117	Disodium Hydrogen Citrate Syrup	Disodium Hydrogen Citrate	BP	1.37 gm
		Flavoured Syrupy base		q.s.
		Approved Colours Used		
Each 5 ml. contains:				

118	Multi Vitamin, Mineral Syrup	Zinc Sulphate	I.P	22.2 mg
		Nicotinamide	I.P	7.5 mg
		Lysine Hydrochloride	USP	5.0 mg
		D-Panthenol	I.P	1.25 mg
		Thiamine Hydrochloride	I.P	0.75 mg
		Riboflavine Sodium Phosphate	I.P	0.75 mg
		Pyridoxine Hydrochloride	I.P	0.5 mg
		Copper Sulphate	B.P	100 mcg
		Potassium Iodide	I.P	50 mcg
		Sodium Selenate Pentahydrate	I.P	
		Eq.to Selenium		10 mcg
		Cyanocobalamin	I.P	0.5 mcg
		Vitamin "A" (as palmitate)	I.P	1250 IU
		Cholecalciferol	I.P	100 IU
		Vitamin "E" (as dl a-tocopheryl acetate)	I.P	2.5 IU q.s.
		Flavoured Syrupy base		
		Approved Colors Used		
Each 5 ml. contains:				
119	Calcium, Magnesium ,Zinc & Vitamin D3 Suspension	Calcium Carbonate	I.P	625 mg
		Eq.to Elemental Calcium		250 mg
		Magnesium Hydroxide		180 mg
		Eq. to Magnesium		75 mg
		Zinc Gluconate	USP	14 mg
		Eq.to Elemental Zinc		2 mg
		Vitamin D3	I.P	200 IU
		Flavoured Syrupy base		q.s.
		Approved Colours Used		
		Each 5 ml. contains:		
120	Sodium Feredetate, Folic Acid & Vitamin B12 Oral Solution	Sodium Feredetate	BP	231 mg
		(Eq. to 33 mg Elemental Iron)		
		Folic Acid		
		Vitamin B12	I.P	1.5 mg
		Flavoured Syrupy base	I.P	15 mcg
		Approved Colours Used		q.s.
		Each 15 ml. contains:		
121	Iron, Folic Acid, Vitamin B12, Manganese & Copper Syrup	Ferric Ammonium Citrate	I.P	160 mg
		(Eq.to 32.8 mg Elemental Iron)		
		Cyanocobalamin	I.P	7.5 mcg
		Folic Acid	I.P	0.5 mg
		Cupric Sulphate	USP	30 mcg
		Manganese Syrupy base	USP	30 mcg
		Flavoured Syrupy base		q.s.
		Approved Colours Used		
Each 5 ml. contains:				
122	Iron with Vitamin Syrup	Ferric Ammonium Citrate	I.P	55 mg
		Folic Acid	I.P	0.5 mg
		Vitamin B12		0.5 mcg
		Flavoured Syrupy base		q.s.
		Approved Colours Used		
		Each 5 ml. contains:		
123	Vitamin B-Complex with Lysine Syrup	Pyridoxine Hydrochloride	I.P	0.75 mg
		Nictinamide	I.P	15 mg
		Cyanocobalamin	I.P	2 mcg
		Lysine Hydrochloride	USP	37.5 mg
		Sorbitol Solution (70%) (Non Crystallizing)		q.s.
		Flavoured Syrupy base		
		Approved Colours Used		
		Each 5 ml. contains:		
124	Cetirizine Dihydrochloride Dextromethorphan Hydrobromide Ammonium Chloride & Menthol Syrup	Cetirizine Dihydrochloride	BP	2.5 mg
		Dextromethorphan HBr	I.P	5 mg
		Ammonium Chloride	I.P	50 mg
		Menthol	I.P	2.5 mg
		Flavoured Syrupy base		q.s.
		Approved Colours Used		
		Each 5 ml. contains:		

125	Bromhexine	Bromhexine Hydrochloride	I.P	4 mg
	Hydrochloride	Dextromethorphan Hydrobromide	I.P	5 mg
	Dextromethorphan	Ammonium Chloride	I.P	50 mg
	Hydrobromide	Menthol	I.P	2.5 mg
	Ammonium	Flavoured Syrupy base		q.s.
	Chloride &	Approved Colours Used		
	Menthol Syrup			
		Each 5 ml. contains:		
126	Dextromethorphan	Dextromethorphan Hydrobromide	I.P	5 mg
	Hydrobromide,	Bromhexine Hydrochloride	I.P	4 mg
	Bromhexine	Chlorpheniramine Maleate	I.P	2 mg
	Hydrochloride,	Guaiphenesin	I.P	50 mg
	Chlorpheniramine	Menthol	I.P	1.5 mg
	Maleate Menthol,	Flavoured Syrupy base		q.s.
	Guaiphenesin &	Approved Colours Used		
	Menthol Syrup			
		Each 5 ml. contains:		
127	B-Complex with	L-Lysine Hydrochloride	USP	150 mg
	Lysine Syrup	Thiamine Hydrochloride	I.P	2 mg
		Riboflavin	I.P	1.8 mg
		Pyridoxine Hydrochloride	I.P	0.75 mg
		D-Panthenol	I.P	3 mg
		Niacinamide	I.P	25 mg
		Flavoured Syrupy base		q.s.
		Approved Colours Used		
		Each 5 ml. contains:		
128	Paracetamol,	Paracetamol,	I.P	125 mg
	Cetirizine HCL &	Cetirizine HCL	I.P	2 mg
	Phenylephrine HCL	Phenylephrine HCL	I.P	2.5 mg
	Suspension	Flavoured Syrupy base		q.s.
		Approved Colours Used		
		Each 5 ml. contains:		
129	Ambroxol,	Ambroxol,	BP	15 mg
	Salbutamol	Salbutamol Sulphate	I.P	
	Sulphate	Eq.to Salbutamol		1 mg
	,Guaiphensin &	Guaiphenesin	I.P	50 mg
	Menthol Syrup	Menthol	I.P	1.5 mg
		Flavoured Syrupy base		q.s.
		Approved Colours Used		
		Each 5 ml. contains:		
130	Calcium Gluconate	Calcium Gluconate		
	Calcium Lactate,	Calcium Lactate,	I.P	200 mg
	Multivitamin,	Vitamin D3	I.P	250 mg
	Cyanocobalamin	Cyanocobalamin (Vit.B12)	I.P	400 IU
	Syrup	Flavoured Syrupy base	I.P	5 mcg
		Approved Colours Used		q.s.
		Each 10 ml. contains:		
131	Dried Aluminium	Dried Aluminium Hydroxide	I.P	200 mg
	Hydroxide	Magnesium Hydroxide	I.P	200 mg
	Magnesium	Activated Dimethicone	I.P	25 mg
	Hydroxide &	Flavoured Syrupy base		q.s.
	Activated	Approved Colours Used		
	Dimethicone			
	Suspension			
		Each 10 ml. contains:		
132	Terbutaline Choline	Terbutaline Sulphate	I.P	2.5 mg
	Theophyllinate &	Choline Theophyllinate	B.P	100 mg
	Ambroxol Syrup	Ambroxol Hydrochloride	I.P	50 mg
		Flavoured Syrupy base		q.s.
		Approved Colours Used		
		Each 15 ml. contains:		
133	Iron,	Ferric Ammonium Citrate	I.P	200 mg
	Cyanocobalamin,	(eq to Elemental Iron 40 mg)		
	Pyridoxine & Folic	Cyanocobalamin	I.P	7.5 mcg
	Acid with Zinc	Folic Acid	I.P	0.5 mg
		Zinc Sulphate	I.P	7 mg
		Pyridoxine Hydrochloride	I.P	1.5 mg
		Sorbitol (70%)	I.P	750 mg
		Flavoured Syrupy base		q.s.
		Approved Colours Used		
		Each 5 ml. contains:		

134	Liquid Paraffin with Milk of Magnesia	Liquid Paraffin	I.P	1.25 ml
		Milk of Magnesia	I.P	3.75 ml
	Sodium Picosulphate Suspension	Sodium Picosulphate	I.P	3.33 mg
		Flavoured Syrupy base		q.s.
		Approved Colours Used		
		Each 5 ml. contains:		
135	Ofloxacin & Ornidazole Suspension	Ofloxacin	I.P	50 mg
		Ornidazole	I.P	125 mg
		Flavoured Syrupy base		q.s.
		Approved Colours Used		
		Each 5 ml. contains:		
136	Ofloxacin , Metronidazole Benzoate & Simethicone Suspension	Ofloxacin	I.P	50 mg
		Metronidazole Benzoate	I.P	
		Is eq.Metronidazole		120 mg
		Simethicone	I.P	10 mg
		Flavoured Syrupy base		q.s.
		Approved Colours Used		
		Each 15 ml. contains:		
137	Liquid paraffin & Milk of Magnesia Suspension	Liquid paraffin	I.P	3.75 ml
		Milk of Magnesia	I.P	11.25 ml
		Flavoured Syrupy base		q.s.
		Approved Colours Used		
		Each 5 ml. contains:		
138	Magaldrate, Simethicone & Oxetacaine Oral Suspension	Magaldrate	IP	480 mg
		Simethicone	IP	20 mg
		Oxetacaine	B.P.	10 MG
		Flavoured Syrupy base		q.s.
		Approved Colours Used		
		Each 5 ml. contains:		
139	Aluminium Hydroxide, Magnesium Hydroxide & Oxetacaine Oral Suspension	Aluminium Hydroxide (added as Aluminium Hydroxide)	I.P	0.291 gm
		Paste equivalent to 0.380 g of dried Aluminium Hydroxide Gel I.P.)		
		Magnesium Hydroxide (Added as Magnesium Hydroxide)	I.P	98 mg
		Oxetacaine	B.P	10 mg
		Flavoured Syrupy base		q.s.
		Approved Colours Used		
		Each 5 ml. contains:		
140	Ambroxol Hcl, Levocetirizine Hcl, Guaiphenesin & Menthol Syrup	Ambroxol Hydrochloride	I.P	15 mg
		Levocetirizine Hcl	I.P	2.5 mg
		Guaiphenesin	I.P	50 mg
		Menthol	I.P	1 mg
		Each 5 ml. Contains:		
141	Chloramphenicol Palmitate Oral Suspension IP	Chloramphenicol Palamitate eq.to Chloamphenicol	I.P	125 mg
		Flavoured Syrupy base		q.s.
		Approved Colours Used		
		Each 5 ml. Contains:		
142	Cyproheptadine HCl & Tricholine Citrate Syrup	Cyproheptadine HCl (Anhydrous)	I.P	2 mg
		Tricholine Citrate (65%)		275 mg
		Sorbitol solution (70 %) crystallizing	I.P	
		Flavoured Syrupy base		q.s.
		Approved Colours Used		
		Each 5 ml. Contains:		
143	Dextromethorphan Hydrobromide, Phenylephrine HCl, Chlorpheniramine Maleate Syrup	Dextromethorphan Hydrobromide	I.P	10 mg
		Phenylephrine HCl	I.P	5 mg
		Chlorpheniramine Maleate	I.P	2 mg
		Approved Colours used		q.s.
		In a flavoured Syrupy base.		
		Each 5 ml. Contains:		
144	Mefenamic Acid & Paracetamol Suspension	Mefenamic Acid	I.P	100 mg
		Paracetamol	I.P	250 mg
		Approved Colours used		q.s.
		In a flavoured Syrupy base.		
		Each 5 ml. Contains:		

145	Aceclofenac & Paracetamol Suspension	Aceclofenac & Paracetamol In a Flavoured Syrup base Approved Colours Used Each 5 ml.Contains:	I.P I.P	50 mg 125 mg q.s.
146	Mefenamic Acid & Paracetamol Suspension	Mefenamic Acid Paracetamol Approved Colours used In a flavoured Syrupy base. Each 15 ml.Contains:	I.P I.P	50 mg 125 mg q.s.
147	Fungal Diastase & Pepsin Syrup	Fungal Diastase (1:1200) (Fungal diastase derived from Aspergillus oryzae digest not less than 60 gm of cooked starch) Pepsin (1:3000) (Digests not less than 30 gm of Coagulated egg albumin) In a Flavoured Syrupy base Approved Colours Used Each 5 ml.Contains:	I.P I.P	50 mg 10 mg q.s.
148	Paracetamol Paediatric Oral Suspension IP	Paracetamol Approved Colours used In a Flavoured Syrupy base Each 5 ml.Contains:	I.P	125 mg q.s.
149	Fungal Diastase & Pepsin Syrup	Fungal Diastase (1:1200) (Fungal diastase derived from Aspergillus oryzae digest not less than 60 gm of cooked starch) Pepsin (1:3000) (Digests not less than 30 gm of Coagulated egg albumin) In a Flavoured Syrupy base Approved Colours Used Each 5 ml.Contains:	I.P I.P	50 mg 10 mg q.s.
150	Dried Aluminium Hydroxide Gel, Magnesium Hydroxide, Activated Dimethicone & Sorbitol Suspension	Dried Aluminium Hydroxide Gel Magnesium Hydroxide Activated Dimethicone Sorbitol 70% (Non Crystallising) Flavoured sugar free base Approved Colours Used Each 5 ml.Contains:	I.P I.P I.P	250 mg 250 mg 50 mg q.s.
151	Magaldrate, Simethicone & Sodium Carboxymethylcellulose Oral Suspension	Magaldrate Simethicone Sodium Carboxymethylcellulose Flavoured sugar free base Approved Colours Used Each 5 ml contains:	I.P I.P I.P	400 mg 20 mg 5 mg q.s.
152	Albendazole & Ivermectin Suspension	Albendazole Ivermectin Flavoured Syrupy base Approved Colours Used Each 15 ml contains:	I.P I.P	200 mg 3 mg q.s.
153	Lactulose Solution USP	Lactulose Concentrate Flavoured Syrupy base Each 5 ml contains:	USP	10 gm q.s.
154	Calcium Carbonate & Vitamin D3 Suspension	Calcium Carbonate Eqv.to elemental calcium Vitamin D3 Flavoured Syrupy base Approved Colours Used Each 5 ml contains:	I.P I.P	625 mg 250 mg 125 IU q.s.
155	Albendazole Suspension IP	Albendazole Flavoured Syrupy base Approved Colours Used Each 5 ml contains:	I.P	200 mg q.s.

156	Dextromethorphan	Dextromethorphan HBr	I.P	10 mg
	HBr &	Chlorpheniramine Maleate	I.P	2 mg
	Chlorpheniramine	Approved Colours Used		q.s.
	Maleate Syrup	In a flavoured Syrupy base.		
		Each 5 ml contains:		
157	Bromhexine HCl,	Bromhexine HCl		4 mg
	Terbutaline	Terbutaline Sulphate		1.25 mg
	Sulphate	Guaiphenesin		50 mg
	Guaiphenesin &	Menthol		1 mg
	Menthol Syrup	Approved Colours Used		q.s.
		Flavoured Syrupy base		
		Each 5 ml contains:		
158	Sucralfate & Oxythazaine	Sucralfate		
	Suspension	Oxythazaine	IP	1 gm
		In a flavored syrupy base	BP	20 mg
		Approved colour used		q.s
		Each 15 ml contains:		
159	Ferrous fumarate ,	Ferrous fumarate		
	Folic Acid ,	eq. to elemental iron	IP	
	vitamin B12 ,	Folic Acid		32.5 mg
	L-lysine HCL ,	Vitamin B12	IP	500 mcg
	Copper Sulphate ,	L-lysine Hydrochloride	IP	5 mcg
	Zinc sulphate &	copper sulphate	USP	20 mg
	Manganese chloride suspension	Eq. to Elemental copper	IP	
		Zinc sulphate		0.035 mg
		Eq. to Elemental zinc	IP	
		Manganese chloride		3.34 mg
		Eq. to Elemental manganese	USP	0.2 mg
		In a flavored syrupy base		
	Approved colour used		q.s	
		Each 5 ml contains:		
160	Magaldrate ,	Magaldrate		
	simethicone &	simethicone	IP	540 mg
	Oxetacaine Suspension	Oxetacaine	IP	50 mg
		In a flavored syrupy base	BP	10 mg
		Approved colour used		q.s
		Each 5 ml contains:		
161	Sucralfate &	Sucralfate		
	Oxetacaine Suspension	Oxetacaine	IP	500 mg
		flavored Sugar free base	BP	10 mg
		Approved colour used		q.s
		Each 5 ml contains:		
162	Ferrous Bis-glycinate, folic acid	Ferrous Bis-glycinate		
	Cyanocobalmin ,	eq. to elemental Iron		
	Zinc Bis glycinate &	Folic acid		15 mg
	Betacarotene suspension	Cyanocobalamin	IP	375 mcg
		Zinc Bis glycinate	IP	3.75 mcg
		eq.to elemental zinc		
		Betacarotene 2.5% Dispersion		5.5mg
		In a flavored syrupy base		10 mg
	Approved colour used		q.s	
		Each 5 ml contains:		
163	Dextromethorphan Hydrobromide &	Dextromethorphan Hydrobromide		
	Chlopheniramine Meleate syrup	Chlopheniramine Meleate	IP	5 mg
		In a flavored syrupy base	IP	1 mg
		Approved colour used		q.s
		Each 5 ml contains:		
164	Sucralfate,	Sucralfate		
	Oxetacaine &	Oxetacaine	IP	500 mg
	Simethicone Suspension	Simethicone	BP	10 mg
		In a flavored sugar free base	IP	125 mg
		Approved colour used		q.s
		Each 5 ml contains:		

165	Ferrous bis-glycinate, Folic acid , Zinc bis-glycinate & Methylcobalamin Suspension	Ferrous bis-glycinate			
		eq. to elemental iron			
		Folic acid		15 mg	
		Zinc bis-glycinate	IP	0.37 mg	
		eq. to elemental zinc			
		Methylcobalamin		3.75 mg	
166	Sucralfate & Oxetacaine Suspension	In a flavored syrupy base	IP	250 mcg	
		Approved colour used		q.s	
		Each 5 ml contains:			
		Sucralfate			
		Oxetacaine	IP	1 g	
		In a flavored syrupy base	BP	10 mg	
167	Dextromethorphan Hbr, Cetirizine Hcl, Phenylephrine Hcl, Ambroxol Hcl, Guaiphenesin & Sodium Citrate Syrup	Approved colour used		q.s	
		Each 5 ml (Teaspoonful) contains:			
		Dextromethorphan Hydrobromide			
		Cetirizine Hydrochloride	IP	15 mg	
		Phenylephrine Hydrochloride	IP	5 mg	
		Ambroxol Hydrochloride	IP	10mg	
		Guaiphenesin	IP	30 mg	
		Sodium Citrate	IP	100 mg	
		In a Flavoured Syrupy Base	IP	75 mg	
		Approved colour used		q.s.	
168	Ofloxacin, Ornidazole & Racecadotril Oral Suspension	Each 5 ml contains:			
		Ofloxacin			
		Ornidazole	IP	50 mg	
		Racecadotril	IP	125 mg	
		Excipients	IP	15 mg	
169	Ferrous Ascorbate & Folic Acid Suspension	Approved colour used		q.s.	
		Each 5 ml contains:-			
		Ferrous Ascorbate	Eq. to Elemental Iron		30 mg
		Folic Acid	I.P		550 mcg
		in a flavoured syrupy base			q.s.
170	Calcium, Vitamin D3 & Vitamin B12 Suspension.	Approved colour used			
		Each 5 ml contains:-			
		Vitamin D3 (Cholecalciferol)	I.P		200 I.U.
		Vitamin B12	I.P		2.5 mcg
		Elemental Calcium (as Calcium Phosphate I.P 0.21gm)			82 mg
		Excipients			q.s.
171	Minerals with Protein Hydrolysate & Folic Acid Syrup.	Approved colour used			
		Each 15 ml contains:-			
		Protein Hydrolysate (From Soyabean 15%)			1.5 gm
		Protein Hydrolysate (From Casein 15%)			1.5 gm
		Ferric Ammonium Citrate	I.P.		300 mg
		Folic Acid	I.P.		1000 mcg
		Copper Sulphate	U.S.P		1 mg
		Manganese Sulphate	I.P		0.5 mg
		Magnesium Oxide	I.P		0.5 mg
		Selenium (as Sodium Selenate)	U.S.P		100 mcg
		Chromium (As Chromium Chloride)	U.S.P		150 mcg
		Flavoured Syrupy base			q.s.
172	Ursodeoxycholic Acid Suspension 250 mg	Approved colour used			
		Each 5 ml contains:			
		Ursodeoxycholic Acid	I.P.		250 mg
		In a flavoured Syrupy base			q.s.
173	Dicyclomine Hydrochloride , Dried Aluminum Hydroxide gel , Light Magnesium Oxide & Simethicone Suspension	Approved colour used			
		Each 5 ml contains:-			
		Dicyclomine hydrochloride	I.P.		2.5 mg
		Dried aluminium Hydroxide Gel	I.P.		200 mg
		Light Magnesium Oxide	I.P.		100 mg
		Simethicone	I.P		20 mg
174	Ferrous Ascorbate & Folic Acid Suspension	Approved colours used			
		Each 5 ml contains:-			
		Ferrous Ascorbate	Eq. to Elemental Iron		30 mg
		Folic Acid	I.P		550 mcg
		in a flavoured syrupy base			q.s.
Approved colour used					

175	Calcium, Vitamin D3 & Vitamin B12 Suspension.	Each 5 ml contains:-		
		Vitamin D3 (Cholecalciferol)	I.P.	200 I.U.
		Vitamin B12	I.P.	2.5 mcg
		Elemental Calcium (as Calcium Phosphate I.P 0.21gm)		82 mg
		Excipients		q.s.
Approved colour used				
176	Minerals with Protein Hydrolysate & Folic Acid Syrup.	Each 15 ml contains:-		
		Protein hydrolysate (From Soyabean 15%)		1.5 gm
		Protein hydrolysate (From Casein 15%)		1.5 gm
		Ferric Ammonium Citrate	I.P.	300 mg
		Folic Acid	I.P.	1000 mcg
		Copper Sulphate	U.S.P	1 mg
		Manganese Sulphate	I.P	0.5 mg
		Magnesium Oxide	I.P	0.5 mg
		Selenium (as Sodium Selenate)	U.S.P	100 mcg
		Chromium (As Chromium Chloride)	U.S.P	150 mcg
		Flavoured Syrupy base		q.s.
Approved colour used				
177	Ursodeoxycholic Acid Suspension 250 mg	Each 5 ml contains:		
		Ursodeoxycholic Acid	I.P.	250 mg
		In a flavoured Syrupy base		q.s.
Approved colour used				
178	Dicyclomine Hydrochloride , Dried Aluminum Hydroxide gel , Light Magnesium Oxide & Simethicone Suspension	Each 5 ml contains:-		
		Dicyclomine hydrochloride	I.P.	2.5 mg
		Dried aluminium Hydroxide Gel	I.P.	200 mg
		Light Magnesium Oxide	I.P.	100 mg
		Simethicone	I.P	20 mg
Approved colours used				
179	Ambroxol Hydrochloride, Terbutaline Sulphate, Guaiphenesin & Menthol Syrup	Each 5 ml contains:		
		Ambroxol Hydrochloride	I.P.	15 mg
		Terbutaline Sulphate	I.P.	1.5 mg
		Guaiphenesin	I.P.	50 mg
		Menthol	I.P.	1.25 mg
		Flavoured syrup base		q.s.
Approved colour used				
180	Rifaximin oral suspension	Each 5 ml Contains:		
		Rifaximin	BP	100 mg
		Flavoured syrup base		q.s.
Approved colour used				
181	Dried Aluminium Hydroxide Gel, Magnesium Hydroxide, Simethicone & Sodium Carboxymethyl Cellulose Suspension.	Each 5 ml contains:		
		Dried Aluminium Hydroxide Gel	I.P.	250 mg
		Magnesium Hydroxide	I.P.	250 mg
		Simethicone	I.P.	50 mg
		Sodium Carboxymethyl Cellulose	I.P.	5 mg
Flavoured sorbitol solution		q.s.		
Approved colour used				
182	Magaldrate, Simethicone & Oxetacaine Suspension.	Each 5 ml contains:		
		Magaldrate	I.P.	400 mg
		Simethicone	I.P.	20 mg
		Oxetacaine	BP	5 mg
Flavoured base		q.s.		
Approved colour used				
183	Dextromethorphan Hydrobromide, Bromhexine Hydrochloride, Phenylephrine Hydrochloride & Menthol Syrup.	Each 5 ml contains:		
		Dextromethorphan Hydrobromide	I.P.	5 mg
		Bromhexine Hydrochloride	I.P.	4 mg
		Phenylephrine Hydrochloride	I.P.	5 mg
		Menthol	I.P.	2.5 mg
Flavoured syupy base		q.s.		
Approved colour used				
184	Artemether & Lumefantrine Syrup	Each 5 ml of reconstituted suspension contains:		
		Artemether	I.P.	20 mg
		Lumefantrine	USP	120 mg
		Flavoured syrupy base		q.s.
Approved colour used				

185	Enzyme Syrup with Multivitamins	Each 15 ml contains:			
		Pepsin (1:3000)	I.P.	20 mg	
		Thiamine Hydrochloride	I.P.	2.5 mg	
		Riboflavin	I.P.	2.5 mg	
		Niacinamide	I.P.	25 mg	
		Pyridoxine Hydrochloride	I.P.	1 mg	
		Cyanocobalamin	I.P.	5 mcg	
		D-Panthenol	I.P.	6 mg	
		Flavoured syrupy base		q.s.	
186	Vitamin B-Complex with D-Panthenol & L-Lysin Hydrochloride Syrup	Each 15 ml contains:			
		L-Lysin Hydrochloride	USP	50 mg	
		Thiamine Hydrochloride	I.P.	2.5 mg	
		Riboflavin	I.P.	2.5 mg	
		Pyridoxine Hydrochloride	I.P.	1 mg	
		Cyanocobalamin	I.P.	5 mcg	
		Niacinamide	I.P.	25 mg	
		D-Panthenol	I.P.	2.5 mg	
		Flavoured syrupy base		q.s.	
187	Paracetamol Paediatric Oral Suspension I.P. 150 mg	Each ml contains:-			
		Paracetamol	I.P.	150 mg	
		Flavoured syrupy base		q.s.	
188	Ferrous Ascorbate & Folic Acid Suspension I.P	Each 5 ml contains:-			
		Ferrous Ascorbate	Eq. to Elemental	I.P	30 mg
		Iron			
		Folic Acid		I.P	550 mcg
		in a flavoured syrupy base			q.s.
189	Vitamin B-Complex with D-Panthenol & L-Lysin Hydrochloride Syrup	Each 15 ml contains:			
		L-Lysin Hydrochloride	USP	50 mg	
		Thiamine Hydrochloride	I.P.	2.5 mg	
		Riboflavin	I.P.	2.5 mg	
		Pyridoxine Hydrochloride	I.P.	1 mg	
		Cyanocobalamin	I.P.	5 mcg	
		Niacinamide	I.P.	25 mg	
		D-Panthenol	I.P.	2.5 mg	
		Flavoured syrupy base		q.s.	
190	Acebrophylline, Terbutaline Sulphate, Guaiphenesin Syrup	Each 15 ml contains:			
		Acebrophylline		50 mg	
		Terbutaline Sulphate	I.P.	1.25 mg	
		Guaiphenesin	I.P.	50 mg	
		Mentholated syrupy Base		q.s.	
191	Pheniramine Maleate, Ammonium Chloride & Menthol Syrup	Each 5 ml contains:			
		Pheniramine Maleate	I.P.	15 mg	
		Ammonium Chloride	I.P.	125 mg	
		Menthol	I.P.	1.14 mg	
		Flavoured syrupy Base		q.s.	
192	Levocetirizine & Ambroxol Hydrochloride Syrup	Each 5 ml contains:			
		Levocetirizine Hydrochloride	I.P.	2.5 mg	
		Ambroxol Hydrochloride	I.P.	15 mg	
		Flavoured syrupy base		q.s.	
193	Ofloxacin & Tinidazole Suspension	Each 5 ml contains:			
		Ofloxacin	I.P.	50 mg	
		Tinidazole	I.P.	150 mg	
		Flavoured syrupy base		q.s.	
194	Sucralfate & Domperidone Suspension	Each 5 ml contains:			
		Sucralfate	I.P.	500 mg	
		Domperidone	I.P.	5 mg	
		Flavoured syrupy base		q.s.	
		Approved colours used			

195	Ambroxol, Loratadine & Guiaphensine Syrup	Each 5 ml contains:		
		Ambroxol Hydrochloride	I.P.	30 mg
		Loratadine	I.P.	5 mg
		Guiaphensine	I.P.	50 mg
		Flavoured syupy base		q.s.
Approved colour used				
196	Dextromethorphan, Phenylephrine Hydrochloride, Ambroxol, Chlorpheniramine Maleate & Menthol Syrup.	Each 5 ml contains:		
		Dextromethorphan Hydrobromide	I.P.	10 mg
		Phenylephrine Hydrochloride	I.P.	5 mg
		Ambroxol Hydrochloride	I.P.	15 mg
		Chlorpheniramine Maleate		4 mg
		Menthol		1 mg
		Flavoured syupy base		q.s.
Approved colour used				
197	Terbutaline Sulphate, Bromhexine Hydrochloride, Guaiphenesin Guaiphenesin & Menthol Syrup	Each 10 ml contains:		
		Terbutaline Sulphate	I.P.	2.5 mg
		Bromhexine Hydrochloride	I.P.	8 mg
		Guaiphenesin	I.P.	100 mg
		Menthol	I.P.	2 mg
		Flavoured syrup base		q.s.
Approved colour used				
198	Ambroxol Hydrochloride, Terbutaline Sulphate, Guaiphenesin & Menthol Syrup	Each 5 ml contains:		
		Ambroxol Hydrochloride	I.P.	15 mg
		Terbutaline Sulphate	I.P.	1.5 mg
		Guaiphenesin	I.P.	50 mg
		Menthol	I.P.	1.25 mg
		Flavoured syrup base		q.s.
Approved colour used				
199	Paracetamol, Phenylephrine Hydrochloride & Chlorpheniramine Maleate Drop	Each ml contains:		
		Paracetamol	I.P.	125 mg
		Phenylephrine Hydrochloride	I.P.	2.5 mg
		Chlorpheniramine Maleate	I.P.	1 mg
		Flavoured syrup base		q.s.
Approved colour used				
200	Terbutaline Sulphate, Guaiphenesin, Ambroxol Hydrochloride, & Menthol Syrup	Each 5 ml contains:		
		Terbutaline Sulphate	I.P.	1.25 mg
		Ambroxol Hydrochloride	I.P.	30 mg
		Guaiphenesin	I.P.	50 mg
		Menthol	I.P.	0.5 mg
		Flavoured syrup base		q.s.
Approved colour used				
201	Ferrous Bisglycinate , Folic Acid , Vitamin B12 , Zinc Picolinate Syrup	Each 5 ml contains:		
		Ferrous Bisglycinate		75 mg
		Eq. to Elemental Iron		15 mg
		Folic Acid	I.P.	0.25 mg
		Vitamin B12	I.P.	3.75 mcg
		Zinc Picolinate		26 mg
		Eq. to Elemental Zinc		5.5 mg
		In a Flavoured Syrupy base		q.s.
Approved colour used				
202	Potassium Citrate , Magnesium Citrate & Pyridoxine HCl. Syrup	Each 5 ml contains:		
		Potassium Citrate Monohydrate	I.P.	1100 mg
		Magnesium Citrate	U.S.P.	375 mg
		Pyridoxine Hydrochloride	I.P.	20 mg
		In a flavoured Palatable Base		q.s.
Approved coloured use				
203	Magaldrate and Simethicone Oral Suspension I.P	Each 5 ml contains:		
		Magaldrate	I.P.	400 mg
		Simethicone	I.P.	60 mg
		Sorbitol Solution (70%) (Non Crystallising)	I.P.	
		Flavoured base		q.s.
Approved Colours used				
204	Vitamin B-complex with L-Lysine Syrup (In a flavoured Syrupy base)	Each 5 ml contains:		
		Thiamine Hydrochloride	I.P.	2.5 mg
		Riboflavin	I.P.	2.5 mg
		Pyridoxine Hydrochloride	I.P.	0.75 mg
		Niacinamide	I.P.	25.0 mg
		D-Panthenol	I.P.	3.0 mg
		Cyanocobalamin	I.P.	5 mcg
L-Lysine hydrochloride	I.P.	37.5 mg		

OINTMENT

1	Sertaconazole	Sertaconazole Nitrate	B.P.	2.00% w/w
	Nitrate Cream BP	In a cream Base		q.s.
2	Ketoconazole	Ketoconazole	I.P	2.00% w/w
	Cream	In a cream Base		q.s.
3	Mupirocin Ointment IP	Mupirocin	I.P	2.00% w/w
		In a Ointment Base		q.s.
4	Itraconazole Gel	Itraconazole	B.P.	1.00 % w/w
		In a Gel Base		q.s.
5	Fradiomycin	Fradiomycin		
	Skin Cream	(Neomycin Sulphate I.P.)	J.P	0.50 % w/w
		In a Cream Base		q.s.
6	Povidone Iodine & Sucralfate Ointment	Povidone Iodine	I.P	5.0% w/w
		Sucralfate	USP	7.0 % w/w
		In a Ointment Base		q.s.
7	Choline Salicylate & Lignocaine Hydrochloride Gel	Choline Salicylate	B.P.	8.70% w/w
		Solution Eq.to		
		Choline Salicylate		
		Lignocaine Hydrochloride	I.P	2.0% w/w
		Benzalkonium Chloride Solution	I.P	0.010% w/w
		In a flavoured Palatable gel Base		
8	Povidone Iodine, Metronidazole Aloe Vera Ointment	Povidone Iodine	I.P	5.0 % w/w
		(available Iodine 0.5% w/w)		
		Metronidazole	I.P	1.0% w/w
		Aloe Vera		1.5% w/w
		In a water soluble Ointment Base		q.s.
9	Diclofenac Diethylimine Linseed Oil, Thiocholchicoside Methyl Salicylate Menthol & Benzyl Alcohol Gel	Diclofenac Diethylimine	B.P	1.16% w/w
		(Eq.to Diclofenac Sodium		
		1.0% w/w)		
		Thiocholchicoside	I.P	0.125% w/w
		Linseed Oil,	B.P	3% w/w
		Methyl Salicylate	I.P	10% w/w
		Menthol	I.P	5.0% w/w
	Benzyl Alcohol	I.P	1.0% w/w	
		(as preservative)		
		In a Gel Base		q.s.
10	Silver Sulphadiazine & Chlorhexidine Gluconate Cream	Silver Sulphadiazine		
		Chlorhexidine	I.P	1.0% w/w
		Gluconate Solution	I.P	0.20 % w/w
		Chlorocresol	I.P	0.10% w/w
		(as preservative)		
		In a Cream Base		q.s.
11	Povidone Iodine, Sucralfate & Metronidazole Ointment	Povidone Iodine	I.P	5.0% w/w
		(available Iodine 0.5% w/w)		
		Sucralfate	USP	7.0% w/w
		Metronidazole	I.P	1.0% w/w
		In a Ointment Base		q.s.
12	Povidone Iodine, Sucralfate & Tinidazole Ointment	Povidone Iodine	I.P	5.0% w/w
		(available Iodine 0.5% w/w)		
		Sucralfate	USP	7.0% w/w
		Tinidazole	I.P	1.0% w/w
		In a Ointment Base		q.s.
13	Povidone Iodine & Metronidazole Ointment	Povidone Iodine	I.P	5.0% w/w
		(available Iodine 0.5% w/w)		
		Metronidazole	I.P	1.0% w/w
		In a Ointment Base		q.s.
14	Aminacrine Hydrochloride & Cetrimide Emulsion	Aminacrine		0.10g
		Hydrochloride		
		Cetrimide	I.P	0.50g
		Emulsion Base		q.s.
15	Povidone Iodine, Metronidazole & Dexapanthenol Ointment	Povidone Iodine	I.P	5.0% w/w
		(available Iodine 0.5% w/w)		
		Metronidazole	I.P	1.0% w/w
		Dexapanthenol	I.P	5.0% w/w
		In a water soluble Ointment Base		q.s.

16	Gamma Benzene Hexachloride, Strong Cetrimide Solution & Proflavin Hemisulphate Cream	Gamma Benzene Hexachloride Proflavin Hemisulphate Strong Cetrimide Solution Eq. to Cetrimide In a Cream Base	I.P I.P B.P	0.10% w/w 0.10% w/w 0.45% w/w q.s.
17	Diclofenac Diethylamine Gel BP	Diclofenac Diethylamine (Eq. to Diclofenac Sodium 1.0% w/w) In a Gel Base	B.P	1.16% w/w q.s.
18	Clobetasol Propionate, Neomycin Sulphate, Tolnaftate, Idochlorohydr- oxyquinoline & Ketoconazole Cream	Clobetasol Propionate Neomycin Sulphate Tolnaftate Idochlorohydroxyquinoline Ketoconazole In a Cream Base	I.P I.P I.P I.P I.P	0.05% w/w 0.10% w/w 1.0% w/w 1.0% w/w 2.0% w/w q.s.
19	Clobetasol Propionate Neomycin Sulphate Miconazole Nitrate Cream	Clobetasol Propionate Neomycin Sulphate Miconazole Nitrate In a Cream Base	I.P I.P I.P	0.05% w/w 0.5% w/w 2.0% w/w q.s.
20	Clobetasol Propionate, Ofloxacin, Itraconazole & Ornidazole Cream	Clobetasol Propionate, Ofloxacin Itraconazole Ornidazole Methyl Paraben (as Preservative) Propyl Paraben (as Preservative) In a Cream Base	I.P I.P USP I.P I.P	0.05% w/w 0.75% w/w 1.0% w/w 2.0% w/w 0.20% w/w I.P 0.02% w/w q.s.
21	Tacrolimus Ointment	Tacrolimus In a Ointment Base	USP	1.00 mg q.s.
22	Miconazole Nitrate	Miconazole Nitrate In a Gel Base	J.P	2.0% w/w q.s.
23	Diclofenac Diethylimine Linseed Oil, Methyl Salicylate Menthol & Benzyl Alcohol Gel	Diclofenac Diethylimine (Eq.to Diclofenac Sodium 1.0% w/w) Linseed Oil, Methyl Salicylate Menthol Benzyl Alcohol (as preservative) In a Gel Base	B.P B.P I.P I.P I.P	1.16% w/w 3% w/w 10% w/w 5.0% w/w 1.0% w/w q.s.
24	Povidone Iodine & Ornidazole Ointment	Povidone Iodine (available Iodine 0.5% w/w) Ornidazole In a Ointment Base	I.P I.P	5.0% w/w 1.0% w/w q.s.
25	Clindamycin Phosphate & Benzoyl Peroxide Topical Gel	Clindamycin Phosphate Eq. to Clindamycin Hydrous Benzoyl Peroxide Eq. to Benzoyl Peroxide In a Gel Base	I.P I.P	1.0% w/w 2.5% w/w q.s.
26	Clobetasol Propionate Cream IP	Clobetasol Propionate In a Base Cream	I.P	0.05% w/w q.s.

27	Clotrimazole Cream	Clotrimazole In a Base Cream	I.P	2.0% w/w q.s.
28	Beclomethasone Dipropionate, & Clotrimazole Cream	Beclomethasone Dipropionate Clotrimazole In a Cream Base	I.P I.P	0.025% w/w 1.0% w/w q.s.
29	Eberconazole Nitrate & Mometasone Furate Cream	Eberconazole Nitrate Mometasone Furoate In a Cream Base	I.P I.P	1.0% w/w 0.1% w/w q.s.
30	Econazole Nitrate Cream IP	Econazole Nitrate In a Cream Base	I.P	1.0% w/w q.s.
31	Capsacin gel	Capsacin Benzyl Alcohol (as Preservative) In a Gel Base	USP	0.025% w/w 1.0% w/w q.s.
32	Metronidazole and Povidone Iodine Ointment	Metronidazole Povidone Iodine (Available Iodine 1.0% w/w) Water soluble Ointment base	I.P I.P	2 % w/w 10% w/w q.s.
33	Etoricoxib Linseed Oil Methyl Salicylate & Menthol Gel	Each gm contain: Etoricoxib Linseed Oil Methyl Salicylate Menthol In a Gel Base	B.P I.P I.P	10 mg 30 mg 100 mg 50 mg q.s.
34	Ciprofloxacin Hydrochloride, Clotrimazole, Neomycin Sulphate & Fluocinolone Acetonide Cream	Ciprofloxacin Hydrochloride Eq. to Ciprofloxacin Fluocinolone Acetonide Clotrimazole Neomycin Sulphate Cream Base	I.P I.P I.P I.P	0.5 % w/w 0.025 % w/w 1.0% w/w 0.5 % w/w q.s.
35	Clobetasol Propionate, Gentamicin, Tolnaftate, Lodochlorhydroxy Quinoline & Clotrimazole Cream	Clobetasol Propionate Gentamicin Sulphate Eq. to Gentamicin Tolnaftate Lodochlorhydroxyquinoline Clotrimazole Cream base	I.P I.P I.P I.P I.P	0.05% w/w 0.10% w/w 1.0% w/w 1.0% w/w 1.0% w/w q.s.
36	Povidone-Iodine Ointment USP	Povidone-Iodine (available Iodine 0.5% w/w) Water-soluble ointment base.	I.P	5% w/w q.s.
37	Terbinafine Cream	Terbinafine Cream In a cream base	B.P	1% w/w q.s.
38	Clobetasol Propionate, Miconazole Nitrate & Neomycin Sulphate Cream	Clobetasol Propionate Miconazole Nitrate Neomycin Sulphate Eq.to Neomycin Clobetasol (As preservative) Cream base	I.P I.P I.P I.P	0.05% w/w 2.0% w/w 0.5% w/w 0.1% w/w

39	Ofloxacin, Ornidazole, Terbinafine Hydrochloride with Clobetasol Propionate Cream	Ofloxacin Ornidazole Terbinafine Hydrochloride Clobetasol Propionate Methylparaben (as preservative) Propylparaben (as preservative) In non-greasy base	I.P I.P B.P I.P I.P I.P	0.75% w/w 2.0% w/w 1.00% w/w 0.05% w/w 0.2% w/w 0.02% w/w q.s.
40	Beclomethasone Dipropionate and Salicylic acid Ointment	Beclomethasone Dipropionate Salicylic acid Base	I.P I.P	0.1% w/w 3.0% w/w q.s.
41	Hydroquinone, Tretinoin, Mometasone furoate Cream	Hydroquinone, Tretinoin, Mometasone furoate In a cream base	USP USP I.P	2 % w/w 0.025 % w/w 0.1% w/w q.s.
42	Permethrin Cream 5%	Permethrin Cream base		5% w/w q.s.
43	Clindamycin Phosphate Gel USP	Clindamycin Phosphate Eq to Clindamycin Gel base	USP	1% w/w q.s.
44	Mometasone Cream IP	Mometasone Furoate Cream base	I.P	0.1% w/w q.s.
45	Hydroquinone Tretinoin, Hydrocortisone Cream	Hydroquinone Tretinoin, Hydrocortisone Acetate Cream base	USP USP I.P	2.5 w/w 0.05% w/w 1.0% w/w q.s.
46	Fusidic acid Cream	Fusidic acid Cream base	I.P	2 % w/w
47	Calamine,Zinc Oxide,Bentonite, Glycerine & Sodium Sitrate Lotion	Calamine Oxide Glycerine Sitrate Lotion Base.	usp I.P I.P I.P I.P	15%w/w 5%w/w 3%w/w 5%w/w 0.5%w/w
48	Halobetasol & Salicylic acid Ointment	Halobetasol Propionate Salicylic acid Ointment base		0.05 % w/w 6% w/w q.s.
49	Clotrimazole, Beclomethasone Dipropionate & Neomycin Sulphate Cream	Each gram Contains Clotrimazole Beclomethasone Dipropionate Neomycin Sulphate Cream Base	I.P I.P I.P	1 % w/w 0.025% w/w 0.5%w/w q.s.
51	Providone Iodine Ointment USP	Providone Iodine (Available Iodine 1.0% w/w) Water soluble Ointment Base	I.P	10% w/w q.s.
52	Clobetasol & Salicylic acid Cream	Clobetasol Propionate Salicylic acid in a Cream base	I.P I.P	0.05%w/w 6.00% w/w q.s.
53	Heparin sodium and Benzyl Nicotinate Ointment	Each g Contains: Heparin sodium Benzyl Nicotinate Sorbic acid (preservative) In a Cream base	I.P I.P	50 I.U. 2 mg. 1.97 mg q.s.

54	Clobetasol Propionate and Neomycin Sulphate Cream	Clobetasol Propionate Neomycin Sulphate Chlorocresol (preservative) In a Cream base	I.P I.P I.P	0.05% w/w 0.5% w/w 0.1% w/w q.s.
55	Clobetasol Propionate and Ketoconazole Cream	Clobetasol Propionate Ketoconazole Chlorocresol (as preservative) In a Cream base	I.P I.P I.P	0.05% w/w 2% w/w 0.1% w/w q.s.
56	Clotrimazole, menthol,lcthammol, boric acid & zinc oxide cream	Clotrimazole, Menthol Lcthammol boric acid zinc oxide In a Cream base	I.P I.P B.P I.P I.P	0.50% w/w 1.00% w/w 0.20% w/w 1.00% w/w 5.00% w/w q.s.
57	Luliconazole Cream 1.0% w/w	Luliconazole Preservative Benzyl Alcohol Cream base q.s.	I.P	1.0% w/w 1.0% w/w
58	Mometasone+Terbinafine HCl Cream	Mometasone furoate Terabinafine HCl Cream base Preservative Benzyl Alcohol Cream base	I.P USP I.P	0.1% w/w 1% w/w q.s. 1.0% w/w q.s.
59	Diclofenac gel with Linseed Oil.methyl Salicylate menthol& Benzyl Alcohol	Diclofenac Diethylamine Eq.to Diclofenac Sodium Linseed Oil Methyl Salicylate Menthol Benzyl alcohol In a Gel Base	BP I.P BP I.P I.P I.P	1.16% w/w 1.0% w/w 3.0% w/w 10.0% w/w 5.0% w/w 1.0% w/w q.s.
60	Aceclofenac gel with Linseed Oil.methyl Salicylate menthol& Capaicin	Aceclofenac gel Linseed Oil Methyl Salicylate Menthol Capaicin In a Gel Base	I.P	1.5% w/w 3% w/w 10% w/w 5% w/w 0.01% w/w q.s.
61	Mometasone Hydroquinone & Tretinoin Cream	Mometasone furate Hydroquinone & Tretinoin In Cream base	I.P USP USP	0.1% w/w 2.0% w/w 0.025% w/w q.s.
62	Mometasone Fusidic Acid Cream	Mometasone furate Fusidic Acid In Cream base	I.P I.P	0.1% w/w 2 % w/w q.s.
63	Clindamycin & Nicotinamide Gel	Clindamycin phosphate Eq. to Clindamycin Nicotinamide Gel base	I.P I.P	1 % w/w 4 w/w q.s.
64	Mometasone & Terabinafine HCL Cream	Mometasone furoate Terabinafine HCL In Cream base	I.P USP	0.1% w/w 1.0 % w/w q.s.
65	Beclomethasone & Neomycin Cream	Beclomethasone Dipropionate Neomycin Sulphate In Cream base	I.P I.P	0.025% w/w 0.5% w/w q.s.

66	Clindamycin & Adapalene Gel	Clindamycin Phosphate Eq.to Clindamycin Adapalene In Gel base	USP USP	1.0% w/w 0.1% w/w
67	Liquid Parafin & White Soft Paraffin Cream	Liquid Parafin & White Soft Paraffin In Cream base	I.P.	6.0% w/w 15% w/w q.s.
68	Potassium nitrate, triclosan with fluoride medicated oral gel	Potassium nitrate, Sodium monofluorophosphate Triclosan (Available Fluoride contents 917 ppm) In a pleasantly flavoured base	BP USP USP	5% w/w 0.7 % w/w 0.3% w/w
69	Ketoconazole & ZPTO Shampoo	Ketoconazole Zinc pyrithione (zpto) In Shampoo Base	IP IP	2.0%W/V 0.1%W/V q.s.
70	Sertaconazole & ZPTO Shampoo	Sertaconazole Zinc Pyrithione In Shampoo Base	 IP	2.0%W/V 1.0%W/V q.s.
71	Diclofenac Diethylamine , Virgin Linseed Oil, Methyl Salicylate, Menthol Capsaicin Gel	Diclofenac Diethylamine Eq. to Diclofenac Sodium Virgin Linseed Oil Methyl Salicylate Menthol Capsaicin Preservatives: Benzyl Alcohol Gel base	IP BP IP IP USP IP	1.16%W/W 1.0%W/W 3%W/W 10W/W 5%W/W 0.025%W/W 1%W/W q.s.
72	Tacrolimus Ointment	Tacrolimus Ointment base	I.P.	0.03%W/W
73	Mometasone Furoate Topical Solution USP 0.1W/V	Mometasone Furoate In Aqueous base	I.P.	0.1%W/V
74	Clotimazole & Beclomethasone Lotion	Clotimazole Beclomethasone Dipropionate Base	I.P. I.P.	1% W/V 0.025%W/V
75	Lidocaine Hydrochloride Gel I.P.	Lidocaine Hydrochloride Eq. to An Hydrous Lidocaine Hydrochloride Methyl Paraben Propyl Paraben Water Soluble base	I.P. I.P. I.P. I.P.	 2.0%W/V 0.061%W/W 0.027%W/W q.s.
76	Ciprofloxacin, Metronidazole Terbinafine Hydrochloride & Clobetasole Propionate Cream	Ciprofloxacin Hydrochloride Eq. to Ciprofloxacin Metronidazole Benzoate Eq. to Metronidazole Terbinafine Hydrochloride Clobetasole Propionate Preservatives: Methyl Paraben Propyl Paraben Cream Base	IP IP IP IP IP IP IP	 1.0%W/W 1.0%W/W 1.0%W/W 0.5%W/W 0.16%W/W 0.033%W/W q.s.
77	Clotrimazole Topical Solution	Clotrimazole Non-aqueous Base	I.P.	1%W/V q.s.

78	Clotrimazole, Beclomethasone	Clotrimazole	IP	1%W/V
	Choline Salicylate	Becomethasone Dipropionate	IP	0.025%W/V
	Benzalkonium Chloride	Choline Salicylate Solution	BP	
	Mouth Paint	Eq. to Choline Salicylate		9%W/V
		Benzalkonium Chloride Solution	IP	0.02%W/V
		In Propylene Glycol & Glycerine Base		q.s.
		Approved Colour Used		
79	Clotrimazole Mouth Paint	Clotrimazole	I.P.	1 %W/v
		In Propylene Glycol & Glycerine Base		q.s.
80	Fluocinolone Acetonide Cream IP	Fluocinolone Acetonide	IP	0.025%W/W
		Non-greasy base		q.s.
		Preservatives:		
		Methyl Paraben	IP	0.15%w/w
		Propyl Paraben	IP	0.05%w/w
81	Clobetasole Propionate	Clobetasole Propionate	IP	0.05%W/W
	Neomycin Sulphate	Neomycin Sulphate	IP	0.50%W/W
	Miconazole Nitrate and	Miconazole Nitrate	IP	2.00%W/W
	Chlorhexidine Gluconate Cream	Chlorhexidine Gluconate Solution	IP	0.20%W/W
		Chlorocresol (as preservative)	IP	0.10%W/W
		In Cream base		q.s.
82	Clindamycin Phosphate Topical Solution USP	Clindamycin Phosphate	IP	
		Eq. to Clindamycin		1.00%W/V
		Solution Base		
83	Sertaconazole Nitrate Lotion 2%w/v	Sertaconazole Nitrate	I.P.	2%W/V
		Propylene Glycol I.P. Base		
84	Clindamycin Phosphate Gel USP	Clindamycin Phosphate	IP	
		Eq. to Clindamycin		1.00%W/W
		Preservatives:		
		Sodium Methyl Paraben	IP	0.10%W/W
		Sodium Propyl Paraben	IP	0.05%W/W
		Gel Base		q.s.
85	Halobetasole Propionate+	Halobetasole Propionate	U.S.P.	0.05%W/W
	Fusidic Acid Cream (0.05%w/w+2%w/w)	Fusidic Acid	I.P.	2%W/W
		Cream Base		q.s.
		Preservatives:		
		Phenoxyethnol	I.P.	0.7%W/W
86	Halobetasole Propionate	Halobetasole Propionate	USP	0.05%W/W
	Salicylic Acid Ointment	Salicylic Acid	IP	6%W/W
		In an Ointment base		q.s.
87	Adapalene Gel	Adapalene		0.1%w/w
	Microspheres 0.1%5w/w	(Microspheres)		q.s.
		In aqueous gel base		
88	Adapalene & Benzoyl Peroxide Gel	Each gm of gel Contains:		
		Adapalene	BP	1 mg
		Benzoyl Peroxide		25 mg
		In a gel base		q.s.
89	Nadifloxacin Cream I.P. 1%W/W	Each gm of Cream Contains:		
		Nadifloxacin	I.P.	10 mg
		In a Cream base		q.s.
90	Diltiazem Hydrochloride Gle 2%w/w	Diltiazem Hydrochloride	I.P.	25W/W
		Gle base		
91	Tacrolimus Ointment 0.1%w/w	Tacrolimus	.P.	0.1%W/W
		In an Ointment base		
92	Amorolfine Cream 0.25%w/w	Amorolfine Hydrochloride	I.P.	0.25%W/W
		Eq. to Amorolfine		
		In Cream base		

93	Mometasone Furoate 0.1%+	Each gm of Ointment Contains:		
	Salicylic Acid 5% Ointment	Mometasone Furoate	I.P.	1 mg
		Salicylic Acid	I.P.	50 mg
		In an Ointment base		q.s.
94	Clobetasole Propionate	Clobetasole Propionate	I.P.	0.05%W/W
	& Fusidic Acid Cream	Fusidic Acid	I.P.	2.0%W/W
95	Sertaconazole Nitrate &	Sertaconazole Nitrate	IP	2.0%W/W
	Beclomethasone Dipropionate Cream IP	Beclomethasone Dipropionate	IP	0.025%W/W
		Cream base		
96	Salicylic Acid & Coal Tar Solution	Salicylic Acid	IP	3%W/W
		Coal Tar	BP	1%W/W
97	Lignocaine, Silver	Lignocaine	IP	2%W/W
	Silver Sulphadiazine &	Silver Sulphadiazine	IP	1%W/W
	Chlorhexidine Gluconate Cream	Chlorhexidine Gluconate	IP	0.2%W/W
		In a Cream base		q.s.
98	Sucralfate, Metronidazole	Sucralfate	IP	7%W/W
	With Lignocaine Hydrochloride	Metronidazole	IP	1%W/W
	Cream	Lignocaine Hydrochloride	IP	4%W/W
		In a Cream base		q.s.
99	Clobetasple Propionate	Clobetasple Propionate	IP	0.05%W/W
	Neomycin Sulphate	Neomycin Sulphate	IP	0.5%W/W
	Miconazole Nitrate Zinx Oxide	Miconazole Nitrate	IP	2.0%W/W
	Borax Cream	Zinx Oxide	IP	2.5%W/W
		Borax	BP	0.05%W/W
		Chlorocresol	IP	0.01%W/W
		(as Preservatives)		
	In a Cream base		q.s.	
100	Sodium Fusidate	Each GM Contain:		
	Ointment BP	Sodium Fusidate	IP	20 mg
		Ointment Base		q.s.
101	Clobetasole Propionate	Clobetasole Propionate	IP	0.05%w/w
	and Fusidic Acid Cream	Fusidic Acid	IP	2.00%w/w
		Preservatives:		
		Butylated Hydroxytoluene	IP	0.005%w/w
		Sorbic Acid	IP	0.200%w/w
	In a Water Miscible Cream Base		q.s.	
102	Clobetasole Propionate	Clobetasole Propionate	IP	0.05%w/w
	Gentamicin Sulphate Cream	Gentamicin Sulphate	IP	
		Eq. to Gentamicin		0.10%W/W
		Chlorocresol	IP	0.10%W/W
		(as Preservatives)		
	In a Cream base		q.s.	
103	Beclomethasone Dipropionate	Beclomethasone Dipropionate	IP	0.025%W/V
	0.025% Lotion	In a Emulsion base		q.s.
104	Miconazole Cream IP	Miconazole Nitrate	IP	2.0%W/W
	2.0%W/W	In a Cream base		q.s.
105	Fluticasone Propionate Cream IP	Fluticasone Propionate	IP	0.05%W/W
		In a Cream base		q.s.
106	Fluticasone Propionate Cream IP	Fluticasone Propionate	IP	0.5%W/W
		In a Cream base		q.s.
107	Tannic Acid, Zinc Chloride	Tannic Acid	BP	2%W/V
	Lignocaine & Cetrimide	Zinc Chloride	IP	1%W/V
	Gum Astringent	Lignocaine Hydrochloride	IP	2%W/V
		Cetrimide		0.1%W/V
		Glycerine base		q.s.

108	Ketoconazole & Coal Tar Lotion	Coal Tar Solution	BP	4%W/V
		Ketoconazole	IP	2%W/v
		In Lotion base		
109	Povidone-iodine Germicide Gargle 2%w/v	Povidone-iodine	IP	2.0%W/V
		(0.2%w/v Available Iodine)		
		In a mint flavour aqueous base		q.s.
110	Benzoyl Peroxide Gel 2.5%w/w	Hydrous Benzoyl Peroxide	IP	
		Eq. to Anhydrous Benzoyl Peroxide		2.5%W/W
		In a gel base		
111	Clobetasole Propionate with Salicylic Acid Lotion	Clobetasole Propionate	IP	0.05%W/V
		Salicylic Acid	IP	3.0%WW/V
		Lotion Base		q.s.
112	Sucralfate & Mupirocin ointment	Sucralfate	USP	7%w/w
		Mupirocin	IP	2%w/w
		Water solubale Ointment base		q.s.
113	Clobetasole Propionate Salicylic Acid Urea and Lactic Acid Ointment	Clobetasole Propionate	IP	0.05%W/W
		Salicylic Acid	IP	6.0%W/W
		Urea	IP	10.0%W/W
		Lactic Acid	IP	3.0%W/W
		Sodium Lactate equivalent to Lactic Acid	IP	2.0%W/W
		In an Ointment base		q.s.
114	Clobetasole Propionate Gentamicin and Miconazole Nitrate Cream	Clobetasole Propionate	IP	0.05%W/W
		Gentamicin		0.1%W/W
		(as Gentamicin Sulphate IP)		
		Miconazole Nitrate	IP	2.0%W/W
		Chlorocresol	IP	0.1%W/W
		(as Preservatives)		
115	Ketoconazole Iodochlorhydroxyquinoline Tolnaftate, Clobetasole Neomycin Sulphate & Dexpanthenol Cream	Ketoconazole	IP	20mg
		Neomycin Sulphate	IP	
		Eq. to Neomycin		1mg
		Clobetasole Propionate	IP	0.5mg
		Tolnaftate	IP	10mg
		Iodochlorhydroxyquinoline	IP	10mg
		Dexpanthenol	USP	0.5mg
Cream Base		q.s.		
116	Ciprofloxacin Metronidazole Terbinafine Clobetasole Propionate Cream	Ciprofloxacin Hydrochloride	IP	
		Eq. to Ciprofloxacin		1.0%W/W
		Metronidazole Benzoate	IP	
		eq. to metronidazole		1.0%W/W
		Terbinafine Hydrochloride	IP	1.0%W/W
		Clobetasole Propionate	IP	0.05W/W
		Preservatives		
		Methyl Paraben	IP	0.16%W/W
		Propyl Paraben	IP	0.033%W/W
Cream Base		q.s.		
117	Clobetasol Propionate & Salicylic Acid Ointment	Clobetasol Propionate	IP	0.05%W/W
		Salicylic Acid	IP	3.00%W/W
		Added Butylated Hydroxytoluene(as preservative)	IP	0.01%W/W
		Ointment Base		q.s
118	Sucralfate , Silver sulphardiazine & Chlorhexidine Gluconate cream	COMPOSITION		
		Sucralfate	IP	7.0% w/w
		Silver sulphardiazine	USP	1.0% w/w
		Chlorhexidine Gluconate solution	IP	0.20 % w/w
119	Tannic acid , Zinc chloride & Chlorhexidine Gluconate gel	In a cream base		q.s
		COMPOSITION		
		Tannic acid	BP	3 % w/w
		Zinc chloride	IP	1 % w/w
		Chlorhexidine Gluconate	IP	0.2 % w/w
In a gel base		q.s		

120	Kojic acid & Vitamin C Cream	COMPOSITION		
		Kojic acid		0.75% w/w
		Vitamin C	IP	2.5 % w/w
		In a cream base		q.s
121	Fusidic acid & Beclomethasone Dipropionate Cream	COMPOSITION		
		Fusidic acid	IP	2.0% w/w
		Beclomethasone Dipropionate	IP	0.025% w/w
		Chlorocresol (as presevatitve)	IP	0.1% w/w
		In a Cream base		q.s
122	Calcium Dobesilate , Lignocaine , Hydrocortisone & Zinc Cream	COMPOSITION		
		Calcium Dobesilate Monohydrate	BP	
		Eq. to Anhydrous Calcium Dobesilate		0.5% w/w
		Lignocaine Hydrochloride	IP	
		eq.to Anhydrous Lignocaine		3 % w/w
		Hydrocortisone acetate	IP	0.25 % w/w
		Zinc oxide	IP	5% w/w
		Chlorocresol (as presevatitve)	IP	0.1% w/w
		In a cream base		q.s
123	Chlorhexidine Gluconate, Sodium Fluoride & Zinc chloride Mouth wash	COMPOSITION		
		Chlorhexidine Gluconate solution	IP	
		Diluted to Chlorhexidine Gluconate		0.20% w/v
		Sodium Fluoride	IP	0.05 %w/v
		Zinc chloride	IP	0.09 %w/v
				In a flavored aquous base
		Approved colour used		
124	Chlorhexidine Gluconate Sodium Monofluorophosphate & Triclosan Mouth wash	COMPOSITION		
		Chlorhexidine Gluconate solution	IP	
		Eq.to Chlorhexidine Gluconate		0.20 % w/v
		Sodium Monofluorophosphate	USP	0.07 % w/v
		Triclosan	USP	0.05% w/ v
				In a flavored aquous base
		Approved colour used		
125	Potassium Nitrate, Sodium Fluoride & Triclosan Mouth wash	COMPOSITION		
		Potassium Nitrate	BP	3 % w/v
		Sodium Fluoride	IP	0.2 % w/v
		Triclosan	USP	0.3 % w/v
				In a flavored aquous base
		Approved colour used		
126	Clobetasol Propionate, Fusidic Acid & Clotrimazole Cream	COMPOSITION		
		Clobetasol Propionate	IP	0.05 % w/w
		Fusidic Acid	IP	2 % w/w
		Clotrimazole	IP	1 % w/w
				Cream base
127	Clobetasol Propionate & Salicylic Acid lotion	COMPOSITION		
		Clobetasol Propionate	IP	0.05% w/w
		Salicylic Acid	IP	3.5 % w/w
				Lotion base
		Approved colour used		
128	Mometasone Furoate, Fusidic Acid & Clotrimazole Cream	COMPOSITION		
		Mometasone Furoate	IP	0.1 %w/w
		Fusidic Acid	IP	2 % w/w
		Clotrimazole	IP	1 % w/w
				Cream base
129	Chlorhexidine Gluconate, Sodium monofluoride & Triclosan mouth wash	COMPOSITION		
		Chlorhexidine Gluconate solution	IP	0.2 % w/v
		Sodium monofluoride	IP	0.07% w/v
		Triclosan	USP	0.05% w/v
				aquous base
		Approved colour used		
130	Clindamycin Phosphate & Isotretinoin Gel	Composition :-		
		Clindamycin Phosphate Eq. to Clindamycin	I.P	1.0% w/w
		Isotretinoin	I.P	0.05 % w/w
		Gel base		q.s
131	Halobetasol Propionate & salicylic acid ointement	Composition:-		
		Halobetasol Propionate	U.S.P	0.05% w/w
		Salicylic Acid	I.P	3.0 % w/w
		In ointment base		q.s.
132	Tacrolimus Ointments 0.03% w/w	Composition:-		
		Tacrolimus	I.P	0.03%w/w
				In Ointment base

133	Tacrolimus Ointments 0.1% w/w	Composition:-		
		Tacrolimus	I.P.	0.1 % w/w
		In Ointment base		q.s.
134	Octinoxate ,Octocrylene , Oxybenzone, Avobenzene & Zinc Oxide Aqua Lation	Composition:-		
		Octinoxate	U.S.P	7.5 w/v
		Octocrylene	U.S.P.	3.0 % w/v
		Oxybenzone	U.S.P	3.0% w/v
		Avobenzene	U.S.P	2.0% w/v
		Zinc Oxide	U.S.P	2.0 % w/v
		Base	I.P.	q.s
135	Povidone Iodine Solution I.P. 1% w/w	Composition:-		
		Povidone-Iodine (0.1 % w/w available Iodine)	I.P.	1 % w/w
	In water soluble ointment base			
136	Piroxicam Gel B.P 5.0 % w/w	Composition :-		
		Piroxicam	I.P.	5.0 % w/w
		Gel Base		q.s.
137	Fluocinolone Acetonide Cream I.P 0.025% w/w	Composition		
		Flucinolone Acetonide	I.P	0.025% w/w
		In Cream base		q.s
138	Tretinoin Cream USP	Composition :-		
		Tretinoin Cream	U.S.P	0.05 % w/w
		Cream Base		q.s
139	Ketoprofen Gel B.P.	Composition		
		Ketoprofen	I.P.	2.50%
		Gel base		q.s
140	Clindamycin Phosphate & Isotretinoin Gel	Composition :-		
		Clindamycin Phosphate Eq. to Clindamycin	I.P	1.0% w/w
		Isotretinoin	I.P	0.05 % w/w
		Gel base		q.s
141	Halobetasol Propionate & salicylic acid ointement	Composition:-		
		Halobetasol Propionate	U.S.P	0.05% w/w
		Salicylic Acid	I.P	3.0 % w/w
		In ointment base		q.s.
142	Tacrolimus Ointments 0.03% w/w	Composition:-		
		Tacrolimus	I.P	0.03%w/w
		In Ointment base		q.s.
143	Tacrolimus Ointments 0.1% w/w	Composition:-		
		Tacrolimus	I.P.	0.1 % w/w
		In Ointment base		q.s.
144	Octinoxate ,Octocrylene , Oxybenzone, Avobenzene & Zinc Oxide Aqua Lation	Composition:-		
		Octinoxate	U.S.P	7.5 w/v
		Octocrylene	U.S.P.	3.0 % w/v
		Oxybenzone	U.S.P	3.0% w/v
		Avobenzene	U.S.P	2.0% w/v
		Zinc Oxide	U.S.P	2.0 % w/v
		Base	I.P.	q.s
145	Povidone Iodine Solution I.P. 1% w/w	Composition:-		
		Povidone-Iodine (0.1 % w/w available Iodine)	I.P.	1 % w/w
	In water soluble ointment base			
146	Piroxicam Gel B.P 5.0 % w/w	Composition :-		
		Piroxicam	I.P.	5.0 % w/w
		Gel Base		q.s.
147	Fluocinolone Acetonide Cream I.P 0.025% w/w	Composition		
		Flucinolone Acetonide	I.P	0.025% w/w
		In Cream base		q.s
148	Tretinoin Cream USP	Composition :-		
		Tretinoin Cream	U.S.P	0.05 % w/w
		Cream Base		q.s
149	Ketoprofen Gel B.P.	Composition		
		Ketoprofen	I.P.	2.50%
		Gel base		q.s
150	Nadifloxacin and Mometasone Furoate Cream	Composition:-		
		Nadifloxacin	I.P.	1.0% w/w
		Mometasone Furoate	I.P.	0.1% w/w
		Cream base		q.s.

151	Nadifloxacin, Miconazole Nitrate and Mometasone Furoate Cream	Composition:-			
		Nadifloxacin	I.P.	1.0% w/w	
		Mometasone Furoate	I.P.	0.1% w/w	
		Miconazole Nitrate	I.P.	2.0% w/w	
		Cream base		q.s.	
152	Dapsone Gel I.P.	Composition:-			
		Dapsone	I.P.	5.0% w/w	
		Preservative			
		Methyl Paraben	I.P.	0.20% w/w	
		Gel base		q.s.	
153	Beclomethasone Dipropionate, Clotrimazole and Neomycin Sulphate Cream	Composition:-			
		Beclomethasone Dipropionate	I.P.	0.025% w/w	
		Clotrimazole	I.P.	1.0%w/w	
		Neomycin Sulphate	I.P.	0.1%w/w	
		Cream base		q.s.	
154	Diclofenac Diethylamine, Methyl Salicylate & Menthol Gel.	Composition:-			
		Diclofenac Diethylamine	BP	1.16% w/w	
		Eq. to Diclofenac Sodium	I.P.	1.0%w/w	
		Methyl Salicylate	I.P.	10%w/w	
		Menthol	I.P.	5%w/w	
		Gel base		q.s.	
155	Clobetasole Propionate & Salicylic Acid Lotion	Composition :			
		Clobetasole Proionate	I.P.	0.05 %w/v	
		Salicylic Acid	I.P.	3.0 % w/v	
		Lotion Base		q.s.	
156	Ciprofloxacin HCl , Metronidazole , Terbinafine HCl ,& Clobetasole Propionate Cream	Composition :			
		Ciprofloxacin Hydrochloride	eq.to Ciprofloxacin	I.P.	1.0 % w/w
		Metronidazole Benzoate	eq.to Metronidazole	I.P.	1.0 % w/w
		Terbinafine Hydrochloride		I.P.	1.0 % w/w
		Clobetasole Proionate		I.P.	0.05% w/w
		Preservatives :		I.P.	
		Methyl Paraben		I.P.	0.20% w/w
		Propyl Paraben		I.P.	0.020% w/w
		Cream Base		q.s.	
157	Povidone- Iodine Solution I.P	Povidone-Iodine	I.P	10 % w/v	
		(Available Iodine 1.0% w/w)		q.s.	
		Purified water			
158	Diclofenac Diethylmine, Linseed Oil, Thiocolchicoside , Methyl Salicylate , Menthol & Benzyl Alcohol Gel	Diclofenac Diethylmine	I.P	1.16% w/w	
		(Eq.to Diclofenac Sodium		1.0% w/w)	
		Thiocolchicoside	I.P	0.125% w/w	
		Linseed Oil,	B.P	3% w/w	
		Methyl Salicylate	I.P	10% w/w	
		Menthol	I.P	5.0% w/w	
		Benzyl Alcohol	I.P	1.0% w/w	
(as preservative)					
		In a Gel Base		q.s.	
159	Diclofenac Diethylamine Gel I.P	Diclofenac Diethylamine	I.P	1.16% w/w	
		(Eq. to Diclofenac Sodium		1.0 % w/w)	
		In a Gel Base		q.s.	
160	Diclofenac Diethylmine , Linseed Oil, Methyl Salicylate , Menthol & Benzyl Alcohol Gel	Diclofenac Diethylmine	I.P	1.16% w/w	
		(Eq.to Diclofenac Sodium		1.0% w/w)	
		Linseed Oil,	I.P	3% w/w	
		Methyl Salicylate	I.P	10% w/w	
		Menthol	I.P	5.0% w/w	
		Benzyl Alcohol	I.P	1.0% w/w	
(as preservative)					
		In a Gel Base		q.s.	

CAPSULES

1		Ilaprazole (as enteric coated pellets)	IP	10 mg
2		Domeperidone (as sustained release pellets)	IP	30 mg
		Excipients		q.s.
		Approved colour used		
3	Racecadotril Capsules IP 100 mg	Each hard gelatin capsule contains:		
		Racecadotril Capsules	IP	100 mg
		Excipients		q.s.
		Approved colour used		
4	Rabeprazole Sodium & Domperidone (IR) , Domperidone (SR) Capsules	Each hard gelatin Capsule contains:		
		Rabeprazole Sodium (as enteric coated Tablet)	IP	20 mg
		Colour: Red Oxide of Iron		
		Domperidone (10 mg as immediate release & 20 mg as sustained release Tablet)	IP	30 mg
		Colour: Quinoline Yellow WS		
		Excipients		q.s.
		Approved colour used in empty capsule shells.		
5	Esomeprazole Magnesium & Domperidone (IR), Domperidone (SR) Capsules	Each hard gelatin capsule contains:		
		Esomeprazole Magnesium Trihydrate Eq. to Esomeprazole (As enteric coated tablet)	IP	40 mg
		Colour: Red Oxide of Iron		
		Domperidone (10 mg as immediate release & 20 mg as sustained release Tablet)	IP	30 mg
		Colour: Quinoline Yellow WS (in 10 mg immediate release tablet)		
		Excipients		q.s.
		Approved colour used in empty hard gelatin capsule shells.		
6	Pantoprazole (EC) & Domperidone (IR), Domperidone (SR) Capsules	Each hard gelatin capsule contains:		
		Pantoprazole Sodium Sesquihydrate Eq. to Pantoprazole (As enteric coated tablet)	IP	40 mg
		Colour: Brilliant Blue		
		Domperidone (10 mg as immediate release tablet & 20 mg as sustained release Tablet)	IP	30 mg
		Colour: Quinoline Yellow WS (in 10 mg immediate release tablet)		
		Excipients		q.s.
		Approved colour used in empty capsule shells.		
7	Pantoprazole (EC) & Cinitapride (SR) Capsules	Each hard gelatin capsule contains:		
		Pantoprazole Sodium Sesquihydrate Eq. to Pantoprazole (As enteric Coated Pellets)	IP	40 mg
		Cinitapride Hydrogen Tartrate Eq. to Cinitapride (As Sustained Release Pellets)		3 mg
		Excipients		q.s.
		Approved colour used		
8	Carbonyl Iron, Folic Acid, Cyanocobalamin, Vitamin C & Zinc Capsules	Each hard gelatin Capsule contains:		
		Carbonyl Iron		100 mg
		Vitamin C	IP	75 mg
		Cyanocobalamin	IP	15 mcg
		Folic Acid	IP	1.5 mg
		Zinc Sulphate Monohydrate	USP	61.8 mg
		Excipients		q.s.
Approved colour used				

9	Atorvastatin, Aspirin & Clopidogrel Capsules	Each hard gelatin capsule contains:		
		Atorvastatin Calcium	IP	
		Eq. to Atorvastatin (as pellets)		10 mg
		Aspirin (as enteric coated pellets)	IP	75 mg
		Clopidogrel Bisulphate	IP	
		Eq. to Clopidogrel (as pellets)		75 mg
		Excipients		q.s.
		Approved colour used		
10	Clopidogrel & Aspirin Capsules	Each hard gelatin capsule contains:		
		Clopidogrel Bisulphate	IP	
		Eq. to Clopidogrel (as pellets form)		75 mg
		Aspirin (as enteric coated pellets)	IP	75 mg
		Excipients		q.s.
		Approved colour used		
11	Rosuvastatin & Aspirin Capsules	Each hard gelatin capsule contains:		
		Rosuvastatin Calcium	IP	10 mg
		eq. to Rosuvastatin (as pellets form)		
		Aspirin (as enteric coated pellets)		75 mg
		Excipients		q.s.
		Approved colour used		
12	Dabigatran Etxilate Capsules 110 mg	Each hard gelatin capsule contains:		
		Dabigatran Etxilate Mesylate		110 mg
		Eq. to Dabigatran Etxilate		
		Excipients		q.s.
		Approved colour used		
13	Dabigatran Etxilate Capsules 150 mg	Each hard gelatin capsule contains:		
		Dabigatran Etxilate Mesylate		150 mg
		Eq. to Dabigatran Etxilate		
		Excipients		q.s.
		Approved colour used		
14	Dabigatran Etxilate Capsules 75 mg	Each hard gelatin capsule contains:		
		Dabigatran Etxilate Mesylate		75 mg
		Eq. to Dabigatran Etxilate		
		Excipients		q.s.
		Approved colour used		
15	Rosuvastatin, Clopidogrel and Aspirin Capsules	Each hard gelatin Capsule contains:		
		Rosuvastatin Calcium	IP	10 mg
		Eq. to Rosuvastatin (as pellets)		
		Clopidogrel Bisulphate	IP	75 mg
		Eq. to Clopidogrel (as pellets)		
		Aspirin (as Gastro-resistant pellets)	IP	75 mg
		Excipients		q.s.
		Approved colour used in empty capsule shells & Pellets		
16	Acebrophylline Capsules 100 mg	Each hard gelatin capsule contains:		
		Acebrophylline		100 mg
		Excipients		q.s.
		Approved colour used		
17	Rosuvastatin & Clopidogrel Capsules	Each hard gelatin capsule contains:		
		Rosuvastatin Calcium	IP	
		Eq. to Rosuvastatin (as pellets)		20 mg
		Clopidogrel Bisulphate	IP	
		Eq. to Clopidogrel (as pellets)		75 mg
		Excipients		q.s
		Approved colour used		

18	Atorvastatin & Aspirin Capsules	Each hard gelatin capsule contains:		
		Atorvastatin Calcium	IP	
		Eq. to Atorvastatin (As pellets)		10 mg
		Aspirin	IP	75 mg
		(as Gastro-resistant pellets)		
		Excipients		q.s.
		Approved colour used		
19	Pregabalin & Methylcobalamin Capsule	Each Hard gelatin capsule contains:-		
		Pregabalin	I.P.	300 mg
		(as a sustained released granules)		
		Methylcobalamin	I.P.	1500 mcg
		Excipients		q.s.
Approved colour used in empty hard gelatin capsule shells.				
20	Vitamin B-Complex with minerals capsules.	Each Hard gelatin capsule contains:-		
		Zinc Sulphate Monohydrate	I.P.	61.8 mg
		Thiamine Hydrochloride	I.P.	5 mg
		Riboflavin	I.P.	5 mg
		Pyridoxine Hydrochloride	I.P.	1 mg
		Niacinamide	I.P.	25 mg
		Cynocobalamin	I.P.	5 mcg
		Calcium Pantothenate	I.P.	12.5 mg
		Copper Sulphate	B.P.	1 mg
		Manganese Sulphate	I.P.	2 mg
		Excipients		q.s.
		Approved colour used in empty hard gelatin capsule shell		
21	Indomethacin Capsules 75 mg	Each hard gelatin capsule contains:		
		Indomethacin (Sustained release)	I.P.	75 mg
		Excipients		q.s.
		Approved colours used in empty hard gelatin capsule shells		
22	Diacerein Capsule I.P. 50 mg	Each Hard gelatin Capsule contains:-		
		Diacerein	I.P.	50 mg
		Excipients		q.s.
Approved colour used in empty hard capsule shells				
23	Indomethacin Capsules I.P 25 mg	Each hard gelatin capsule contains:		
		Indomethacin	I.P.	25 mg
		Excipients		q.s.
Approved colours used in empty hard gelatin capsule shells				
24	Pregabalin & Methylcobalamin Capsule	Each Hard gelatin capsule contains:-		
		Pregabalin	I.P.	300 mg
		(as a sustained released granules)		
		Methylcobalamin	I.P.	1500 mcg
		Excipients		q.s.
Approved colour used in empty hard gelatin capsule shells.				
25	Vitamin B-Complex with minerals capsules.	Each Hard gelatin capsule contains:-		
		Zinc Sulphate Monohydrate	I.P.	61.8 mg
		Thiamine Hydrochloride	I.P.	5 mg
		Riboflavin	I.P.	5 mg
		Pyridoxine Hydrochloride	I.P.	1 mg
		Niacinamide	I.P.	25 mg
		Cynocobalamin	I.P.	5 mcg
		Calcium Pantothenate	I.P.	12.5 mg
		Copper Sulphate	B.P.	1 mg
		Manganese Sulphate	I.P.	2 mg
		Excipients		q.s.
		Approved colour used in empty hard gelatin capsule shell		
26	Atorvastatin, Clopidogrel and Aspirin Capsules	Each hard gelatin Capsule contains:		
		Atorvastatin Calcium	I.P.	20 mg
		Eq. to Atorvastatin (as pellets)		
		Clopidogrel Bisulphate		
		Eq. to Clopidogrel (as pellets)	I.P.	75 mg
		Aspirin		
		(as Gastro-resistant pellets)	I.P.	75 mg
Excipients		q.s.		
Approved colour used in empty capsule shells & Pellets				

27	Rosuvastatin, Clopidogrel and Aspirin Capsules	Each hard gelatin Capsule contains:		
		Rosuvastatin Calcium	IP	20 mg
		Eq. to Rosuvastatin (as pellets)		
		Clopidogrel Bisulphate	IP	75 mg
		Eq. to Clopidogrel (as pellets)		
		Aspirin (as Gastro-resistant pellets)	IP	75 mg
		Excipients		q.s.
Approved colour used in empty capsule shells & Pellets				
28	Rosuvastatin & Aspirin Capsules	Each hard gelatin capsule contains:		
		Rosuvastatin Calcium Eq. to Rosuvastatin	I.P.	5 mg
		Aspirin	I.P.	75 mg
		Excipients		q.s.
Approved colour used in empty hard gelatin capsule shells				
29	Rosuvastatin & Aspirin Capsules	Each hard gelatin capsule contains:		
		Rosuvastatin Calcium Eq. to Rosuvastatin	I.P.	10 mg
		Aspirin	I.P.	150 mg
		Excipients		q.s.
Approved colour used in empty hard gelatin capsule shells				
30	Silodosin Capsules	Each hard gelatin Capsule Contains:		
		Silodosin		8 mg
		Excipients		q.s.
Approved colour used in empty hard gelatin capsule shells				
31	Atorvastatin & Aspirin Capsules	Each hard gelatin Capsule Contains:		
		Atorvastatin Calcium Eq. to Atorvastatin	I.P.	10 mg
		Aspirin	I.P.	150 mg
		Excipients		q.s.
Approved colour used in empty hard gelatin capsule shells				
32	Silodosin Capsules 2 mg	Each hard gelatin Capsule Contains:		
		Silodosin		2 mg
		Excipients		q.s.
Approved colour used in empty hard gelatin capsule shells				
33	Orlistat Capsules 60 mg	Each hard gelatin Capsule Contains:		
		Orlistat		60 mg
		Excipients		q.s.
Approved colour used in hard gelatin capsule shells				
34	Orlistat Capsules 120 mg	Each hard gelatin Capsule Contains:		
		Orlistat		120 mg
		Excipients		q.s.
Approved colour used in hard gelatin capsule shells				
35	Pregabalin, Methylcobalamin, Alpha Lipoic acid, Pyridoxine & Folic Acid Capsules.	Each hard gelatin capsule contains:		
		Pregabalin	I.P.	150 mg
		Methylcobalamin	I.P.	750 mcg
		Alpha Lipoic acid	USP	100 mg
		Pyridoxine	I.P.	3 mg
		Folic Acid	I.P.	1.5 mg
		Excipients		q.s.
Approved colour used in empty hard gelatin capsule shells				
36	Flupirtine Maleate Capsules 100 mg	Each hard gelatin capsule contains:		
		Flupirtine Maleate		100 mg
		Excipients		q.s.
Approved colours used in empty hard gelatin capsule shells				
37	Glucosamine Sulphate & Chondroitin Sulphate Capsules	Each hard gelatin capsule contains:		
		Glucosamine Sulphate		250 mg
		Chondroitin Sulphate		200 mg
		Excipients		q.s.
Approved colours used in empty hard gelatin capsule shells				
38	Carbonyl Iron with Zinc Sulphate & Folic Acid Capsules	Each hard gelatin capsule contains:		
		Carbonyl Iron		
		Eq. to elemental iron		50 mg
		Zinc Sulphate Monohydrate (Eq. to 22.5 mg of Elemental Zinc)	I.P.	61.8 mg
		Folic Acid	I.P.	0.5 mg
		Excipients		q.s.
Approved colours used in empty hard gelatin capsule shells				

39	Ferrous Fumarate, Thiamine Hydrochloride, Pyridoxine Hydrochloride, Folic Acid, Cynocobalamine & Ascorbic Acid Capsules	Each Hard gelatin capsule contains:-		
		Ferrous Fumarate	I.P.	300 mg
		Thiamine Hydrochloride	I.P.	5 mg
		Pyridoxine Hydrochloride	I.P.	1.5 mg
		Folic Acid	I.P.	1 mg
		Cynocobalamine	I.P.	5 mcg
		Ascorbic Acid	I.P.	75 mg
		Excipients		
		Approved colours used in empty hard gelatin capsule shell		
		For therapeutic use		
Dosage: One capsule twice daily				
40	Lopinavir and Ritonavir Capsules	Each hard gelatin capsule contains:		
		Lopinavir	I.P.	133.3 mg
		Ritonavir	I.P.	33.3 mg
		Excipients		q.s.
Approved colours used in empty hard gelatin capsule shells				
41	Lansoprazole Gastro-resistant Capsules I.P. 30 mg	Each hard gelatin capsule contains:		
		Lansoprazole (As enteric coated granules)	I.P.	30 mg
		Excipients		q.s.
		Approved colours used in empty hard gelatin capsule shells		
42	Lansoprazole Gastro-resistant Capsules I.P. 15 mg	Each hard gelatin capsule contains:		
		Lansoprazole (As enteric coated granules)	I.P.	15 mg
		Excipients		q.s.
		Approved colours used in empty hard gelatin capsule shells		
43	Silodosin & Dutasteride Capsules	Each hard gelatin Capsule Contains:		
		Silodosin (as pellets)		8 mg
		Dutasteride (as pellets)		0.5 mg
		Excipients		q.s.
Approved colour used in empty hard gelatin capsule shells				
44	Pregabalin Capsule I.P 300 mg	Each hard gelatin capsule contains :		
		Pregabalin	I.P.	300 mg
		Excipients		q.s.
45	Pantoprazole Gastro-resistant and Domperidone Sustained Release Capsules I.P	Each Hard Gelatin Capsule Contains		
		Pantoprazole Sodium Eq.to pantoprazole (as enteric coated pellets.)	I.P.	40 mg
		Domperidone (as sustained release pellets.)	I.P.	30 mg
		Excipients		q.s.
		Approved colour use in empty capsule shells		
46	Omeprazole & Domperidone Capsules I.P	Each Hard Gelatin Capsule Contains		
		Omeprazole (As Enteric Coated Pellets)	I.P.	20 mg
		Domperidone (As Pellets)	I.P.	10 mg
		Excipients		q.s.
Approved color used in empty hard gelatin Capsules				

SACHETS AND PROTEIN POWDER

1	Saccharomyces boulardii & Lactic acid bacillus Sachet	Each sachet contains:		
		Saccharomyces boulardii		282.5 mg
		Lactic acid bacillus		150 million spores
		Excipients		q.s
		Approved colour used		
2	L-arginine , Proanthocyanidine , Folic acid & Zinc Sachets	Each 5 gm sachet contains:		
		L-arginine	IP	3 g
		Proanthocyanidine		75 mg
		Folic acid	IP	5 mg
		Zinc sulphate Monohydrate eq. to elemental zinc	IP	61.8 mg 22.5 mg
		Excipients		q.s
		Approved colour used		
3	L-arginine , Proanthocyanidine , Folic acid & Zinc Sachets	Each 10 gm sachet contains:		
		L-arginine	IP	5 gm
		Proanthocyanidine		75 mg
		Folic acid	IP	5 mg
		Zinc sulphate Monohydrate eq. to elemental zinc powder	IP	61.8 mg 22.5 mg
		Excipients		q.s
		Approved colour used		
4	Dextrose , Sodium chloride , Potassium Chloride , Sodium Citrate & Zinc Sachets	Each sachet contains:		
		Dextrose	IP	2.70 gm
		Sodium Chloride	IP	0.52 gm
		Potassium Chloride	IP	0.30 gm
		Sodium Citrate	IP	0.58 gm
		zinc sulphate	IP	0.022 gm
Excipients		q.s		
		Approved colour used		
5	Dextrose , Sodium chloride , Potassium Chloride , Sodium citrate , Zinc Sachets	Each sachet contains:		
		Dextrose	IP	13.5 gm
		Sodium chloride	IP	2.6 gm
		Potassium Chloride	IP	1.5 gm
		Sodium Citrate	IP	2.9 gm
		zinc sulphate	IP	0.11 gm
Excipients		q.s		
		Approved colour used		
6	L-Argine, Methylcobalamin , Folic acid & Zinc Sachets	Each sachet contains:		
		L-argine	IP	3 gm
		Methylcobalamin	IP	1500 mcg
		Folic acid	IP	1.5 mg
		Zinc sulphate monohydrate Eq. to elemental Zinc	IP	10 mg
		Excipients		q.s
		Approved colour used		
7	L-Agrinine & Proanthocyanidine Sachets	Each sachet contains:		
		L-agrinine	IP	3 gm
		Proanthocyanidine		75 mg
		Excipients		q.s
		Approved colour used		
8	Lactobacillus Acidphilus, Lactobacillus Rhamnosus , Bifidobacteria Longum , Bifidobacteria Bifidum , Saccharomyces boulardil & Fructo Oligo Saccharides Sachets	Each sachet contains:		
		Lactobacillus Acidphilus		0.4 billion
		Lactobacillus Rhamnosus		0.4 billion
		Bifidobacteria Longum		0.4 billion
		Bifidobacteria Bifidum		0.25 billion
		Saccharomyces boulardil		0.05 billion
		Fructo Oligo Saccharides		100 mg
Excipients		q.s		
		Approved colour used		
9	Saccharomyces boulardil & Lactic acid bacillus Sachets	Each gm sachet contains:		
		Saccharomyces boulardil		5 billion
		Lactic acid bacillus		150 million spores
		Excipients		q.s
		Approved colour used		

10	Lactobacilluse Acidphilus,	Each sachet contains:		
	Lactobacillus Rhamnosus,	Lactobacilluse Acidphilus		0.24 billion
	Bifidobacteria Longum ,	Lactobacillus Rhamnosus		0.24 billion
	Bifidobacteria Bifidum,	Bifidobacteria Longum		0.24 billion
	Streptococcus Thermophilus ,	Bifidobacteria Bifidum		0.24 billion
	Saccharomyces boulardil &	Streptococcus Thermophilus		0.24 billion
	Fructo Oligo Saccharides Sachets	Saccharomyces boulardil		0.30 billion
		Fructo Oligo Saccharides		300 mg
	Excipients		q.s	
	Approved colour used			
11	Lactobacilluse Acidphilus,	Each sachet contains:		
	Lactobacillus Rhamnosus,	Lactobacilluse Acidphilus		0.24 billion
	Bifidobacteria Longum	Lactobacillus Rhamnosus		0.24 billion
	Bifidobacteria Bifidum	Bifidobacteria Longum		0.24 billion
	Streptococcus Thermophilus	Bifidobacteria Bifidum		0.24 billion
	Saccharomyces boulardil	Streptococcus Thermophilus		0.24 billion
	Fructo Oligo Saccharides Sachets	Saccharomyces boulardil		0.50 billion
		Fructo Oligo Saccharides		100 mg
	Excipients		q.s	
	Approved colour used			
12	Saccharomyces boulardil &	Each gm sachet contains:		
	Racecadotril Sachets	Saccharomyces boulardil (Lyophilized)		25 billion
		Racecadotril	BP	15 mg
		Excipients		q.s
	Approved colour used			
13	L-Acidophilluse,	Each sachet contains:		
	L-Rhamnosus ,	L-Acidophilluse		0.24 billion
	Bifidobacteria Longum,	L-Rhamnosus		0.24 billion
	Bifidobacteria Bifidum ,	Bifidobacteria Longum		0.24 billion
	Streptococcus Thermophilus,	Bifidobacteria Bifidum		0.24 billion
	Saccharomyces boulardil &	Streptococcus Thermophilus		0.24 billion
	Fructo Oligo Saccharides sachets	Saccharomyces boulardil		0.05 billion
		Fructo Oligo Saccharides		100 mg
	Excipients		q.s	
	Approved colour used			
14	L-Acidophilluse ,	Each gm sachet contains:		
	L-Rhamnosus ,	L-Acidophilluse		
	Bifidobacteria Longum ,	L-Rhamnosus		
	Bifidobacteria Bifidum ,	Bifidobacteria Longum		total count. 1.375 billic
	Saccharomyces boulardil &	Bifidobacteria Bifidum		
	Fructo oligo saccharides Sachets	Saccharomyces boulardil		
		Fructo oligo saccharides		100 mg
		Excipients		q.s
	Approved colour used			
15	A Balanced Protein Supplement Fortified with Essential Vitamins, Minerals & DHA	Each 30 gm Powder contains:		
		Protein Hydrolysate 20%		5 gm
		DHA 10%		25 mg
		Pyridoxine Hydrochloride	IP	0.5 mg
		Cyanocobalamin	IP	1 mcg
		Vitamin D ₃	IP	100 IU
		Folic Acid	IP	0.3 mg
		Niacinamide	IP	15 mg
		Calcium		200 mg
		(as Dibasic Calcium Phosphate Dihydrate IP)		
		Manganese Sulphate	USP	1.5 mcg
		Zinc		1.5 mg
		(as Zinc Sulphate Heptahydrate IP)		
		Iron		10 mg
		(as Ferric Ammonium Citrate IP)		
		Magnesium Oxide	IP	4 mg
		Cupric Sulphate	USP	2.5 mg
		Chromium		25 mcg
		(as Chromium Chloride USP)		
		Selenium Dioxide Monohydrate USP	USP	20 mcg
Potassium Chloride	IP	5 mg		
Sodium Chloride	IP	33 mg		
Iodine		100 mcg		
(as Potassium Iodide IP)				
Excipients		q.s.		
	Approved colour used			

16	A Balanced Protein Supplement Fortified with Essential Vitamins & Minerals	Each 30 gm Powder contains:		
		Protein Hydrolysate 20%		5 gm
		Calcium	IP	225 mg
		(As Dibasic Calcium Phosphate)		
		Phosphorus	IP	174 mg
		(As Dibasic Calcium Phosphate)		
		Vitamin B ₆ (Pyridoxine Hydrochloride)	IP	0.5 mg
		Vitamin B ₁₂ (Cyanocobalamin)	IP	1 mcg
		Vitamin D ₃	IP	100 i.u.
		Niacinamide	IP	15 mg
		Folic Acid	IP	0.3 mg
		Zinc		5 mg
		(as Zinc Sulphate Heptahydrate IP)		
		Iron		7.5 mg
(as Ferric Ammonium Citrate IP)				
Excipients		q.s.		
		Approved colour used		
17	Cholecalciferol Granules Sachets	Each 1 gm sachet contains:		
		Cholecalciferol	IP	60,000 IU
		Excipients		q.s.
		Approved colour used		
18	Dextrose, Sucrose, Zinc Sulphate & Vitamin C sachets	Each sachets contains:		
		Dextrose Monohydrate	IP	17.5 gm
		Sucrose	IP	14 gm
		Zinc Sulphate	IP	
		Eq. to elemental Zinc		7.5 mg
		Vitamin C	IP	
		(ascorbate acid)		50 mg
Excipients		q.s.		
		Approved colour used		
19	Lactobacillus Acidophilus, Lactobacillus Rhamnosus , Bifidobacterium longum , Bifidobacterium bifidum , Saccharomyces Boulardi & Fructooligo sacharides sachets	Each sachets contains:		
		Lactobacillus Acidophilus		0.4 billion
		Lactobacillus Rhamnosus		0.4 billion
		Bifidobacterium longum		0.4 billion
		Bifidobacterium bifidum		0.25 billion
		Saccharomyces Boulardi		0.05 billion
		Fructooligo sacharides		100 mg
Excipients		q.s.		
		Approved colour used		
20	Racecadotril & Saccaromyces Boulardil sachets	Each sachets contains:		
		Racecadotril		15 mg
		Saccaromyces Boulardil		2.5 billion
		Excipients		q.s.
		Approved colour used		
21	Pre- and Probitoic sachets	Each gm sachet contains:		
		Lactobacillus Acidophilus		
		Lactobacillus Rhamnosus		
		Lactobacillus sporogenes		1.25 billion spores
		Bifidobacterium longum		
		Bifidobacterium bifidum		
		Saccharomyces Boulardi		
total spores not less than 1.25 billion				
Excipients		q.s.		
		Approved colour used		
22	Vitamin D3, Myo-inositol & D-Chiroinositol sachets	Each 5 gm sachet contains:		
		Vitamin D3	IP	1000 IU
		Myo-inositol	BP	2000 mg
		D-Chiroinositol	BP	50 mg
		Excipients		q.s.
		Approved colour used		
23	Vitamin D3, Myo-inositol & Folic acid sachets	Each sachet contains:		
		Vitamin D3	IP	1000 IU
		Myo-inositol	BP	2000 mg
		Folic acid	IP	1 mg
		Excipients		q.s.
		Approved colour used		

24	Oral Rehydration Salts (ORS Powder) I.P.	Each sachet contains:-		
		Sodium Chloride	I.P.	2.6gm
		Dextrose (Anhydrous)	I.P.	13.5 gm
		Potassium Chloride	I.P.	1.5 gm
		Sodium Citrate	I.P.	2.9 gm
		Excipients		q.s.
25	A Blend of nine natural Probiotic strains & Prebiotic (FOS) with the advantage of Saccharomyces boulardii & Zinc	Approved colour used		
		Each 1 g sachet contains:		
		Lactobacillus Acidophilus		350 million
		Lactobacillus Rhamnosus		200 million
		Lactobacillus casei		150 million
		Lactobacillus plantarum		150 million
		Lactobacillus Bulgaricus		150 million
		Bifidobacteria Longum		150 million
		Bifidobacterium infantis		150 million
		Bifidobacterium breve		150 million
		Streptococcus Thermophilus		200 million
		Fructo Oligo Saccharides		100 mg
		Elemental Zinc as Zinc Sulphates Monohydrate I.P		10 mg
		Saccharomyces Boulardii		0.05 billion
Excipients		q.s		
26	Whey Protein With Vitamins, Minerals & DHA	Each 30 gm Powder contains:		
		Whey Protein 30%		10 gm
		Docosa Hexaenoic Acid 10 %		25 mg
		Pyridoxine Hydrochloride	IP	0.5 mg
		Cyanocobalamin	IP	1 mcg
		Vitamin D ₃	IP	100 IU
		Folic Acid	IP	300 mcg
		Niacinamide	IP	15 mg
		Calcium		200 mg
		(as Dibasic Calcium Phosphate Dihydrate IP)		
		Manganese Sulphate	USP	1.5 mcg
		Zinc		1.5 mg
		(as Zinc Sulphate Heptahydrate IP)		
		Iron		10 mg
		(as Ferric Ammonium Citrate IP)		
		Magnesium Oxide	IP	4 mg
		Cupric Sulphate	USP	2.5 mg
		Chromium		25 mcg
		(as Chromium Chloride USP)		
		Selenium Dioxide Monohydrate USP	USP	20 mcg
		Potassium Chloride	IP	5 mg
Sodium Chloride	IP	33 mg		
Iodine		100 mcg		
(as Potassium Iodide IP)				
Excipients		q.s.		
Approved colour used				

BETA LACTAM

1	Cefpodoxime Oral Suspension IP 50 mg	Each 5 ml of the reconstituted suspension contains:		
		Cefpodoxime Proxetil	IP	
		Eq. to Cefpodoxime		50 mg
		Excipients		q.s.
		Approved colour used		
2	Cefpodoxime Oral Suspension IP 100 mg	Each 5 ml of the reconstituted suspension contains:		
		Cefpodoxime Proxetil	IP	
		Eq. to Cefpodoxime		100 mg
		Excipients		q.s.
		Approved colour used		
3	Cefpodoxime Proxetil & Potassium Clavulanate for Oral Suspension	Each 5 ml of the reconstituted suspension contains:		
		Cefpodoxime Proxetil	IP	
		Eq. to Cefpodoxime	IP	50 mg
		Potassium Clavulanate Diluted		
		Eq. to Clavulanic Acid		31.25 mg
		Excipients		q.s.
4	Cefixime Oral Suspension IP 100mg	Each 5 ml of the reconstituted suspension contains:		
		Cefixime trihydrate	IP	
		Eq. to Anhydrous Cefixime		100 mg
		Excipients		q.s.
		Approved colour used		
5	Amoxicillin & Potassium Clavulanate Oral Suspension IP	Each 5 ml of the reconstituted suspension contains:		
		Amoxicillin Trihydrate	IP	
		Eq. to Amoxicillin	IP	
		Potassium Clavulanate (Diluted)		200 mg
		Eq. to Clavulanic Acid		
		Excipients		28.5 mg
6	Cefixime & Ofloxacin Tablets	Each film coated tablet contains:		
		Cefixime Trihydrate	IP	
		Eq. to Anhydrous Cefixime		200 mg
		Ofloxacin	IP	200 mg
		Excipients		q.s.
7	Cefpodoxime Proxetil & Potassium Clavulanate Tablets	Each film coated tablet contains:		
		Cefpodoxime Proxetil	IP	
		Eq. to Cefpodoxime		200 mg
		Potassium Clavulanate Diluted	IP	
		Eq. to Clavulanic Acid		125 mg
		Excipients		q.s.
8	Amoxicillin & Potassium Clavulanate Tablets IP	Each film coated tablet contains:		
		Amoxicillin Trihydrate	IP	
		Eq. to Amoxicillin		500 mg
		Potassium Clavulanate Diluted	IP	
		Eq. to Clavulanic Acid		125 mg
		Excipients		q.s.
9	Amoxicillin & Potassium Clavulanate Tablets	Each film coated tablet contains:		
		Amoxicillin Trihydrate	IP	
		Eq. to Amoxicillin		250 mg
		Potassium Clavulanate Diluted	IP	
		Eq. to Clavulanic Acid		125 mg
		Excipients		q.s.
10	Cefuroxime Axetil Tablets IP 500 mg	Each film coated tablet contains:		
		Cefuroxime Axetil	IP	
		Eq. to Cefuroxime		500 mg
		Excipients		q.s.
		Approved colour used		
11	Cefuroxime Axetil & Potassium Clavulanate Tablets	Each film coated tablet contains:		
		Cefuroxime Axetil	IP	500 mg
		Eq. to Cefuroxime		
		Potassium Clavulanate Diluted	IP	125 mg
		Eq. to Clavulanic Acid		q.s.
		Excipients		
		Approved colour used		

12	Amoxicillin & Potassium Clavulanate Oral Suspension	Each 5 ml of the reconstituted suspension contains:		
		Amoxicillin Trihydrate	IP	125 mg
		Eq. to Amoxicillin		
		Potassium Clavulanate (Diluted)	IP	31.25 mg
		Eq. to Clavulanic Acid		q.s.
Excipients				
Approved colour used				
13	Amoxicillin & Potassium Clavulanate Oral Suspension	Each 1 ml of the reconstituted suspension contains:		
		Amoxicillin Trihydrate	IP	
		Eq. to Amoxicillin		80 mg
		Potassium Clavulanate (Diluted)	IP	
		Eq. to Clavulanic Acid		11.4 mg
Excipients				
Approved colour used				
14	Amoxicillin Oral Suspension IP	Each 5 ml of the reconstituted suspension contains:		
		Amoxicillin Trihydrate	IP	
		Eq. to Amoxicillin		125 mg
		Excipients		q.s.
Approved colour used				
15	Amoxicillin Oral Suspension IP	Each 5 ml of the reconstituted suspension contains:		
		Amoxicillin Trihydrate	IP	
		Eq. to Amoxicillin		250 mg
		Excipients		q.s.
Approved colour used				
16	Amoxicillin & Potassium Clavulanate Tablets	Each film coated tablet contains:		
		Amoxicillin Trihydrate	IP	
		Eq. to Amoxicillin		875 mg
		Potassium Clavulanate Diluted	IP	
		Eq. to Clavulanic Acid		125 mg
Excipients				
Approved colour used				
17	Cefixime & Potassium Clavulanate Oral Suspension	Each 5 ml of the reconstituted suspension contains:		
		Cefixime trihydrate	IP	50 mg
		Eq. to Anhydrous Cefixime		
		Potassium Clavulanate Diluted	IP	31.25 mg
		Eq. to Clavulanic Acid		q.s.
Excipients				
Approved colour used				
18	Cefixime & Potassium Clavulanate Oral Suspension	Each 5 ml of the reconstituted suspension contains:		
		Cefixime trihydrate	IP	100 mg
		Eq. to Anhydrous Cefixime		
		Potassium Clavulanate Diluted	IP	62.5 mg
		Eq. to Clavulanic Acid		q.s.
Excipients				
Approved colour used				
19	Cefpodoxime Proxetil & Potassium Clavulanic acid oral Suspension	Each 5 ml of the reconstituted suspension contains:		
		Cefpodoxime Proxetil	IP	
		Eq. to Cefpodoxime		100 mg
		Potassium Clavulanate Diluted	IP	
		Eq. to Clavulanic Acid		62.5 mg
Excipients				
Approved colour used				
20	Cefaclor Oral Suspension IP 125 mg	Each 5 ml of the reconstituted suspension contains:		
		Cefaclor	IP	
		Eq. to Anhydrous Cefaclor		125 mg
		Excipients		q.s.
Approved colour used				
21	Cefaclor Oral Suspension IP 250mg	Each 5 ml of the reconstituted suspension contains:		
		Cefaclor	IP	
		Eq. to Anhydrous Cefaclor		250 mg
		Excipients		q.s.
Approved colour used				

22	Cefdinir for Oral Suspension IP 125 mg	Each 5 ml of the reconstituted suspension contains:		
		Cefdinir	IP	125 mg
		Excipients		q.s.
		Approved colour used		
23	Cephalexin Oral Suspension IP 125mg	Each 5 ml of the reconstituted suspension contains:		
		Cephalexin	IP	125 mg
		Eq. to Anhydrous Cephalexin		q.s.
		Excipients		
Approved colour used				
24	Cephalexin Oral Suspension IP 250mg	Each 5 ml of the reconstituted suspension contains:		
		Cephalexin	IP	
		Eq. to Anhydrous Cephalexin		250 mg
		Excipients		q.s.
Approved colour used				
25	Cefadroxil Oral Suspension IP 125mg	Each 5 ml of the reconstituted suspension contains:		
		Cefadroxil		
		Eq. to Anhydrous Cefadroxil		
		Excipients		
Approved colour used				
26	Cefadroxil Oral Suspension IP 250mg	Each 5 ml of the reconstituted suspension contains:		
		Cefadroxil	IP	
		Eq. to Anhydrous Cefadroxil		125 mg
		Excipients		q.s.
Approved colour used				
27	Cefpodoxime Proxetil Tablets IP 100 mg	Each film coated tablet contains		
		Cefpodoxime Proxetil	IP	
		Eq. to Cefpodoxime		250 mg
		Excipients		q.s.
Approved colour used in coating				
28	Cefpodoxime Proxetil & Potassium Clavulanate Tablets	Each film coated tablet contains:		
		Cefpodoxime Proxetil	IP	
		Eq. to Cefpodoxime		100 mg
		Potassium Clavulanate Diluted		
		Eq. to Clavulanic Acid		62.5 mg
Excipients		q.s.		
Approved colour used in coating				
29	Cefpodoxime Proxetil & Ofloxacin Tablets	Each film coated tablet contains:		
		Cefpodoxime Proxetil	IP	
		Eq. to Cefpodoxime		200 mg
		Ofloxacin	IP	200 mg
		Excipients		q.s.
Approved colour used				
30	Cefuroxime Axetil Tablets IP 250 mg	Each film coated tablet contains:		
		Cefuroxime Axetil	IP	
		Eq. to Cefuroxime		250 mg
		Excipients		q.s.
Approved colour used				
31	Cefpodoxime Proxetil & Potassium Clavulanate dispersible Tablets	Each uncoated dispersible tablet contains:		
		Cefpodoxime Proxetil	IP	
		Eq. to Cefpodoxime	IP	100 mg
		Potassium Clavulanate Diluted		
		Eq. to Clavulanic Acid		62.5 mg
Excipients		q.s.		
Approved colour used				
32	Cefadroxil Tablets IP 500 mg	Each Uncoated tablet contains:		
		Cefadroxil	IP	
		Eq. to Cefadroxil anhydrous		500 mg
		Excipients		q.s.
Approved colour used				
33	Cefuroxime Axetil & Potassium Clavulanate Tablets	Each film coated tablet contains:		
		Cefuroxime Axetil	IP	
		Eq. to Cefuroxime		250 mg
		Potassium Clavulanate		
		Eq. to Clavulanic Acid	IP	62.5 mg
Excipients		q.s.		
Approved colour used				

34	Cefadroxil & Potassium Clavulanate Tablets IP	Each film coated tablet contains:		
		Cefadroxil Monohydrate	IP	
		Eq. to Anhydrous Cefadroxil		500 mg
		Potassium Clavulanate Diluted	IP	
		Eq. to Clavulanic Acid		125 mg
		Excipients		q.s.
		Approved colour used		
35	Cefuroxime Axetil & Potassium Clavulanate Tablets IP	Each film coated tablet contains:		
		Cefuroxime Axetil	IP	
		Eq. to Cefuroxime		250 mg
		Potassium Clavulanate Diluted	IP	
		Eq. to Clavulanic Acid		125 mg
		Excipients		q.s.
		Approved colour used		
36	Cefpodoxime Proxetil Tablets IP 200 mg	Each film coated tablet contains		
		Cefpodoxime Proxetil	IP	
		Eq. to Cefpodoxime		200 mg
		Excipients		q.s.
		Approved colour used		
37	Cefixime Oral Suspension 50 mg	Each 5 ml of the reconstituted suspension contains:		
		Cefixime trihydrate	IP	
		Eq. to Anhydrous Cefixime		50 mg
		Excipients		q.s.
		Approved colour used		
38	Cefixime & Ofloxacin for Oral Suspension	Each 5 ml of the reconstituted suspension contains:		
		Cefixime trihydrate	IP	
		Eq. to Anhydrous Cefixime		50 mg
		Ofloxacin	IP	50 mg
		Excipients		q.s.
		Approved colour used		
39	Amoxicillin & Potassium Clavulanate Oral Suspension	Each 5 ml of the reconstituted suspension contains:		
		Amoxicillin Trihydrate	IP	
		Eq. to Amoxicillin		400 mg
		Potassium Clavulanate (Diluted)	IP	
		Eq. to Clavulanic Acid		57 mg
		Excipients		q.s.
		Approved colour used		
40	Cefixime & Lactic Acid Bacillus Dispersible Tablets	Each uncoated dispersible tablet contains:		
		Cefixime Trihydrate	IP	
		Eq. to Anhydrous Cefixime		200 mg
		Lactic Acid Bacillus		60 million spores
		Excipients		q.s.
		Approved colour used		
41	Cefpodoxime Proxetil Dispersible Tablets 200 mg	Each uncoated dispersible tablet contains		
		Cefpodoxime Proxetil	IP	200 mg
		Eq. to Cefpodoxime		
		Excipients		q.s.
		Approved colour used		
		Excipients		q.s.
42	Amoxicillin, Potassium Clavulanate & Lactic Acid Bacillus Tablets	Each film coated tablet contains:		
		Amoxicillin Trihydrate	IP	
		Eq. to Amoxicillin		500 mg
		Potassium Clavulanate Diluted	IP	
		Eq. to Clavulanic Acid		125 mg
		Lactic Acid Bacillus		60 million spores
		Excipients		q.s.
		Approved colour used in coating		
43	Cefuroxime Axetil for Oral Suspension USP	Each 5 ml of the reconstituted suspension contains:		
		Cefuroxime Axetil	IP	
		Eq. to Cefuroxime Anhydrous		125 mg
		Excipients		q.s.
		Approved colour used		
44	Cefixime Oral Suspension 25 mg	Each ml of reconstituted suspension contains:		
		Cefixime trihydrate	IP	
		Eq. to Anhydrous Cefixime		25 mg
		Excipients		q.s.
		Approved colour used		

45	Cefpodoxime Oral Suspension IP 25 mg	Each ml of the reconstituted suspension contains:		
		Cefpodoxime Proxetil	IP	
		Eq. to Cefpodoxime		25 mg
		Excipients		q.s.
		Approved colour used		
46	Cefpodoxime Proxetil Dispersible Tablets IP 100 mg	Each uncoated dispersible tablet contains		
		Cefpodoxime Proxetil	IP	
		Eq. to Anhydrous Cefpodoxime		100 mg
		Excipients		q.s.
		Approved colour used		
47	Cefixime & Sulbactam Tablets	Each film coated tablet contains:		
		Cefixime Trihydrate	IP	
		Eq. to Anhydrous Cefixime		200 mg
		Sulbactam Sodium	IP	
		Eq. to Sulbactam		150 mg
		Excipients		q.s.
		Approved colour used in coating		
48	Cefixime Dispersible Tablets IP	Each uncoated dispersible tablet contains:		
		Cefixime Trihydrate	IP	
		Eq. to Anhydrous Cefixime		100 mg
		Excipients		q.s.
		Approved colour used		
49	Cefixime & Potassium Clavulanate for Oral Suspension	Each 5 ml of the reconstituted suspension contains:		
		Cefixime Trihydrate	IP	
		Eq. to Anhydrous Cefixime		50 mg
		Potassium Clavulanate (Diluted)	IP	
		Eq. to Clavulanic Acid		31.25 mg
		Excipients		q.s.
		Approved colour used		
50	Sultamicillin Tablets	Each film coated tablet contains:		
		Sultamicillin (as Tosylate Dihydrate)	BP	375 mg
		Eq. to Sulbactam		147mg
		Ampicillin		220 mg
		Excipients		q.s.
		Approved colour used in coating		
51	Cefuroxime Axetil & Potassium Clavulanate Tablets IP	Each film coated tablet contains:		
		Cefuroxime Axetil	IP	
		Eq. to Cefuroxime		250 mg
		Potassium Clavulanate Diluted	IP	
		Eq. to Clavulanic Acid		62.5 mg
		Excipients		q.s.
		Approved colour used		
52	Cefuroxime & Potassium Clavulanate for Oral Suspension	Each 5 ml of the reconstituted suspension contains:		
		Cefuroxime Axetil	IP	
		Eq. to Cefuroxime		125 mg
		Potassium Clavulanate Diluted	IP	
		Eq. to Clavulanic Acid		31.25 mg
		Excipients		q.s.
		Approved colour used		
53	Cefixime & Potassium Clavulanate Dispersible Tablets	Each uncoated dispersible tablet contains:		
		Cefixime Trihydrate	IP	
		Eq. to Cefixime Anhydrous		100 mg
		Potassium Clavulanate Diluted	IP	
		Eq. to Clavulanic Acid		62.5 mg
		Excipients		q.s.
		Approved colour used		
54	Cefuroxime Axetil & Potassium Clavulanate Tablets IP	Each film coated tablet contains:		
		Cefuroxime Axetil	IP	
		Eq. to Cefuroxime		250 mg
		Potassium Clavulanate Diluted	IP	
		Eq. to Clavulanic Acid		125 mg
		Excipients		q.s.
		Approved colour used in coating		

55	Cefixime Dispersible Tablets IP	Each uncoated dispersible tablet contains:		IP	
		Cefixime Trihydrate			
		Eq. to Cefixime Anhydrous			50 mg
		Excipients			q.s.
		Approved colour used			
56	Cefixime Dispersible Tablets IP	Each uncoated dispersible tablet contains:		IP	
		Cefixime Trihydrate			
		Eq. to Anhydrous Cefixime			200 mg
		Excipients			q.s.
		Approved colour used			
57	Cefpodoxime Proxetil Tablets IP	Each film coated tablet contains		IP	
		Cefpodoxime Proxetil			
		Eq. to Cefpodoxime			200 mg
		Excipients			q.s.
		Approved colour used in coating			
58	Cefuroxime Axetil for Oral Suspension USP	Each 5 ml of the reconstituted suspension contains:		IP	125 mg
		Cefuroxime Axetil			
		Eq. to Cefuroxime Anhydrous			
		Excipients			q.s.
		Approved colour used			
59	Cefixime Tablets I.P 50 mg	Each film coated tablet contains:		I.P	
		Cefixime Trihydrate			
		Eq. to Anhydrous Cefixime			50 mg
		Excipients			q.s.
		Approved colour used			
60	Cefixime Tablets I.P 100 mg	Each film coated tablet contains:		I.P	
		Cefixime Trihydrate			
		Eq. to Anhydrous Cefixime			100 mg
		Excipients			q.s.
		Approved colour used			
61	Cefixime Tablets I.P 200mg	Each film coated tablet contains:		IP	
		Cefixime Trihydrate			
		Eq. to Anhydrous Cefixime			200 mg
		Excipients			q.s.
		Approved colour used			
62	Cefixime & Lactic Acid Bacillus for Oral Suspension	Each 5 ml of the reconstituted suspension contains:		I.P	50 mg
		Cefixime Trihydrate			
		Eq. to Anhydrous Cefixime			
		Lactic Acid Bacillus			60 million spores
		Excipients			
		In a flavoured Syrupy base			
		Approved colour used			
63	Cefixime & Lactic Acid Bacillus for Oral Suspension	Each 5 ml of the reconstituted suspension contains:		I.P	100 mg
		Cefixime Trihydrate			
		Eq. to Anhydrous Cefixime			
		Lactic Acid Bacillus			60 million spores
		Excipients			
		In a flavoured Syrupy base			
		Approved colour used			
64	Cefixime & Potassium Clavulanate Tablets	Each film Coated tablet contains:		I.P	200 mg
		Cefixime Trihydrate			
		eq. To Cefixime			
		Potassium Clavulanate Diluted eq.to Clavulanic Acid		I.P	125 mg
		Excipients			q.s.
		Approved colours used			